

ISSN 0100-431X

GOVERNO DO ESTADO DE SÃO PAULO
SECRETARIA DO MEIO AMBIENTE
COORDENADORIA DE INFORMAÇÕES TÉCNICAS,
DOCUMENTAÇÃO E PESQUISA AMBIENTAL
INSTITUTO GEOLÓGICO

BOLETIM Nº 11

FOSSIL MOLLUSCS OF BRAZIL

LUIZ RICARDO LOPES DE SIMONE
SÉRGIO MEZZALIRA

São Paulo
1994

ISSN 0100 431X

GOVERNO DO ESTADO DE SÃO PAULO
SECRETARIA DO MEIO AMBIENTE
COORDENADORIA DE INFORMAÇÕES TÉCNICAS,
DOCUMENTAÇÃO E PESQUISA AMBIENTAL
INSTITUTO GEOLÓGICO

BOLETIM Nº 11

FOSSIL MOLLUSCS OF BRAZIL

LUIZ RICARDO LOPES DE SIMONE
SÉRGIO MEZZALIRA

São Paulo
1994

INSTITUTO GEOLÓGICO
Endereço /Address: Av. Miguel Estéfano, 3900
Caixa Postal 8772
São Paulo, SP - Brasil

EDITOR RESPONSÁVEL
Setembrino Petri

COPIDESQUE/REVISOR
Ana Maria Gonçalves dos Santos

ASSISTENTE DE PUBLICAÇÕES
Kioko Kusuki de Oliveira

Solicita-se permuta
On demande l'échange
Exchange desired

Simone, Luiz Ricardo Lopes de
Fossil Molluscs of Brazil / Luiz Ricardo Lopes de Simone,
Sérgio Mezzalira. São Paulo: Instituto Geológico, 1994.
p. il. (Boletim, 11)
Bibliografia

1 Moluscos fósseis - Brasil 2 Paleozoologia - Brasil I
Mezzalira, Sérgio II São Paulo. Instituto Geológico. III t
IV Série

CONTENTS

EXPLANATORY NOTES	5
ABBREVIATIONS	7
1 STRATIGRAPHIC SECTION	8
1.1 Occurrences of fossil molluscs in Brazil	8
1.2 Paleozoic Era	10
Silurian.....	10
Devonian.....	10
Carboniferous-Permian.....	10
1.3 Mesozoic Era	11
Jurassic-Cretaceous	11
Cretaceous.....	11
1.4 Cenozoic Era	13
Paleocene	13
Oligocene-Miocene	14
Pliocene-Pleistocene	14
Holocene	14
1.5 Other Data	15
2 SYSTEMATIC SECTION	16
2.1 Class GASTROPODA	16
Subclass Prosobranchia	16
Subclass Heterobranchia	47
Subclass Opisthobranchia	47
Subclass Pulmonata	49
2.2 Class BIVALVIA	51
Subclass Protobranchia	51
Subclass Pteriomorphia	54
Subclass Palaeoheterodonta	74
Subclass Heterodonta	77
Subclass Anomalodesmata	93
2.3 Class SCAPHOPODA	100
2.4 Class CALYPTOPTOMATIDA	100
2.5 Class CEPHALOPODA	101

Subclass Nautiloidea	101
Subclass Ammonoidea	101
2.6 Class TENTACULITOIDEA.....	112
3 BIBLIOGRAPHY	114
PLATES	133
SUBJECT INDEX.....	188

EXPLANATORY NOTES

Introduction

With the purpose of a systematic and evolutionary study of fossil Molluscs, a survey on all existing studies on this subject is necessary, and also a card file of the species included in them. With this work finished, its publication is useful, reducing the initial work of an interested researcher. With this objective, this search was organized as a catalogue, including geological, biological and bibliographical aspects, the most concise and practical possible.

There are 1205 valid species names of fossil molluscs described or referred to in Brazilian territory, of which, 35.9% are gastropods, 51.3% bivalves, 11.7% cephalopods and 1.0% other small classes.

The bibliographic references mentioned in this catalogue may include all papers published on Brazilian fossil molluscs up to May, 1991, supplemented by a large number of publications from the international literature that were consulted to supply information not available in the Brazilian papers. Even so, some items were impossible to complete. The authors would be most appreciative of any additional data that readers may be able to supply in these cases.

Scope

This paper includes only those mollusc taxa identified at the species level that have been described or referred to in the literature as occurring in Brazil. Geographic ranges outside the country are not mentioned. Except for four species described by paleontologists, quaternary molluscs are excluded. These measures have been adopted to avoid unnecessary repetition in the synonymies of imprecisely identified taxa (e.g. *Conus* sp.) and to keep down the length of this volume.

How to use this catalogue

Systematic Section: organized by class with genera and higher level taxa listed in approximate phylogenetic order, in accordance with the treatises by VAUGHT (1989), BOSS (1982), MOORE (1957 to 1971), WENS (1938) and THIELE (1931). For the Cenozoic fauna, RIOS (1985) and ABBOTT (1974) were also used. Within genera and subgenera, species are listed alphabetically. All taxa are alphabetically listed in the Subject Index.

Stratigraphic Section: species are disposed according to their age and stratigraphic unit. In this section the species number corresponds to its number in Systematic Section, and the reference number corresponds to the same in Bibliography.

The following informations are listed in Systematic Section:

- 1) NUMBER: each species is numbered successively from 1 to 1205 in order of appearance in this book.
- 2) SCIENTIFIC NAME: the scientific name given here is in accordance with the International Code of Zoological Nomenclature (184). The designation "comb. n." after the name means that the genus of the species has changed and that the new generic designation is used here for the first time.
- 3) AGE: age of the strata in which the species is found in Brazil.
- 4) STRATIGRAPHY: name of the stratigraphic unit in which the species occurs in Brazil.
- 5) OCCURRENCE: geographic distribution of the species in Brazil, generally by municipality, town, region, etc.

- 6)REFERENCE: reference numbers as listed in the bibliography.
- 7)PLATE AND SIZE: plate number, followed by the bibliographic reference number of the figure. Approximate maximum dimension of the figured specimen in millimeters is given last. The number of the figure in the plate corresponds to the number of the species.
- 8)SYNONYMY: invalid published names for the species.
- 9)N.B.: other pertinent data.

Use of “#”

The symbol “#” after a name identifies the taxon as a modern form with a fossil record, but having no living representatives in Brazil; further research is suggested to confirm the identification of these taxa.

Subspecies

Among the subspecies listed here are various that have been mentioned in the literature apparently without proper a geographic or stratigraphic distinction, a problem that merits future investigation. Thus, the following subspecies are apparently sympatric: 48, 50/51, 115, 117/118, 174, 233, 365, 538, 555, 585, 961, 1154 and 1156.

Division of work and responsibility

Mezzalira was charged with stratigraphic updating and final revision. Simone was responsible for the bibliographical survey, systematic updating, pictures and text.

Advise

Extinct species are “extinguishing”: several fossil outcrops and even complete formations will be lost in a few years. Itaborai Formation, with such important Pulmonata fossils is altogether lost, destroyed, without ever having been completely studied. Other formations, mainly in North-Eastern Brazil are heading in the same direction, it is only a question of time.

Acknowledgements

It is impracticable to thank all the persons who contributed to this voluminous task of researching and updating information on all Brazilian fossil molluscs, but a number of people deserve a special mention: Prof. R. Carvalho and A. C. Rocha Campos of the Instituto de Geociências of the Universidade de São Paulo (USP), who provided space for us to work within this Institute's facilities. Prof. M. H. R. Hessel of Universidade de Brasília for opinions about text and for sending references. Prof. J. L. M. Leme of the Museu de Zoologia of the USP, for allowing use of this Museum's facilities and for providing opinions about Pulmonata systematics. Prof. C. M. Martins of the Museu de Zoologia of USP for ideas and suggestions about systematics and the text. Dr. J. F. Vaz for discussions about fresh-water Gastropoda. For sending references: Dr. V. U. Rosado of Mossoró, RN; Prof. E. W. Ragonha of Universidade Estadual Paulista-Rio Claro; Profs. J. H. Ciguel; M. C. Simões and F. C. Fittipaldi of Instituto de Geociências of USP; Prof. J.C.Mendes; Dr. R. A. Reymert. For revision on English text: Prof. T. Farshild of Instituto de Geociências of USP. For orientation of the computer use: Prof. C.R. Brandão and O.Schmidt (MZUSP).

ABBREVIATIONS

aff	affinis	similar to
al	alii	others
auct	auctorum	authors
cf	confer	confer on
comb.n.	combinatio nova	new combination
err.typogr.	errore typographico	typographic error

Abbreviations of Brazilian States mentioned herein

- AC: Acre
- AL: Alagoas
- AM: Amazonas
- BA: Bahia
- MA: Maranhão
- MG: Minas Gerais
- MT: Mato Grosso
- MS: Mato Grosso do Sul
- PA: Pará
- PB: Paraíba
- PE: Pernambuco
- PI: Piauí
- PR: Paraná
- RJ: Rio de Janeiro
- RN: Rio Grande do Norte
- RS: Rio Grande do Sul
- SC: Santa Catarina
- SE: Sergipe
- SP: São Paulo

1 STRATIGRAPHYC SECTION

1.1 Ocurrences of fossil molluscs in Brazil

GEOLOGICAL TABLE I (CENOZOIC/MESOZOIC) - Based on VAN EYSINGA (1971), HESSEL (1982), PETRI & FULFARO (1983) and MENDES (1988).

				BASINS OR REGIONS									
E R A	AGE in million Years	Period	Series	Southern Brazil	Amazonian	Sergipe Alagoas	Parnaíba	Tucano	Portiguar	Rio do Peixe	Paraíba Pernambuco	Araripe	
		Holocene - Recent											
C	1.8	Pleistocene											
E	5	Pliocene			Pebas			Turiacú					
N	18.5	LATE		Pelotas									
O	26	MIDDLE											
Z	37.5	EARLY		Basin				Pirabas					
O		Oligocene											
I	53.5	Eocene											
C	65	Paleocene		Itaborai									
	70		Maastrichtian										
	76		Campanian										
	82		Santonian										
M	88		Coniacian										
E	94		Turonian (Emscherian)										
S	100		Cenomanian										
O	106		Albian										
I	112		Ap. EARL Y										
C	136		Ala- goan										
	162	Jurassic	B. H. V. B.	J. B. A. R.S.									
	192,5	LATE											
	225	EARLY											
		Triassic											

GEOLOGICAL TABLE II (PALEOZOIC) - Based on VAN EYSINGA (1971), HESSEL (1982), PETRI & FULFARO (1983) and MENDES (1988).

E R A	AGE in million year	Strati- graphical Ages	P E R I O D	BASINS OR REGIONS								
				Paraná	Amazonian	Sergipe Alagoas	Parnaíba	Tucano	Portuguar	Rio do Peixe	Paraíba Pernambuco	Araripe
P A L E O Z O I C	230	Tartarian	L A T E R	P E R M I A N	Passa Dois Group							
	240	Kazanian	M I D D L E									
		Kungurian	E A R L Y	Tubarão Group								
	256.5											
		Artinskian	C A R B O N I F E R O U S	MONTE ALEGRE								
	280	Sakmarian	L A T E R		ITAI- TUBA							
	292.5	Stephanian	E A R L Y	Curuá			Piauí					
	312.5	Westphalian										
	325	Namurian	L A T E	Ponta Grossa				Poti				
	337.5	Visean	E A R L Y									
	345	Tournaisian	C A R B O N I F E R O U S	E R E R A								
	353	Famennian Strunian	L A T E									
	359	Frasnian	M I D D L E	Maecuru								
		Give- tian	E A R L Y									
		Cour- vini- an	M I D D L E	Trombetas								
	370	Emrian	L I S T R I A N									
		Siegenian	E A R L Y	Pimentei- ras								
	395	Gedinian	S I L U R I A N									
		Downtonian		Inajá								
		Ludlovian										
	410	Wenlockian		Inajá								
	435	Llandovery- an										
	495	Ordovician		Inajá								
	570	Cambrian										

1.2 Paleozoic Era

SILURIAN

Trombetas Formation

Species: 15, 434, 453, 744, 745, 1203
Occurrence of Molluscs: PA
References: 81, 87, 88, 193, 194, 235

Ludlovian

DEVONIAN

Ponta Grossa Formation

Eifelian to Frasnian
Species: 8, 11, 12, 16, 25, 53, 56, 432, 433, 445, 448, 452, 454, 458, 459, 461, 462, 465, 469, 470, 527, 554, 733, 734, 741, 743, 808, 817, 977, 983, 984, 985, 988, 989, 997, 1054, 1055, 1056, 1197, 1198, 1200
Occurrence of Molluscs: PR, MT
Reference: 4, 11, 47, 50, 73, 81, 82, 83, 84, 85, 88, 100, 115, 196, 211, 214, 217, 228, 235, 269, 297, 298, 299, 300, 301, 315, 336, 351, 352, 366, 367, 368, 422, 435

Maecuru Formation

Emsian
Species: 3, 7, 10, 13, 14, 17, 38, 39, 40, 41, 42, 45, 46, 47, 49, 50, 51, 52, 54, 57, 436, 463, 466, 552, 553, 555, 558, 560, 698, 731, 732, 735, 737, 740, 816, 819, 978, 979, 980, 981, 993, 995, 1002, 1198, 1199, 1202, 1203, 1205
Occurrence of Molluscs: PA
Reference: 86, 100, 104, 170, 172, 189, 190, 191, 192, 193, 194, 198, 224, 231, 235, 367, 418, 435

Ererê Formation

Eifelian-Givetian
Species: 2, 9, 18, 27, 48, 55, 436, 437, 444, 451, 452, 455, 456, 460, 464, 468, 471, 472, 473, 558, 736, 742, 975, 982, 987, 996, 1199
Occurrence of Molluscs: PA
Reference: 11, 73, 86, 88, 89, 100, 172, 192, 193, 194, 231, 235, 367, 435

Curuá Formation

Frasnian-Strunian
Species: 51, 54, 455, 1201
Occurrence of Molluscs: PA
Reference: 86, 193, 194, 235, 435

Pimenteiras Formation

Eifelian-Givetian
Species: 10, 11, 452, 470
Occurrence of Molluscs: PI
Reference: 69, 121, 306, 315, 417

Inajá Formation

Frasnian-Fammenian
Species: 457, 556, 709, 738, 818, 972, 1000, 1001
Occurrence of Molluscs: PE
Reference: 198, 224, 304

CARBONIFEROUS - PERMIAN

Tubarão Group

Tournasian(C)-Kungurian(P)
Species: 6, 19, 23, 443, 446, 449, 695, 701, 706, 707, 708, 726, 728, 810, 815, 964, 1024, 1025, 1042
Occurrence of Molluscs: MT, SP, PR, SC

Reference: 73, 91, 118, 166, 196, 202, 203, 216, 217, 224, 235, 240, 256, 259, 261, 276, 280, 283, 290, 291, 311, 320, 322, 353, 357, 371, 393, 394, 395, 396, 397, 398, 399, 400, 407, 421, 422, 453

Monte Alegre Formation

Westphalian(C)

Species: 438

Occurrence of Molluscs: PA

Reference: 235, 435, 440

Itaituba Formation

Westphalian(C)

Species: 1, 4, 5, 21, 22, 24, 30, 31, 32, 33, 44, 80, 493, 528, 530, 531, 532, 534, 535, 536, 540, 544, 557, 561, 605, 606, 609, 696, 697, 699, 700, 702, 703, 704, 713, 714, 727, 730, 804, 805, 806, 807, 830, 973, 976, 994

Occurrence of Molluscs: PA, AM

Reference: 39, 50, 73, 114, 119, 122, 164, 165, 166, 194, 220, 235, 240, 254, 255, 267, 269, 272, 296, 343, 418, 435, 440

Poti Formation

Tournasian-Visean (C)

Species: 963, 965, 966, 967, 968, 970

Occurrence of Molluscs: PI

Reference: 73, 199

Piaui Formation

Westphalian-Stephanian (C)

Species: 705

Occurrence of Molluscs: PI

Reference: 73, 202, 224

Passa Dois Group

Kazanian-Tartarian (P)

Species: 516, 537, 562, 563, 564, 739, 767, 768, 771, 822, 824, 825, 826, 827, 832, 833, 834, 835, 887, 888, 889, 890, 891, 893, 894, 895, 896, 974, 1003, 1004, 1005, 1006, 1007, 1026, 1027, 1040, 1041, 1052

Occurrence of Molluscs: MT, SP, PR, SC

Reference: 3, 21, 22, 23, 24, 73, 99, 106, 110, 112, 113, 125, 138, 158, 159, 176, 213, 217, 219, 224, 235, 236, 257, 258, 259, 260, 263, 264, 266, 268, 270, 271, 274, 275, 277, 278, 279, 280, 282, 283, 284, 286, 294, 300, 311, 312, 316, 318, 340, 359, 360, 361, 363, 369, 370, 372, 273, 374, 375, 397, 401, 402, 407, 408, 420, 421, 422

Additional Paleozoic Reference: 89, 92, 156, 252, 253

1.3 Mesozoic Era

JURASSIC-CRETACEOUS

Souza Formation

NeoJurassic-EoCretaceous

Species: 749

Occurrence of Molluscs: PB

Reference: 247

CRETACEOUS (alphabetical order)

Açu Formation

Turonian

Species: 149, 156, 176, 183, 187, 189, 190, 194, 206, 207, 209, 235, 236, 239, 241, 247, 252, 396, 397, 513, 517, 518, 529, 539, 585, 614, 620, 622, 626, 627, 631, 632, 641, 662, 664, 724, 785, 786, 839, 851, 858, 954, 1021, 1031, 1034

Occurrence of Molluscs: RN

Reference: 35, 40, 185, 235, 243, 247, 427

<i>Algodoes Formation</i>	Albian-Cenomanian
Species: 153, 235, 238, 297, 494, 601, 607, 673, 676, 716, 721, 837, 876, 931, 938, 1022, 1117	
Occurrence of Molluscs: BA	
Reference: 54, 57, 73, 105, 235, 243, 246, 249, 377	
<i>Apodi Formation</i>	Albian-Cenomanian
Species: 511, 545, 619, 929	
Occurrence of Molluscs: CE	
Reference: 35, 73, 123, 235, 247, 410, 411	
<i>Bahia Group</i>	Alagoan
Species: 72, 83, 84, 138, 139, 410, 757, 761, 763, 901	
Occurrence of Molluscs: BA	
Reference: 73, 115, 116, 235, 256, 342, 445	
<i>Bauru Group</i>	Senonian
Species: 82, 406, 748, 753, 754, 755, 756, 759, 762, 766	
Occurrence of Molluscs: SP, MG, GO	
Reference: 5, 183, 280, 281, 283, 342, 433	
<i>Beberibe Formation</i>	Turonian-Santonian
Species: 157, 524, 585, 603, 653, 1166	
Occurrence of Molluscs: PE	
Reference: 27, 218, 377, 418, 431, 432, 439	
<i>Cotinguiba Formation</i>	Cenomanian-Coniacian
Species: 58, 204, 208, 243, 304, 309, 320, 321, 348, 508, 510, 543, 565, 568, 569, 571, 572, 573, 574, 576, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 610, 642, 647, 649, 650, 659, 660, 666, 711, 828, 836, 854, 1032, 1035, 1063, 1066, 1069, 1074, 1075, 1103, 1104, 1105, 1109, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1128, 1129, 1130, 1131, 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1150, 1151, 1152, 1153, 1154, 1155, 1156, 1157, 1158, 1159, 1160, 1161, 1162, 1163, 1164, 1165, 1167, 1168, 1169, 1170, 1171, 1172, 1173, 1174, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1187, 1188, 1190, 1191	
Occurrence of Molluscs: SE, AL	
Reference: 6, 7, 9, 10, 12, 13, 14, 18, 27, 29, 35, 37, 49, 56, 60, 68, 73, 93, 95, 97, 105, 107, 114, 160, 173, 174, 175, 177, 178, 186, 194, 195, 198, 204, 205, 206, 210, 226, 227, 232, 233, 234, 241, 246, 249, 290, 295, 313, 331, 332, 346, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 402, 409, 413, 424, 427, 428, 429, 430, 431, 432, 443, 445, 450, 451, 452	
<i>Estiva Formation</i>	Coniacian-Santonian
Species: 391, 392, 393, 394, 617	
Occurrence of Molluscs: PE	
Reference: 73, 235, 246, 306	
<i>Gramame Formation</i>	Campanian-Maastrichtian
Species: 129, 143, 144, 145, 167, 220, 221, 223, 231, 238, 308, 495, 496, 497, 498, 509, 570, 602, 665, 669, 793, 794, 844, 898, 930, 941, 1023, 1061, 1062, 1065, 1067, 1068, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1192, 1193	
Occurrence of Molluscs: PB	
Reference: 41, 73, 201, 224, 226, 235, 246, 302, 303, 305, 327, 347, 415	
<i>Itapecuru Formation</i>	Cenomanian-Santonian
Species: 514, 615, 638, 674	
Occurrence of Molluscs: MA	

Reference: 209

Jandaira Formation Turonian-Maastrichtian
Species: 76, 111, 113, 126, 135, 147, 161, 162, 166, 179, 184, 188, 191, 192, 193, 212, 235, 236, 242, 263, 393, 395, 479, 481, 547, 577, 578, 629, 630, 632, 640, 641, 643, 644, 646, 718, 796, 841, 842, 858, 860, 862, 871, 943, 1186
Occurrence of Molluscs: RN
Reference: 34, 35, 39, 40, 73, 173, 185, 235, 243, 247, 252, 307, 329, 347, 418, 419, 430

Pendência Formation Bahian
Species: 403, 845
Occurrence of Molluscs: RN
Reference: 73, 235, 243

Piaçabuçu Formation Santonian-Maastrichtian
Species: 151, 567, 635, 648, 652, 655, 656, 657, 670, 717, 899
Occurrence of Molluscs: SE
Reference: 73, 176, 226, 235, 305, 322, 415

Riachuelo Formation Albian Cenomanian
Species: 65, 78, 81, 117, 118, 119, 120, 122, 155, 159, 168, 171, 172, 173, 175, 177, 178, 185, 195, 210, 224, 228, 229, 238, 240, 242, 244, 249, 253, 254, 255, 265, 289, 291, 398, 400, 502, 507, 519, 522, 523, 541, 549, 550, 566, 575, 611, 612, 613, 616, 618, 621, 625, 628, 636, 637, 639, 651, 652, 654, 663, 667, 675, 677, 678, 679, 719, 722, 725, 812, 813, 829, 849, 850, 852, 855, 866, 872, 900, 942, 955, 1028, 1030, 1033, 1036, 1037, 1060, 1064, 1070, 1071, 1072, 1073, 1099, 1100, 1101, 1102, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1118, 1127, 1194, 1195
Occurrence of Molluscs: SE, BA
Reference: 13, 16, 17, 36, 37, 38, 39, 59, 63, 67, 68, 73, 76, 98, 173, 178, 194, 196, 223, 224, 232, 235, 246, 249, 256, 313, 322, 418, 445

Santana Formation Aptian
Species: 105, 174, 551
Occurrence of Molluscs: Araripe
Reference: 31, 33, 39, 44, 61, 223, 230, 454

Additional Cretaceous References: 28, 54, 57, 58, 64, 65, 66, 90, 116, 117, 265

1.4 Cenozoic Era

PALEOCENE

Itaborai Formation
Species: 405, 409, 411, 412, 413, 414, 416, 417, 418, 419, 420, 421, 422, 423, 424, 426, 430, 431
Occurrence of Molluscs: RJ
Reference: 52, 53, 55, 73, 108, 109, 142, 143, 144, 207, 208, 224, 235, 248, 273, 319, 320, 341, 342, 344, 345, 437, 438, 439

Maria Farinha Formation
Species: 69, 70, 75, 77, 79, 106, 108, 110, 115, 121, 123, 124, 130, 136, 137, 140, 148, 163, 165, 169, 186, 197, 200, 205, 211, 215, 219, 226, 227, 237, 249, 264, 277, 288, 293, 294, 295, 298, 299, 300, 302, 303, 307, 310, 311, 346, 352, 363, 386, 389, 390, 439, 442, 447, 475, 499, 542, 548, 658, 779, 795, 802, 811, 848, 878, 885, 924, 946, 955, 1038, 1051, 1058, 1059
Occurrence of Molluscs: PE
Reference: 19, 25, 75, 77, 124, 194, 224, 235, 243, 246, 249, 324, 325, 348, 349, 365, 445, 447

OLIGOCENE-MIOCENE

Pirabas Formation

NeoOligocene-EoMiocene

Species: 34, 35, 36, 37, 59, 60, 61, 62, 63, 66, 68, 107, 109, 112, 114, 116, 125, 127, 128, 131, 133, 134, 141, 142, 146, 154, 158, 160, 164, 170, 180, 181, 182, 196, 198, 199, 201, 202, 203, 215, 216, 217, 218, 219, 222, 225, 230, 245, 248, 250, 251, 256, 257, 258, 259, 260, 261, 262, 270, 271, 272, 273, 274, 275, 276, 278, 280, 281, 282, 283, 284, 286, 287, 290, 292, 293, 296, 301, 305, 306, 312, 313, 314, 315, 316, 317, 318, 319, 322, 323, 324, 325, 327, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 345, 347, 349, 350, 351, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 365, 366, 367, 368, 370, 371, 372, 373, 374, 375, 376, 378, 379, 380, 381, 383, 384, 385, 401, 402, 404, 450, 474, 476, 477, 478, 480, 482, 483, 484, 485, 487, 488, 489, 490, 491, 492, 500, 501, 503, 506, 512, 520, 546, 604, 608, 623, 624, 633, 634, 645, 661, 671, 672, 680, 681, 682, 683, 684, 685, 687, 688, 689, 690, 691, 692, 693, 694, 712, 715, 723, 772, 773, 775, 776, 777, 778, 779, 780, 781, 782, 783, 788, 789, 792, 797, 798, 799, 800, 801, 803, 820, 821, 838, 840, 843, 846, 847, 853, 856, 857, 859, 861, 864, 865, 867, 868, 869, 873, 874, 875, 877, 880, 881, 882, 883, 884, 886, 902, 903, 905, 906, 907, 908, 909, 910, 911, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 925, 926, 927, 928, 932, 933, 934, 935, 936, 937, 941, 944, 945, 947, 948, 949, 950, 951, 953, 955, 1038, 1039, 1053, 1057

Occurrence of Molluscs: PA, MA, PI

Reference: 8, 71, 72, 73, 78, 94, 111, 124, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 141, 145, 146, 147, 148, 149, 150, 163, 187, 194, 213, 224, 235, 243, 244, 277, 328, 356, 416, 445, 447, 449

Pelotas Basin

Miocene

Species: 64, 67, 213, 214, 246, 267, 268, 269, 285, 326, 328, 343, 344, 369, 377, 382, 387, 388, 399, 486, 504, 505, 668, 686, 774, 787, 790, 791, 814, 863, 870, 879, 904, 940, 952

Occurrence of Molluscs: RS

References: 47, 91, 101, 152, 153, 154, 155, 162, 163, 179, 180, 181, 182, 241, 244, 251, 334, 337, 338, 339, 357, 431, 453

Additional Miocene Reference: 128, 334, 446

PLIOCENE-PLEISTOCENE

Pebas Formation

Pliocene

Species: 71, 73, 74, 85, 86, 93, 94, 95, 96, 97, 99, 100, 101, 102, 103, 104, 408, 427, 746, 747, 750, 751, 758, 897, 939, 956, 957, 958, 959, 960, 961, 962

Occurrence of Molluscs: AM, AC

Reference: 73, 96, 102, 103, 124, 126, 127, 161, 188, 212, 224, 235, 237, 238, 250, 339, 403, 404, 405, 414, 423, 448

Turiaçu Formation

Pliocene-Pleistocene

Species: 279, 441, 515, 525, 720, 912

Occurrence of Molluscs: MA

Reference: 73, 124, 150, 235, 243, 250

Additional Pliocene References: 140, 335

HOLOCENE (RECENT)

Do not included in this study, except: 415, 425, 428, 429

Reference: 15, 53, 235, 247, 248, 280, 283, 320, 406, 442

Tertiary species living in recent:

64, 74, 198, 214, 216, 219, 232, 233, 234, 267, 268, 270, 272, 276, 279, 285, 316, 326, 343, 344, 365, 369, 377, 382, 385, 387, 388, 415, 427, 429, 474, 478, 482, 491, 505, 515, 525, 723, 746, 747, 750, 782, 863, 870, 874, 879, 903, 912, 915, 923, 929

Reference: 1, 45, 46, 48, 52, 53, 94, 151, 212, 217, 392, 425

1.5 Other Data

Nomen Nudum: 20, 43, 150, 152, 266, 526, 533, 559, 752, 764, 770, 823, 831, 892, 969, 991, 992, 998, 999, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050

Doubtful Identification: 26, 28, 29, 364, 407, 440, 467, 521, 538, 710, 729, 769, 784, 809, 971, 990, 1029

Doubtful Stratum: 98, 429, 765

Reference: 224, 235, 238, 342, 406

REFERENCE OF STRATIGRAPHYC SECTION

COUSTEAU, J.Y., 1984. Continentes que se Movem. IN Enciclopédia dos Mares. Salvat Editora. Rio de Janeiro, 2(34):17-32.

HESSEL, M.H.R., 1982. Curso Prático de Paleontologia Geral. Editora da Universidade de Porto Alegre, 250p.

MCFARLAND, W.N. et al, 1979. Vertebrate Life. Macmillan Publishing Co., Inc. New York, 875p.

MENDES, J.C., 1977. Vida Pré-Histórica. Edições Melhoramentos, MEC, EDUSP. Série Prisma. São Paulo 38:1-160.

MENDES, J.C., 1988. Paleontologia Básica. Queiróz, T.A.[ed], EDUSP. São Paulo:1-347.

PETRI, S. & FULFARO, V.J., 1983. Geologia do Brasil. T.A.Queiroz [ed], Editora da USP. São Paulo 631p.

SCHOBENHAUS, C. et al, 1984. Geologia do Brasil. Departamento Nacional de Produção Mineral (DNPM). Brasilia 501p.

SEYFERT, C.K. & SIRKIN, L.A, 1979. Earth History and Plate Tectonics, An Introduction to Historical Geology. II edition. Harper & Row [ed]. New York 600p.

VAN EYSINGA, F.W.B., 1971. Geological Time Table. Elsevier Publishing Company. Amsterdam: 1tab.

and more the following references: 30, 32, 42, 43, 51, 61, 62, 70, 120, 157, 167, 171, 185, 217, 222, 225, 229, 256, 274, 285, 314, 330, 354, 355.

2 SYSTEMATIC SECTION

2.1 Class GASTROPODA

Subclass PROSOBRANCHIA

Order ARCHAEOGASTROPODA

Superfamily BELLEROPHONTOIDEA
Family BELLEROPHONTIDAE

Genus *Bellerophon* Montfort, 1808

1 *Bellerophon crassus* Meek & Worthen, 1860

Age: Carboniferous, Westphalian

Stratigraphy: Itaituba Formation

Occurrence: Tapajós River, PA

Reference: 50,165,194,235

Plate and Size: 1(50),25mm

2 *Bellerophon morganianus* Hartt&Rathbun, 1875

Age: Devonian, Eifelian-Givetian

Stratigraphy: Ererê Formation

Occurrence: Ererê, PA

Reference: 86,172,193,194,235,367,435

Plate and Size: 1(193),15mm

3 *Bellerophon steltzneri* Clarke, 1899

Age: Devonian, Emsian

Stratigraphy: Maecuru Formation

Occurrence: Curuá & Maecuru, PA

Reference: 193,194,235,435

Plate and Size: 1(193),10mm

Subgenus *Pharkidonotus* Girty, 1911

4 *Bellerophon (Pharkidonotus) amazonicus*

(Mendes, 1966) comb.n.

Age: Carboniferous, Westphalian

Stratigraphy: Itaituba Formation

Occurrence: Itaituba, PA

Reference: 267,269

Plate and Size: 1(267),22mm

Genus *Euphemites* Warthin, 1930

Synonymy: *Euphemus* McCoy, 1862

5 *Euphemites carbonarius* (Cox, 1857)

Age: Carboniferous, Westphalian

Stratigraphy: Itaituba Formation

Occurrence: Tapajós River, PA

Reference: 194,235

Plate and Size: 1(194),15mm

Genus *Warthia* Waagen, 1880

6 *Warthia catarinensis* Rocha Campos, 1970

Age: Permian, Kungurian-Kazanian

Stratigraphy: Rio Bonito Formation

Occurrence: Taió, SC

Reference: 73,259,319,371,394,398

Plate and Size: 1(398),11mm

Synonymy: *W. cf micromphalus*: Reed, 1930 non Morris

Genus *Ptomatis* Clarke, 1899

7 *Ptomatis forbesi* Clarke, 1899

Age: Devonian, Emsian

Stratigraphy: Maecuru Formation

Occurrence: Maecuru, PA

Reference: 86,100,192,193,194,235,435

Plate and Size: 1(193),25mm

8 *Ptomatis moreirai* Clarke, 1913

Age: Devonian, Eifelian-Frasnian

Stratigraphy: Ponta Grossa Formation

Occurrence: Ponta Grossa, PR

Reference: 73,88,217,235,215

Plate and Size: 1(88),40mm

Family SINUITIDAE

Genus *Bucanella* Meek, 1871

9 *Bucanella coutinhoana* (Hartt & Rathbun, 1875)

Age: Devonian, Eifelian-Givetian

Stratigraphy: Ererê Formation

Occurrence: Ererê, PA

Reference: 172,193,194,235,435

Plate and Size: 1(193),12mm

10 *Bucanella derbyi* (Clarke, 1899)

Age: EoDevonian, Emsian to Givetian

Stratigraphy: Maecuru & Pimenteira Formations

Occurrence: Maecuru, PA; Picos, PI

Reference: 69,86,100,192,193,194,235,435

Plate and Size: 1(193),20mm

- 11 *Bucanella dereimsi* Knod, 1908
 Age: Devonian, Eifelian to Frasnian
 Stratigraphy: Ponta Grossa & Pimenteiras Formations
 Occurrence: Ponta Grossa & Tibaji, PR; Picos, PI
 Reference: 69,73,88,217,235,258,315
 Plate and Size: 1(258),30mm
- 12 *Bucanella laticarinata* Knod, 1908
 Age: Devonian, Eifelian-Frasnian
 Stratigraphy: Ponta Grossa Formation
 Occurrence: Ponta Grossa, PR
 Reference: 73,88,211,217,235
 Plate and Size: 1(88),25mm
 Synonymy: *B. hapsideus* (Clarke, 1913)
- 13 *Bucanella reissi* Clarke, 1899
 Age: Devonian, Emsian
 Stratigraphy: Maecuru Formation
 Occurrence: Maecuru, PA
 Reference: 100,192,193,194,235,367,437
 Plate and Size: 1(193),15mm
- 14 *Bucanella (?) salteri* (Clarke, 1899)
 Age: Devonian, Emsian
 Stratigraphy: Maecuru Formation
 Occurrence: Maecuru, PA
 Reference: 192,193,194,235,367,435
 Plate and Size: 1(193),15mm
- 15 *Bucanella trilobata viramundo* Clarke, 1899
 Age: Silurian, Ludlovian
 Stratigraphy: Trombetas Formation
 Occurrence: Oriximiná & Trombetas River, PA
 Reference: 87,193,194,235
 Plate and Size: 1(193),20mm
- Family BUCANIIDAE**
- Genus Bucania Hall, 1847**
- 16 *Bucania chapadensis* Ammon, 1893
 Age: Devonian, Eifelian-Frasnian
 Stratigraphy: Ponta Grossa Formation
 Occurrence: Chapada do Guimarães, MT
 Reference: 4,235,435
 N.B.: never figured
- 17 *Bucania freitasi* Clarke, 1899
 Age: Devonian, Emsian
 Stratigraphy: Maecuru Formation
 Occurrence: Maecuru, PA
 Reference: 86,192,193,235,435
 Plate and Size: 1(86),12mm
- Genus *Tropidodiscus* Meek, 1866
 Synonymy: *Tropidocyclus* Koninck, 1883
- 18 *Tropidodiscus gilletianus* (Hartt & Rathbun, 1875)
 Age: Devonian, Eifelian-Givetian
 Stratigraphy: Ererê Formation
 Occurrence: Ererê, PA
 Reference: 86,172,193,194,235,435
 Plate and Size: 1(193),16mm
- Superfamily PLEUROTOMARIOIDEA
 Family EOTOMARIIDAE
 Subfamily EOTOMARIINAE
- Genus *Mourlonia* Koninck, 1883
- 19 *Mourlonia (?) oliveirai* Lange, 1952
 Age: Carboniferous
 Stratigraphy: Teixeira Soares Formation
 Occurrence: Teixeira Soares, PR
 Reference: 73,216,217,276
 Plate and Size: 1(216),23mm
- 20 *Mourlonia tenuistriata* Beurlen in Lange, 1954
 nomen nudum
 Reference: 217,397
- Genus *Euconospira* Ulrich, 1897
- 21 *Euconospira brasiliensis* Mendes, 1966
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Itaituba, PA
 Reference: 267,269
 Plate and Size: 1(267),20mm
- ?Genus *Itaitubia* Mendes, 1966
- 22 *Itaitubia carinata* Mendes, 1966
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Itaituba, PA
 Reference: 267,269
 Plate and Size: 1(267),7mm
- Subfamily NEILSONIINAE
- Genus *Peruvispira* J.Chronic, 1949
- 23 *Peruvispira delicata* Chronic, 1949
 Age: Carboniferous
 Stratigraphy: Capivari Formation,
 Tubarão Group

Occurrence: Capivari, SP
Reference: 283,288,396
Plate and Size: 1(396),9mm

Family PLEUROTOMARIIDAE

Genus *Pleurotomaria* Defrance, 1826

24 *Pleurotomaria cf conoides* Meek & Worthen, 1866
Age: Carboniferous, Westphalian
Stratigraphy: Itaituba Formation
Occurrence: Tapajós River, PA
Reference: 114,235,255
Plate and Size: 1(114),50mm

25 *Pleurotomaria kayseri* Ulrich, 1892

Age: Devonian, Eifelian-Fransian
Stratigraphy: Tibaji Member, Ponta Grossa Formation
Occurrence: Tibaji, PR
Reference: 73,88,217,235,367,435
Plate and Size: 1(88),25mm

26 *Pleurotomaria cf marcouana* Geinitz

Doubtful identification
Reference: 119,235,267
N.B.: *Yunnania* ?: 267

27 *Pleurotomaria rochana* Hartt & Rathbun, 1875
Age: Devonian, Eifelian-Givetian
Stratigraphy: Ererê Formation
Occurrence: Ererê, PA
Reference: 86,172,193,194,235,435
Plate and Size: 1(235),5mm

28 *Pleurotomaria speciosa* Meek & Worthen, 1860
Doubtful identification
Reference: 119,235,254,267

29 *Pleurotomaria cf subdecussata* Geinitz
doubtful identification
Reference: 235

Genus *Trepostira* Ulrich & Scofield, 1897

30 *Trepostira cf depressa* Cox, 1857
Age: Carboniferous, Westphalian
Stratigraphy: Itaituba Formation
Occurrence: Tapajós River, PA
Reference: 166,235
Plate and Size: 2(166),16mm

Superfamily EUOMPHALOIDEA
Family EUOMPHALIDAE

Genus *Euomphalus* Sowerby, 1814

31 *Euomphalus batistai* Mendes, 1966
Age: Carboniferous, Westphalian
Stratigraphy: Itaituba Formation
Occurrence: Itaituba, PA
Reference: 119,235,267,269
Plate and Size: 2(267),22mm
Synonymy: *E.pentangulatus* Derby, 1894 non Sowerby, 1814

32 *Euomphalus laxus* White, 1877
Age: Carboniferous, Westphalian
Stratigraphy: Itaituba Formation
Occurrence: Jatapu River, AM
Reference: 122,235
Plate and Size: 2(122),11mm

33 *Euomphalus sulcifer* Girty, 1908
Age: Carboniferous, Westphalian
Stratigraphy: Itaituba Formation
Occurrence: Jatapu River, AM
Reference: 122,165,235
Plate and Size: 2(122),10mm

Superfamily FISSURELLOIDEA
Family FISSURELLIDAE
Subfamily DIODORINAE

Genus *Diodora* Gray, 1821

34 *Diodora derbyi* (Maury, 1925)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Tiriaçu, MA
Reference: 73,147,149,150,235,243
Plate and Size: 2(243),21mm

35 *Diodora fortalezensis* Ferreira & Cunha, 1957
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 147,148
Plate and Size: 2(147),10mm

36 *Diodora immortalis* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA;
Barreirinhas, MA
Reference: 147,149,194,235,243,445

Plate and Size: 2(243),18mm

37 *Diodora siqueirai* Ferreira & Cunha, 1957

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Parnaíba, PI

Reference: 131,147

Plate and Size: 2(147),17mm

Superfamily PLATYCERATOIDEA
Family PLATYCERATIDAE

Genus *Platyceras* Conrad, 1840

38 *Platyceras coutoanus* Katzer, 1896

Age: Devonian, Emsian

Stratigraphy: Maecuru Formation

Occurrence: Maecuru, PA

Reference: 189,192,193,194,224,235,435

Plate and Size: 2(193),20mm

39 *Platyceras gracilis* Katzer, 1897

Age: Devonian, Emsian

Stratigraphy: Maecuru Formation

Occurrence: Maecuru, PA

Reference: 191,192,193,194,235,435

Plate and Size: 2(193),17mm

40 *Platyceras hartti* Clarke, 1899

Age: Devonian, Emsian

Stratigraphy: Maecuru Formation

Occurrence: Maecuru, PA

Reference: 86,192,193,194,235,435

Plate and Size: 2(193),14mm

41 *Platyceras hussaki* Clarke, 1899

Age: Devonian, Emsian

Stratigraphy: Maecuru Formation

Occurrence: Maecuru, PA

Reference: 192,193,194,235,435

Plate and Size: 2(193),15mm

42 *Platyceras meerwarthi* Katzer, 1897

Age: Devonian, Emsian

Stratigraphy: Maecuru Formation

Occurrence: Maecuru, PA

Reference: 191,192,193,194,235,435

Plate and Size: 2(193),20mm

43 *Platyceras paranaensis* Beurlen in Lange,

1954

Nomen nudum

Reference: 217,397

44 *Platyceras parvum* (Swallow, 1858)

Age: Carboniferous, Westphalian

Stratigraphy: Itaituba Formation

Occurrence: Tapajós River, PA

Reference: 119,164,194,235

Plate and Size: 2(194),20mm

Synonymy: *P. nebraskaensis* Meek, 1872

45 *Platyceras planiconus* Katzer, 1896

Age: Devonian, Emsian

Stratigraphy: Maecuru Formation

Occurrence: Maecuru, PA

Reference: 189,235

46 *Platyceras steinmanni* Clarke, 1899

Age: Devonian, Emsian

Stratigraphy: Maecuru Formation

Occurrence: Maecuru, PA

Reference: 192,193,194,235,435

Plate and Size: 2(193),20mm

47 *Platyceras subconicum* Kartzer, 1897

Age: Devonian, Emsian

Stratigraphy: Maecuru Formation

Occurrence: Maecuru, PA

Reference: 191,193,194,235,435

Plate and Size: 2(193),19mm

48 *Platyceras symmetricum* Hall, 1861

Age: Devonian, Eifelian-Givetian

Stratigraphy: Ererê Formation

Occurrence: Ererê, PA

Reference: 86,89,192,193,194,235,435

Plate and Size: 2(193),19mm

N.B.: a subspecie *P. s. maecuruense* Clarke, 1899

49 *Platyceras tschernyschewi* Katzer, 1897

Age: Devonian, Emsian

Stratigraphy: Maecuru Formation

Occurrence: Maecuru, PA

Reference: 191,192,193,194,235,435

Plate and Size: 2(193),10mm

50 *Platyceras whitei* Clarke, 1899

Age: Devonian, Emsian

Stratigraphy: Maecuru Formation

Occurrence: Maecuru, PA

Reference: 86,192,193,235,435

Plate and Size: 2(193),10mm

51 *Platyceras whitei curua* Clarke, 1899

Age: Devonian, Frasnian-Strunian

Stratigraphy: Curuá Formation

Occurrence: Curuá & Maecuru, PA

Reference: 86,193,194,235,435
Plate and Size: 2(194),17mm

Genus *Platyostoma* Conrad, 1842

52 *Platyostoma* (?) *agassizi* (Clarke, 1899)
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru, PA
Reference: 86,192,193,235,435
Plate and Size: 2(86),20mm

53 *Platyostoma baini* (Sharpe, 1856)
Age: Devonian, Eifelian-Frasnian
Stratigraphy: Ponta Grossa Formation
Occurrence: Chapada do Guimarães, MT
Reference: 235,367

54 *Platyostoma darwini* (Clarke, 1899)
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru & Curuá, PA
Reference: 86,100,192,194,235,435
Plate and Size: 2(86),23mm

55 *Platyostoma furmanianum* (Hartt & Rathbun, 1875)
Age: Devonian, Eifelian-Givetian
Stratigraphy: Ererê Formation
Occurrence: Ererê, PA
Reference: 86,172,193,194,235,435
Plate and Size: 2(193),22mm

56 *Platyostoma paranensis* (Lange, 1943)
Age: Devonian, Eifelian-Frasnian
Stratigraphy: Ponta Grossa Formation
Occurrence: Ponta Grossa, PR
Reference: 214,217,235
Plate and Size: 2(214),9mm

Genus *Strophostylus* Hall, 1859

57 *Strophostylus varians* Hall, 1859
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru, PA
Reference: 191,192,193,194,235,435
Plate and Size: 2(193),20mm

Superfamily TROCHONEMATOIDEA
Family AMBERLEYIDAE

Genus *Eucyclus* Deslongchamps, 1860

58 *Eucyclus* cf *lapeyrousei* d'Archiac
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguba Formation
Occurrence: Laranjeiras, SE
Reference: 13

Superfamily TROCHOIDEA
Family TROCHIDAE
Subfamily CALLIOSTOMATINAE

Genus *Calliostoma* Swainson, 1840

59 *Calliostoma cirrus* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 194,235,243,445
Plate and Size: 2(243),27mm

60 *Calliostoma pirabicum* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 2(243),12mm

61 *Calliostoma reetectum* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Turiaçu, MA
Reference: 148,150,194,235,243,445
Plate and Size: 2(239),17mm

Genus *Astele* Swainson, 1855
Synonymy: *Eutrochus* A.Adams, 1864

62 *Astele decamposi* (Maury, 1925) comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Parnaíba, PI
Reference: 73,148,235,243
Plate and Size: 2(243),25mm

63 *Astele derbyi* (Maury, 1925) comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Parnaíba, PI;
Barreirinhas, MA
Reference: 73,131,148,149,212,235,243
Plate and Size: 2(243),30mm

Subfamily HALISTYLINAE

Genus *Halistylus* Dall, 1890

64 *Halistylus column* Dall, 1890

Age: Miocene to Recent

Stratigraphy: Pelotas Basin

Occurrence: Pelotas, RS

Reference: 91,392

Plate and Size: 2(392),6mm

Family TURBINIDAE

Subfamily TURBININAE

Genus *Turbo* Linné, 1758

65 *Turbo portentus* White, 1887

Age: Cretaceous, Albian-Cenomanian

Stratigraphy: Riachuelo Formation

Occurrence: Maruim, SE

Reference: 235,249,313,445

Plate and Size: 2(445),55mm

Subgenus *Taeniatrabo* Woodring, 1928

66 *Turbo (Taeniatrabo) brasiliensis* (Ferreira & Cunha, 1957)

Age: EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Parnaíba, PI

Reference: 131

Plate and Size: 3(131),35mm

Subfamily HOMALOPOMATINAE

Genus *Leptothyra* Pease, 1869

67 *Leptothyra philipi* Ihering in Cossmann, 1899

Age: Miocene

Stratigraphy: Pelotas Basin

Occurrence: Cassapi, Pelotas, RS

Reference: 101,181,241,357

Plate and Size: 3(101),8mm

Subfamily ASTRAEINAE

Genus *Astraea* Röding, 1798

68 *Astraea brasiliensis* Ferreira & Cunha, 1957

Age: EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 147

Plate and Size: 3(147),25mm

Suborder NERITOMORPHA

Superfamily NERITOIDEA

Family NERITIDAE

Subfamily NERITINAE

Genus *Nerita* Linné, 1758

Subgenus *Theliostyla* Mörch, 1852

69 *Nerita (Theliostyla) limata* White, 1887

Age: Paleocene

Stratigraphy: Maria Farinha Formation

Occurrence: Maria Farinha, PE

Reference: 77,235,445

Plate and Size: 3(445),27mm

70 *Nerita (Theliostyla) rinctus* White, 1887

Age: Paleocene

Stratigraphy: Maria Farinha Formation

Occurrence: Maria Farinha, PE

Reference: 77,235,445

Plate and Size: 3(445),27mm

Genus *Neritina* Lamarck, 1816

71 *Neritina etheridgi* Roxo, 1924

Age: Pliocene

Stratigraphy: Pebas Formation

Occurrence: Canamá & Três Unidos, AM

Reference: 126,127,224,235,403

Plate and Size: 3(403),18mm

Synonymy: *N.ziczac* Etheridge, 1879 nom.pre-occupied

72 *Neritina prolabiata* White, 1887

Age: Cretaceous, Alagoan

Stratigraphy: Bahia Group

Occurrence: Pojuca & Monserrate, BA

Reference: 235,445

Plate and Size: 3(445),7mm

73 *Neritina puncta* Etheridge, 1879

Age: Pliocene

Stratigraphy: Pebas Formation

Occurrence: Canamá, AM

Reference: 126,127,235,403

Plate and Size: 3(126),15mm

Genus *Puperita* Gray, 1857 #

74 *Puperita pupa* (Linne', 1758)

Age: Pliocene to Recent

Stratigraphy: Pebas Formation

Occurrence: Javari River, Três Unidos, AM

Reference: 161,235,403,448

Plate and Size: 3(161),15mm

Synonymy: *Neritina ortoni*: Gabb, 1868 non Conrad

Genus *Neritoma* Morris, 1849

Subgenus *Neridomus* Morris & Lycett, 1850

75 *Neritoma (Neridomus) percrassa* (White, 1887)
comb.n.

Age: Paleocene

Stratigraphy: Maria Farinha Formation

Occurrence: Maria Farinha, PE

Reference: 235,445

Plate and Size: 3(445),60mm

Genus *Otostoma* Archiac, 1859

76 *Otostoma assuana* (Maury, 1925)

Age: Cretaceous, Turonian-Maastrichtian

Stratigraphy: Jandaira Formation

Occurrence: Macau & Mossoró, RN

Reference: 32,40,73,235,243

Plate and Size: 3(243),17mm

77 *Otostoma exuberata* (White, 1887)

Age: Paleocene

Stratigraphy: Maria Farinha Formation

Occurrence: Maria Farinha, PE

Reference: 77,235,445,447

Plate and Size: 3(445),30mm

Subgenus *Lyosoma* White, 1880

78 *Otostoma (Lyosoma) squamosa* (White, 1887)

comb.n.

Age: Cretaceous, Albian-Cenomanian

Stratigraphy: Riachuelo Formation

Occurrence: Maruim, SE

Reference: 235,249,445

Plate and Size: 3(445),8mm

Family NERITOPSIDAE

Subfamily NERITOPSINAE

Genus *Neritopsis* Grateloup, 1832

79 *Neritopsis electra* White, 1887

Age: Paleocene

Stratigraphy: Maria Farinha Formation

Occurrence: Maria Farinha, PE

Reference: 77,235,445

Plate and Size: 3(445),20mm

Subfamily NATICOPSINAE

Genus *Strophostylus* Hall, 1859

80 *Strophostylus nanus* (Meek & Worthen, 1860)

Age: Carboniferous, Westphalian

Stratigraphy: Itaituba Formation

Occurrence: Tapajos River, PA

Reference: 119,164,235,254

Plate and Size: 3(164),10mm

Family ITIERIIDAE

Genus *Peruviella* Olsson, 1944

81 *Peruviella dolium* (Romer, 1849)

Age: Cetaceous, Albian-Cenomanian

Stratigraphy: Riachuelo Formation

Occurrence: Maruim, SE

Reference: 73,76,235,249

Plate and Size: 3(76),50mm

Synonymy: *P. gerthi* Olsson, 1979; *Trochactaeon sergipensis* Maury, 1937

Order MESOGASTROPODA

Superfamily VIVIPAROIDEA

Family VIVIPARIDAE

Subfamily VIVIPARINAE

Genus *Viviparus* Montfort, 1810

82 *Viviparus souzai* Mezzalira, 1974

Age: Cretaceous, Senonian

Stratigraphy: Bauru Formation

Occurrence: Madeira, GO

Reference: 281

Plate and Size: 3(281),10mm

Genus *Lioplacodes* Meek & Hayden, 1864

83 *Lioplacodes lacerdae* (Hartt, 1870)

Age: Cretaceous, Alagoan

Stratigraphy: Bahia Group

Occurrence: Monserrate & Irará, BA

Reference: 115,116,235,256,342,445

Plate and Size: 3(445),20mm

84 *Lioplacodes williamsii* (Hartt, 1870)

Age: Cretaceous, Alagoan

Stratigraphy: Bahia Group

Occurrence: Monserrate & Irará, BA

Reference: 115,116,235,256,342,445

Plate and Size: 3(445),20mm

Superfamily LITTORINOIDEA

Family LITTORINIDAE

Subfamily LACUNINAE

Genus *Lacuna* Turton, 1827

- Subgenus *Eubora* Kadolsky, 1980
- 85 *Lacuna (Eubora) bella* (Conrad, 1870)
- Age: Pliocene
Stratigraphy: Pebas Formation,
Occurrence: Três Unidos, AM
Reference: 235, 403, 448
Plate and Size: 3(403), 10mm
- 86 *Lacuna (Eubora) woodwardi* Kadolsky, 1980
- Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Três Unidos & Atalaia do Norte, AM
Reference: 96, 102, 103, 235, 403, 448
Plate and Size: 3(102), 8mm
Synonymy: *Ebora cassilabra*: Woodward, 1924
non Conrad, 1871
- Genus *Toxosoma* Conrad, 1874
- 87 *Toxosoma eboreum* Conrad, 1874
- Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Canamá, Olivença & Três Unidos, AM
Reference: 96, 102, 103, 126, 127, 188, 235, 403
Plate and Size: 3(188), 7mm
Synonymy: *Pseudolacuna macroptera* Bottger, 1878; *Lyosoma curta* Conrad, 1874
- Superfamily RISSOIDEA
Family HYDROBIIDAE
Subfamily HYDROBIINAE
- Genus *Hydrobia* Hartmann, 1821 #
- 88 *Hydrobia dubia* Etheridge, 1879
- Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Juruá River, Canamá & Três Unidos, AM
Reference: 126, 127, 235, 403, 405
Plate and Size: 3(126), 8mm
- 89 *Hydrobia lintea* (Conrad, 1871)
- Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Três Unidos & S.P. Olivença, AM
Reference: 102, 103, 235, 403, 448
Plate and Size: 3(103), 13mm
- 90 *Hydrobia ortoni* (Gabb, 1868)
- Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Atalaia do Norte & Três Unidos, AM
- Reference: 102, 103, 161, 235, 403, 448
Plate and Size: 4(102), 10mm
- 91 *Hydrobia (?) prudentinensis* Mezzalira, 1974
- Age: Cretaceous, Senonian
Stratigraphy: Bauru Group
Occurrence: Presidente Prudente, SP
Reference: 281, 283
Plate and Size: 4(281), 7mm
- 92 *Hydrobia tricarinata* Boettger, 1878
- Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Canamá & Três Unidos, AM
Reference: 102
Plate and Size: 4(102), 8mm
- Subfamily LITTORIDININAE
- Genus *Littoridina* Eydoux & Souleyet, 1852
- 93 *Littoridina (?) crassa* (Etheridge, 1879)
- Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Canamá, AM
Reference: 126, 127, 188, 235, 403
Plate and Size: 4(188), 6mm
- Genus *Dyris* Conrad, 1871
- 94 *Dyris gracilis* Conrad, 1871
- Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Canamá & Olivença, AM
Reference: 102, 126, 127, 235, 403, 448
Plate and Size: 4(235), 10mm
- Genus *Tryonia* Stimpson, 1865
Synonymy: *Liris* Conrad, 1871
- 95 *Tryonia laqueata* (Conrad, 1871) comb.n.
- Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Amazonas Valey
Reference: 235, 403
- 96 *Tryonia minuscula* (Gabb, 1868) comb.n.
- Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Javari River, Atalaia do Norte, Três Unidos & Canamá, AM
Reference: 102, 103, 126, 127, 161, 235, 403, 449
Plate and Size: 4(449), 64mm
Synonymy: *Melania scariooides* Etheridge, 1879

Superfamily CERITHIOIDEA

Family THIARIIDAE

Subfamily THIARIINAE

Genus *Aylacostoma* Spix, 1827

Synonymy: *Hemisinus* Swainson, 1840

N.B.: the species referred to *Melania* Lamarck, 1799 and *Thiara* Röding, 1798 (both absent in Neotropical area) were placed in this genus.

97 *Aylacostoma bicarinata* (Etheridge, 1879)

comb.n.

Age: Pliocene

Stratigraphy: Pebas Formation

Occurrence: Canamá, AM

Reference: 126,127,235,403

Plate and Size: 4(126),30mm

98 *Aylacostoma catandubica* (Maury, 1934) comb.n.

Age: Cretaceous, Turonian

Stratigraphy: ?

Occurrence: Lages, RN

Reference: 235,238

Plate and Size: 4(238),32mm

99 *Aylacostoma septecinctus* (Roxo, 1837)

Age: Pliocene

Stratigraphy: Pebas Formation

Occurrence: Juruá, AM

Reference: 235,405

Plate and Size: 4(405),9mm

100 *Aylacostoma tricarinata* (Etheridge, 1879)

comb.n.

Age: Pliocene

Stratigraphy: Pebas Formation

Occurrence: Canamá, AM

Reference: 126,127,235,403

Plate and Size: 4(126),30mm

Subgenus *Aylacostoma* s.s.

101 *Aylacostoma* (*Aylacostoma*) *browni*

(Etheridge, 1879)

Age: Pliocene

Stratigraphy: Pebas Formation

Occurrence: Canamá & Três Unidos, AM

Reference: 103,126,127,235,403,448

Plate and Size: 4(126),20mm

Synonymy: *Hemisinus sulcatus* Conrad, 1871

Subgenus *Longiverena* Pilsbry & Olsson, 1935

102 *Aylacostoma* (*Longiverena*) *coronata*

(Etheridge, 1879)

Age: Pliocene

Stratigraphy: Pebas Formation

Occurrence: Javari River & Três Unidos, AM

Reference: 73,103,235,403,414,448

Plate and Size: 4(414),40mm

Subgenus *Verena* H. & A. Adams, 1854

103 *Aylacostoma* (*Verena*) *woodwardi* (Roxo, 1924)

Age: Pliocene

Stratigraphy: Pebas Formation

Occurrence: Javari River & Três Unidos, AM

Reference: 73,235,403,414

Plate and Size: 4(403),30mm

Genus *Sheppardiconcha* Marshall & Bowles, 1934

104 *Sheppardiconcha* cf *bibliana* Marshall & Bowles, 1934

Age: Pliocene

Stratigraphy: Pebas Formation

Occurrence: Juruá River, AM

Reference: 238,405

Plate and Size: 4(238),21mm

Family CERITHIIDAE
Subfamily CERITHIINAE

Genus *Cerithium* Bruguière, 1798

105 *Cerithium* cf *austinense* Römer

Age: Cretaceous

Stratigraphy: Santana Formation

Occurrence: Chapada do Araripe

Reference: 223,454

106 *Cerithium branneri* White, 1887

Age: Paleocene

Stratigraphy: Maria Farinha Formation

Occurrence: Maria Farinha, PE

Reference: 235,445

Plate and Size: 4(445),50mm

107 *Cerithium calcivelatum* Maury, 1925

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 73,235,243

Plate and Size: 4(243),30mm

108 *Ceritium freitasi* White, 1887

Age: Paleocene

Stratigraphy: Maria Farinha Formation

Occurrence: Maria Farinha, PE

- Reference: 235,445
 Plate and Size: 4(445),70mm
- 109 *Cerithium gonzagae* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,235,243
 Plate and Size: 4(243),52mm
- 110 *Cerithium harttianum* White, 1887
 Age: Paleocene
 Stratigraphy: Maria Farinha Formation
 Occurrence: Maria Farinha, PE
 Reference: 235,445,448
 Plate and Size: 4(445),54mm
 Synonymy: *C. hartti* auctt.,err.typogr.
- 111 *Cerithium (?) jacoquea* (Jenkins, 1913)
 Age: Cretaceous,Turonian-Maastrichtian
 Stratigraphy: Jandaira Formation
 Occurrence: Natal & Mirim, RN
 Reference: 185,235,247
 Plate and Size: 4(185),30mm
- 112 *Cerithium leei* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA; Parnaiba, PI
 Reference: 73,131,235,243
 Plate and Size: 4(243),12mm
- 113 *Cerithium mirimense* Jenkins, 1913
 Age: Cretaceous, Turonian-Maastrichtian
 Stratigraphy: Jandaira Formation
 Occurrence: Itapassaroca & Natal, RN
 Reference: 35,185,235,247
 Plate and Size: 4(185),15mm
- 114 *Cerithium pachecoi* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 235,243
 Plate and Size: 4(243),33mm
- 115 *Cerithium pedroanum* White, 1887
 Age: Paleocene
 Stratigraphy: Maria Farinha Formation
 Occurrence: Maria Farinha, PE
 Reference: 75,235,445
 Plate and Size: 4(445),77mm
 Synonymy: *C.p.isabelae* White, 1887
- 116 *Cerithium pirabicum* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,235,243
 Plate and Size: 5(243),40mm
- 117 *Cerithium riachuelanum* Maury, 1937
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Riachuelo, SE
 Reference: 178,235,243
 Plate and Size: 4(178),9mm
- 118 *Cerithium riachuelanum lyrae* Maury, 1937
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Engenho Lira, Riachuelo, SE
 Reference: 73,235,249,313
 Plate and Size: 4(249),10mm
- 119 *Cerithium sergipensis* Maury, 1937
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Riachuelo, SE
 Reference: 73,235,249
 Plate and Size: 4(249),15mm
- 120 *Cerithium spiculatum* White, 1887
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Stratigraphy: Maruim, SE
 Reference: 235,313,445
 Plate and Size: 5(445),11mm
- 121 *Cerithium tethys* White, 1887
 Age: Paleocene
 Stratigraphy: Maria Farinha Formation
 Occurrence: Maria Farinha, PE
 Reference: 235,445
 Plate and Size: 5(445),45mm
- 122 *Cerithium thoas* White, 1887
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Maruim, SE
 Reference: 36,235,249,313,445
 Plate and Size: 5(445),23mm
- 123 *Cerithium varicis* White, 1887
 Age: Paleocene
 Stratigraphy: Maria Farinha Formation
 Occurrence: Maria Farinha, PE
 Reference: 75,235,445

- Plate and Size: 5(445),10mm
- Genus *Dirocerithium* Woodring & Stenzel, 1959
- 124 *Dirocerithium woodringi* Cassab, 1978
- Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 75,235,445
- Plate and Size: 5(445),37mm
- Synonymy: *Nerinea inaugurata*: White, 1887 non Stoliczka, 1868; *Turritella nerinexa*: Harris, 1912
- Genus *Rhinoclavis* Swainson, 1840 #
- Synonymy: *Clava* Martin, 1784
- 125 *Rhinoclavis williamsi* (Maury, 1925) comb.n.
- Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas & Salinas, PA
Reference: 8,73,148,235,243
- Plate and Size: 5(243),30mm
- Subgenus *Ochetoclava* Woodring, 1928
- 126 *Rhinoclavis (Ochetoclava) aglaiae* (Maury, 1934)
- Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Macau, RN
Reference: 35,235,247
- Plate and Size: 5(247),12mm
- 127 *Rhinoclavis (Ochetoclava) terpene* (Woodring, 1928)
- Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Parnaiba, PI
Reference: 131
- Plate and Size: 5(131),20mm
- Genus *Bittium* Leach in Gray, 1847
- 128 *Bittium praeverarium* Ferreira, 1970
- Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: São Marcos, MA
Reference: 139
- Plate and Size: 5(139),5mm
- Family CAMPANILIDAE #
- Genus *Campanile* Bayle in Fischer, 1884
- 129 *Campanile brasiliense* (Maury, 1930) comb.n.
- Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,347
- Plate and Size: 5(246),135mm
- Genus *Serratocerithium* Vignal, 1897
- 130 *Serratocerithium buarquianum* (White, 1887)
- Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 224,235,445,447
- Plate and Size: 5(445),70mm
- Family DIASTOMATIDAE
- Genus *Alabina* Dall, 1902
- 131 *Alabina asperoides* (Gabb, 1873)
- Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: São Marcos, MA
Reference: 136,138,139,447
- Plate and Size: 5(139),5mm
- 132 *Alabina canaliculata* (Gabb, 1873)
- Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Alcântara, MA
Reference: 136,356
- Plate and Size: 5(356),5mm
- Family POTAMIDIDAE
- Subfamily POTAMIDINAE #
- Genus *Potamides* Brongniart, 1810
- 133 *Potamides suprasulcatus* (Gabb, 1873)
- Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Parnaiba, PI
Reference: 131,447
- Plate and Size: 5(131),10mm
- 134 *Potamides woodringi* Ferreira, 1964
- Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Parnaiba, PI
Reference: 131
- Plate and Size: 5(131),12mm
- Genus *Pyrazus* Montfort, 1810
- 135 *Pyrazus rioassuanum* (Maury, 1925)

Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Mossoró & Pendência, RN
Reference: 35,40,73,235,243
Plate and Size: 5(243),43mm

Genus *Vicarya* Archiac & Haime, 1854

136 *Vicarya* (?) *daphne* White, 1887
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 235,445
Plate and Size: 5(445),20mm

137 *Vicarya* (?) *sappho* White, 1887
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 235,445
Plate and Size: 5(445),28mm

Family PLEUROCERIDAE
Subfamily PLEUROCERINAE

Genus *Pleurocera* Rafinesque, 1818

138 *Pleurocera nicolayana* (Hartt, 1870)
Age: Cretaceous, Aptian-Albian
Stratigraphy: Ilhas Formation
Occurrence: Monserrate, BA
Reference: 235,452

Subfamily MELANATRIINAE

Genus *Pachychilus* Lea, 1850

139 *Pachychilus terebriformis* (Morris, 1859)
Age: Cretaceous
Stratigraphy: Bahia Group
Occurrence: Monserrate, BA
Reference: 235,342,445
Plate and Size: 5(445),17mm

Family TURRITELLIDAE
Subfamily TURRITELLINAE

Genus *Turritella* Lamarck, 1799

140 *Turritella* (?) *acuticarinata* White, 1887
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 235,442

Plate and Size: 5(442),38mm

141 *Turritella agronomica* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Estação Agronômica, PA; Parnaíba, PI; São Marcos, MA
Reference: 73,131,149,235,243
Plate and Size: 5(243),50mm

142 *Turritella altiliroides* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,148,235,243
Plate and Size: 5(243),29mm
Synonymy: *T. alliliroides* auct., err.typogr.

143 *Turritella antigona* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246
Plate and Size: 5(246),18mm

144 *Turritella arethusa* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246
Plate and Size: 5(246),30mm

145 *Turritella brunnhilda* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246
Plate and Size: 6(246),105mm

146 *Turritella callizona* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Parnaíba, PI; Turiaçu, MA
Reference: 73,131,148,150,235,243
Plate and Size: 6(243),85mm

147 *Turritella euphrosynes* Maury, 1934
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Macau, RN
Reference: 35,40,235,247
Plate and Size: 5(247),14mm

148 *Turritella humerosa whitei* Maury, 1925

- Age: Paleocene
 Stratigraphy: Maria Farinha Formation
 Occurrence: Maria Farinha, PE
 Reference: 235,243,445,447
 Plate and Size: 5(445),52mm
 Synonymy: *T. elicita* White, 1887, nom.pre-occup.
- 149 *Turritella independenciae* Beurlen, 1964
 Age: Cretaceous, Turonian
 Stratigraphy: Açu Formation
 Occurrence: Upanema, RN
 Reference: 35,40
 Plate and Size: 5(35),23mm
- 150 *Turritella ipubiensis* Leal, 1963 nomen nudum
 Reference: 218,223
- 151 *Turritella itatigenensis* Löfgreen, 1943
 Age: Cretaceous, Santonian-Maastrichtian
 Stratigraphy: Piaçabuçu Formation
 Occurrence: Atalaia, Aracaju, SE
 Reference: 73,226,235,303
 Plate and Size: 5(226),20mm
- 152 *Turritella lucianoi* Leal 1963 nomen nudum
 Reference: 218,223
- 153 *Turritella marahuana* Maury, 1925
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Algodões Formation
 Occurrence: Marau, BA
 Reference: 54,57,73,235,243
 Plate and Size: 5(243),7mm
- 154 *Turritella meureri* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,148,235,243
 Plate and Size: 6(243),65mm
- 155 *Turritella minima* Oliveira, 1940
 Age: Cretaceous, Albian-Maastrichtian
 Stratigraphy: Riachuelo Formation
 Occurrence: Calumbi River, SE
 Reference: 73,235,322
 Plate and Size: 5(322),6mm
- 156 *Turritella natalensis* Jenkins, 1913
 Age: Cretaceous, Turonian
 Stratigraphy: Açu Formation
 Occurrence: Itapassaroca & Natal, RN
 Reference: 35,185,235,243,247
 Plate and Size: 5(243),40mm
- 157 *Turritella nodosa* F.Romer, 1841
 Age: Cretaceous, Turonian-Santonian
 Stratigraphy: Beberibe Formation
 Occurrence: Beberibe, PE
 Reference: 27,379
 Plate and Size: 5(379),30mm
- 158 *Turritella paraensis* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,148,235,243
 Plate and Size: 5(243),30mm
- 159 *Turritella pedrinhensis* Maury, 1937
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Riachuelo, SE
 Reference: 36,73,235,249,313
 Plate and Size: 6(249)15mm
- 160 *Turritella pirabica* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA; Turiaçu&Barreirinha, MA
 Reference: 73,148,149,150,235,243
 Plate and Size: 6(243),30mm
- 161 *Turritella rioassuana* Maury, 1925
 Age: Cretaceous, Turonian-Maastrichtian
 Stratigraphy: Jandaira Formation
 Occurrence: Macau, RN
 Reference: 40,235,243
 Plate and Size: 6(243),15mm
- 162 *Turritella rosadoi* Beurlen, 1967
 Age: Cretaceous, Turonian-Maastrichtian
 Stratigraphy: Jandaira Formation
 Occurrence: Mossoró, RN
 Reference: 40
 Plate and Size: 6(40),15mm
- 163 *Turritella soaresana* Hartt in White, 1887
 Age: Paleocene
 Stratigraphy: Maria Farinha Formation
 Occurrence: Maria Farinha, PE
 Reference: 235,243,348,445,447
 Plate and Size: 6(445),43mm
- 164 *Turritella sulcigyrata* Pilsbry & Johnson, 1917
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Parnaiba, PI
 Reference: 131,134

- Plate and Size: 6(131),12mm
- 165 *Turritella sylviana* Hartt in White, 1887
 Age: Paleocene
 Stratigraphy: Maria Farinha Formation
 Occurrence: Maria Farinha, PE
 Reference: 235,243,348,445,447
 Plate and Size: 6(445),16mm
- 166 *Turritella thaliae* Maury, 1934
 Age: Cretaceous, Turonian-Maastrichtian
 Stratigraphy: Jandaira Fomation
 Occurrence: Macau, RN
 Reference: 35,235,247
 Plate and Size: 6(247),21mm
- 167 *Turritella totiumsanctorum* Maury, 1930
 Age: Cretaceous, Campanian-Maastrichtian
 Stratigraphy: Gramame Formation
 Occurrence: Gramame River, João Pessoa, PB
 Reference: 73,235,246
 Plate and Size: 6(246),22mm
- Genus *Mesalia* Gray, 1847
- 168 *Mesalia hebe* White, 1887
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: São Gonçalo, SE
 Reference: 13,36,235,249,313,445
 Plate and Size: 6(445),18mm
- 169 *Mesalia nettoana* White, 1887
 Age: Paleocene
 Stratigraphy: Maria Farinha Formation
 Occurrence: Maria Farinha, PE
 Reference: 235,445,447
 Plate and Size: 6(445),43mm
- 170 *Mesalia rathbuni* (Maury, 1925)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas,PA; Parnaíba,PI; Turiaçu, MA
 Reference: 73,131,148,149,235,243
 Plate and Size: 6(243),25mm
- Subfamily CASSIOPINAE (39)
- Genus *Gymnentome* Cossman, 1909
- 171 *Gymnentome carregozica* (Maury, 1937)
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Riachuelo, Laranjeiras&D.Pastora, SE
 Reference: 13,36,39,73,235,249,313
- Plate and Size: 6(39),50mm
- 172 *Gymnentome mauryae* Beurlen, 1964
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Riachuelo, SE
 Reference: 39
 Plate and Size: 6(39),35mm
- 173 *Gymnentome romualdoi* Beurlen, 1964
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Santana, SE
 Reference: 39,223,230
 Plate and Size: 6(39),55mm
- Genus *Craginia* Stephenson, 1952
- 174 *Craginia araripensis* Beurlen, 1964
 Age: Cretaceous, Albian
 Stratigraphy: Santana Formation
 Occurrence: Crato, PE
 Reference: 39,223,230
 Plate and Size: 6(39),35mm
 N.B.: 2 forms: *C.a.alta* Beurlen and *C.a.lata* Beurlen
- 175 *Craginia ariquindai* Beurlen, 1964
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Estiva, SE
 Reference: 39
 Plate and Size: 6(39),21mm
- 176 *Craginia cf coalvillensis* (Meek)
 see 179
- 177 *Craginia lyrata* (Maury, 1937)
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Riachuelo, Laranjeiras & D. Pastora, SE
 Reference: 13,36,39,235,249
 Plate and Size: 6(39),26mm
- 178 *Craginia sergipensis* (Maury, 1937)
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Riachuelo, SE
 Reference: 36,39,235,249
 Plate and Size: 6(39),45mm
- 179 *Craginia cf turriformis* Stephenson, 1952
 Age: Cretaceous, Turonian-Maastrichtian

Stratigraphy: Jandaira Formation
Occurrence: Upanema, RN
Reference: 35,39,40
Plate and Size: 6(39),40mm
N.B.: maybe a *C. coalvillensis* (Meek) synonymy

Family VERMETIDAE

Genus *Petaloconchus* H.C.Lea, 1843
Subgenus *Macrophragma* Carpenter, 1857

180 *Petaloconchus (Macrophragma) subvarians* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; São Marcos, MA
Reference: 73,136,139,148,149,235,243
Plate and Size: 6(243),37mm

Genus *Serpulorbis* Sacco, 1827
Synonymy: *Thylacodes* Mörch, 1862

181 *Serpulorbis amazonianus* (Maury, 1925)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,149,235,243
Plate and Size: 6(243),45mm

182 *Serpulorbis corticesculpturata* (Maury, 1925)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,149,235,243
Plate and Size: 6(243),68mm

Superfamily NERINEOIDEA Family NERINEIDAE

Genus *Nerinea* Deshayes, 1827

183 *Nerinea biplicata* Beurlen, 1964
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Mossoró, RN
Reference: 35,40
Plate and Size: 6(35),30mm

184 *Nerinea pontagrossensis* Oliveira, 1958
Age: Cretaceous, Turonian-Cenomanian
Stratigraphy: Jandaira Formation
Occurrence: Ponta Grossa, São Luiz, MA
Reference: 73,329
Plate and Size: 6(329),40mm

185 *Nerinea riachuelana* Maury, 1937
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Riachuelo, SE
Reference: 73,235,249,313
Plate and Size: 6(249),13mm

186 *Nerinea sagittaria* White, 1887
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 235,445
Plate and Size: 6(445),20mm

187 *Nerinea upanemensis* Beurlen, 1964
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Chapada Apodi, RN
Reference: 35,40
Plate and Size: 6(35),25mm

Subgenus *Gonzagia* Maury, 1925

188 *Nerinea (Gonzagia) brasiliiana* Maury, 1925
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Barbadinha & Pendência, RN
Reference: 35,40,73,235,243
Plate and Size: 6(243),120mm

189 *Nerinea (Gonzagia) coutinhoi* Maury, 1934
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Mossoró, RN
Reference: 35,40,235,247
Plate and Size: 6(247),30mm

Subgenus *Aphanptyxis* Cossmann, 1896

190 *Nerinea (Aphanptyxis) mauryaee* (Beurlen, 1964)
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Mossoró, RN
Reference: 35,40
Plate and Size: 6(35),35mm

Subgenus *Plesioptygmatis* Böse, 1906

191 *Nerinea (Plesioptygmatis) mossoroensis* Beurlen, 1964
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Mossoró, RN

- Reference: 35,40
Plate and Size: 6(35),20mm
- Subgenus *Ptygmatis* Sharpe, 1850
- 192 *Nerinea (Ptygmatis) baixadoleitensis* Maury, 1934
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Macau, RN
Reference: 35,40,235,247
Plate and Size: 6(247),9mm
- 193 *Nerinea (Ptygmatis) riograndensis* Maury, 1934
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Macau, RN
Reference: 35,40,235,247
Plate and Size: 6(247),21mm
- 194 *Nerinea (Ptygmatis) rosadoi* Beurlen, 1964
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Mossoró, RN
Reference: 35,40
Plate and Size: 6(35),15mm
- Genus *Nerinoides* Wenz, 1838
Synonymy: *Nerinella* Sharpe, 1850
- 195 *Nerinoides itaporangica* (Maury, 1937)
comb.n.
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Itaporanga, SE
Reference: 13,73,235,249
Plate and Size: 6(249),15mm
- Superfamily STROMBOIDEA
Family STROMBIDAE
- Genus *Strombus* Linné, 1758
- 196 *Strombus cf aldrichi* Dall, 1890
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 235,243
Plate and Size: 7(243),20mm
- 197 *Strombus (?) dallianus* White, 1887
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
- Reference: 235,445
Plate and Size: 6(445),17mm
- 198 *Strombus cf gigas* Linné, 1758 #
Age: NeoOligocene to Recent
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 6(243),50mm
- 199 *Strombus goeldii* Ferreira & Cunha, 1957
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 145
Plate and Size: 7(145),50mm
- Genus *Calyptrophorus* Conrad, 1857
- 200 *Calyptrophorus (?) chelonitis* White, 1887
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 235,445,447
Plate and Size: 7(445),30mm
- Genus *Orthaulax* Gabb, 1873
- 201 *Orthaulax brasiliensis* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 7(243),43mm
- 202 *Orthaulax inornatus* Gabb, 1872
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 135
Plate and Size: 7(135),60mm
- 203 *Orthaulax cf pugnax* (Heilprin, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Barreirinha, MA
Reference: 73,135,149
Plate and Size: 7(135),46mm
- Genus *Lambis* Röding, 1798 #
Synonymy: *Pterocera* Lamarck, 1799
- 204 *Lambis cf decussata* (Zekeli)
Age: Cretaceous, Cenomanian-Coniacian
Stratigraphy: Cotinguba Formation

Occurrence: Japaratuba, SE
Reference: 13

Genus *Rimella* Agassiz, 1840

205 *Rimella* (?) *delicatula* Penna, 1965
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 348
Plate and Size: 7(348),19mm

Genus *Tibia* Röding, 1798 #
Subgenus *Hippochrenes* Montfort, 1810

206 *Tibia* (*Hippochrenes*) (?) *upanemensis*
Beurlen, 1964
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Mossoró, RN
Reference: 35,40
Plate and Size: 7(35),97mm

Family APORRAIDAE #

Genus *Aporrhais* Da Costa, 1778
Synonymy: *Chenopus* Philippi, 1836

207 *Aporrhais maurya* Beurlen, 1964
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Mossoró, RN
Reference: 35,40
Plate and Size: 7(35),60mm

Subgenus *Helicaulax* Gabb, 1868

208 *Aporrhais* (*Helicaulax*) *subgibbosus*
(Pervinquier, 1912?)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguba Formation
Occurrence: Japaratuba, SE
Reference: 13

Subgenus *Pterocerella* Meek, 1864

209 *Aporrhais* (*Pterocerella*) (?) *mossoroensis*
(Beurlen, 1964) comb.n.
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Mossoró, RN
Reference: 35,40
Plate and Size: 7(35),40mm

Genus *Anchura* Conrad, 1860

210 *Anchura infortunata* White, 1887
Age: Cretaceous, Albian,Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 36,196,235,445
Plate and Size: 7(445),25mm

211 *Anchura roxoi* Oliveira, 1951
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Olinda, PE
Reference: 323
Plate and Size: 7(323),60mm

Genus *Drepanocheilus* Meek, 1864

212 *Drepanocheilus baixaleitensis* (Maury, 1934)
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Macau, RN
Reference: 35,40,235,247
Plate and Size: 7(35),150mm

Superfamily CREPIDULOIDEA
Family CREPIDULIDAE

Genus *Crepidula* Lamarck, 1799

213 *Crepidula paranensis* Borchet, 1901
Age: Miocene
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS
Reference: 47,91
Plate and Size: 7(47),37mm

214 *Crepidula protea* Orbigny, 1835
Age: Miocene to Recent
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS
Reference: 91,392
Plate and Size: 7(392),30mm

Genus *Calyptrea* Lamarck, 1799

215 *Calyptrea aperta* (Solander, 1766)
Age: Paleocene to EoMiocene
Stratigraphy: Maria Farinha and Pirabas Formations
Occurrence: Maria Farinha, PE; Pirabas, PA;
Turiaçu, MA
Reference: 148,150,235,243,445
Plate and Size: 7(445),20mm
Synonymy: *C. olindensis* White, 1887

216 *Calyptrea centralis* (Conrad, 1841)
Age: NeoOligocene to Recent
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Parnaíba, PI
Reference: 73,94,131,134,148,213,235,243,392
Plate and Size: 7(243),5mm

217 *Calyptrea nidulifera* White, 1887
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 194,445
Plate and Size: 7(445),20mm

Genus *Crucibulum* Schumacher, 1817

218 *Crucibulum faustum* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Parnaíba, PI
Reference: 73,131,147,148,194,235,243,445
Plate and Size: 7(445),17mm

Superfamily XENOPHOROIDEA
Family XENOPHORIDAE

Genus *Xenophora* Fisher, 1807

219 *Xenophora conchyliophora* (Born, 1780)
Age: Paleocene to Recent
Stratigraphy: Maria Farinha & Pirabas Formations
Occurrence: Maria Farinha, PE; Pirabas, PA
Reference: 73,94,134,148,194,235,243,358,392,
445
Plate and Size: 7(445),23mm
Synonymy: *X. c. brasiliensis* (White, 1887)

220 *Xenophora vasconcellosi* Oliveira, 1957
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Olinda, PE
Reference: 73,327,330
Plate and Size: 7(327),16mm

Superfamily CYPRAEOIDEA
Family CYPRAEIDAE

Genus *Cypraea* Linné, 1758

221 *Cypraea azevedoi* Oliveira, 1957
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Olinda, PE
Reference: 73,327

Plate and Size: 8(327),20mm

222 *Cypraea macrovoluta* Ferreira & Cunha, 1957
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 145,148
Plate and Size: 8(145),70mm

223 *Cypraea parahybensis* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,234,246
Plate and Size: 8(246),55mm

224 *Cypraea riachuelana* Maury, 1937
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Riachuelo, SE
Reference: 73,234,249
Plate and Size: 8(249),20mm

Subgenus *Muracypraea* Woodring, 1957

225 *Cypraea (Muracypraea) pennae* White, 1887
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Turiaçu, MA
Reference: 73,148,149,150,194,235,243,445
Plate and Size: 8(445),40mm

Genus *Archicypraea* Schilder, 1926

226 *Archicypraea dalliana* (White)
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 447

Family OVULIDAE
Subfamily OVULINAE

Genus *Simnia* Risso, 1826

227 *Simnia gilliana* White, 1887
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 235,445
Plate and Size: 8(445),20mm

Superfamily NATICOIDEA
Family NATICIDAE
Subfamily NATICINAE

Genus *Natica* Scopoli, 1777

228 *Natica bulbulus* White, 1887

Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 36,235,249,313,445
Plate and Size: 8(445),10mm

229 *Natica engenholyria* Maury, 1937

Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Engenho Lira, SE
Reference: 13,36,73,235,249
Plate and Size: 8(249),55mm

230 *Natica eurydice* White, 1887

Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,148,194,235,243,445
Plate and Size: 8(445),35mm

231 *Natica parahybensis* Maury, 1930

Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,234,246
Plate and Size: 8(246),70mm

Subgenus *Naticarius* Dumeril, 1800

232 *Natica (Naticarius) canrena* (Linné, 1758)
Age: NeoOligocene to Recent
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; São Marcos & Turiaçu, MA
Reference: 73,94,131,139,150,224,243,392
Plate and Size: 8(243),40mm

Subgenus *Stigmaulax* Mörch, 1852

233 *Natica (Stigmaulax) sulcata* (Born, 1778)
Age: NeoOligocene to Recent
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,94,235,243,392
Plate and Size: 8(243), A20mm, B12mm
N.B.: 2 subspecies: (A) *N.s.kerux* Maury, 1925,
and (B) *N.s.paraensis* Maury, 1925
Synonymy: *N.s.cerux* auct., err.typogr.

Subgenus *Tectonatica* Sacco, 1890

234 *Natica (Tectonatica) pusilla* Say, 1822

Age: NeoOligocene to Recent
Stratigraphy: Pirabas Formation
Occurrence: São Marcos, MA
Reference: 94,136,139,392
Plate and Size: 8(392),8mm

Subfamily GLOBULARIINAE

Genus *Tylostoma* Sharpe, 1849

235 *Tylostoma brasiliandum* Maury, 1925

Age: Cretaceous, Albian to Maastrichtian
Stratigraphy: Açu, Jandaira & Algodões Formations
Occurrence: Barbadinha & Mossoró, RN; Marau, BA
Reference: 35,40,54,57,73,235,243,247,347,445
Plate and Size: 8(243),105mm
Synonymy: *T.brasiliense* auctt.,err.typogr.;
T.globosum: White, 1887 non Sharpe, 1849

236 *Tylostoma crandalli* Maury, 1925

Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Açu & Jandaira Formations
Occurrence: Mossoró, Macau, Santana & Pendência, RN
Reference: 35,40,73,235,243,347
Plate and Size: 8(243),105mm

237 *Tylostoma increbescens* White, 1887

Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 235,445
Plate and Size: 8(445),56mm

238 *Tylostoma materinum* White, 1887

Age: Cretaceous, Albian to Maastrichtian
Stratigraphy: Riachuelo, Gramame & Algodões Formations
Occurrence: Marau, BA; Gramame River, João Pessoa, PB; Maruim, SE
Reference: 54,57,73,235,246,249,313,419,445
Plate and Size: 8(445),60mm

239 *Tylostoma mauryae* Beurlen, 1964

Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Upanema, RN
Reference: 35,40
Plate and Size: 8(35),90mm
N.B.: maybe a *T.rochai* synonymy: 40

240 *Tylostoma minimum* (White, 1887)

Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 13,36,235,249,313,445
Plate and Size: 8(445),32mm

241 *Tylostoma rochai* Ihering, 1907
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Mossoró & Natal?, RN
Reference: 35,40,235,247
Plate and Size: 9(35),85mm

242 *Tylostoma whitei* Ihering, 1907
Age: Cretaceous, Albian to Maastrichtian
Stratigraphy: Jandaira & Riachuelo Formation
Occurrence: Santana, Barbadinha & Mossoró, RN;
Maruim, SE
Reference: 13,35,235,249,313,445
Plate and Size: 9(313),55mm
Synonymy: *T.torrubiae*: White, 1887 non Sharpe,
1842

Genus *Ampullina* Bowdich, 1822
Subgenus *Pseudamaura* Fisher, 1885
 Synonymy: *Ampullospira* Harris, 1897

243 *Ampullina (Pseudamaura) bulbiformis*
(Sowerby, 1836)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 7,13,68,427,430
Plate and Size: 9(7),30mm

244 *Ampullina (Pseudamaura) whitei* (Cossmann,
1925) comb.n.
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 12,178,235,249,313,445
Plate and Size: 9(445),55mm
Synonymy: *A.praelonga*: Hyatt, 1870 non
Leymerie, 1842

Genus *Amaurellina* Fischer, 1885
Subgenus *Pachycrommium* Woodring, 1928

245 *Amaurellina (Pachycrommium) nativitatis*
(Maury, 1925) comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; São Marcos, MA
Reference: 73,139,224,235,243,445

Plate and Size: 9(243),40mm

Subfamily POLINICINAE

Genus *Polinices* Montfort, 1810

246 *Polinices enterriana* (Borchert, 1901)
Age: Miocene
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS
Reference: 47,91
Plate and Size: 9(47),12mm

247 *Polinices mauryae* Beurlen, 1964
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Mossoró, RN.
Reference: 35,40
Plate and Size: 9(35),40mm

248 *Polinices stanislasmeynieri* Maury, 1917
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: São Marcos, Alcântara, MA
Reference: 136,244
Plate and Size: 9(244),30mm

Subgenus *Euspira* Agassiz, 1838

249 *Polinices (Euspira) seripensis* Maury, 1937
Age: Cretaceous (Albian-Cenomanian) to
Paleocene
Stratigraphy: Riachuelo&Maria Farinha Formations
Occurrence: Maruim, SE; Maria Farinha, PE
Reference: 235,243,249,313,445
Plate and Size: 9(445),13mm
Synonymy: *Euspira pagoda*: White, 1887 non
Forbes, 1846

Genus *Lunatia* Gray, 1847

250 *Lunatia lunula* White, 1887
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,194,235,243,445
Plate and Size: 9(445),14mm

251 *Lunatia modica* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 194,235,243,445
Plate and Size: 9(445),15mm

252 *Lunatia scalata* Beurlen, 1964

Age: Cretaceous, Turonian

Stratigraphy: Açu Formation

Occurrence: Mossoró, RN

Reference: 35,40

Plate and Size: 9(35),45mm

Occurrence: Pirabas, PA

Reference: 73,325,243

Plate and Size: 9(243),20mm

Subfamily PHALIINAE

Genus *Phalium* Link, 1807

253 *Lunatia sergipensis* (Maury, 1937)

Age: Cretaceous, Albian-Cenomanian

Stratigraphy: Riachuelo Formation

Occurrence: Maruim, SE

Reference: 36,235,249,445

Plate and Size: 9(445),70mm

Synonymy: *Tylostoma globosum*: White, 1887 non Sharpe

258 *Phalium paraensis* (Maury, 1925)

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 73,148,235,243

Plate and Size: 9(243),43mm

Family FICIDAE

Genus *Ficus* Röding, 1798

254 *Lunatia subhumerosa* White, 1887

Age: Cretaceous, Albian-Cenomanian

Stratigraphy: Riachuelo Formation

Occurrence: Maruim, SE

Reference: 13,36,224,235,249,445

Plate and Size: 9(249),56mm

Subfamily AMPULLOSPIRINAE

Genus *Amauopsis* Mörcz, 1857

255 *Amauopsis sergipensis* Maury, 1937

Age: Cretaceous, Albian

Stratigraphy: Riachuelo Formation

Occurrence: Riachuelo, SE

Reference: 73,231,249

Plate and Size: 9(249),42mm

Subfamily SININAE

Genus *Sinum* Röding, 1798

256 *Sinum cf gabbi* (Brown & Pilsbry, 1913)

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Barreirinha, MA

Reference: 149,187

Plate and Size: 9(187),25mm

Family CYMATIIDAE

Subfamily CYMATINAE

Genus *Cymatium* Röding, 1798

Subgenus *Septra* Perry, 1810

Synonymy: *Simpulum* Mörcz, 1852

260 *Cymatium (Septra) carlotae* (Ferreira & Cunha, 1957) comb.n.

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 145

Plate and Size: 9(145),40mm

261 *Cymatium (Septra) chlorostomoides* (Maury, 1925) comb.n.

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 235,243

Plate and Size: 9(243),24mm

262 *Cymatium (Septra) infelix* (Maury, 1925) comb.n.

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Genus *Sconsia* Gray, 1847

257 *Sconsia felix* Maury, 1925

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Reference: 235,243
Plate and Size: 9(243),23mm

Suborder HETEROGLOSSA
Superfamily CERITHIOPSIDEA
Family CERITHIOPSIDAE

Genus *Monroea* Stephenson, 1952 (429)

263 *Monroea mossoroensis* Beurlen, 1964
Age: Cretaceous, Turonian
Stratigraphy: Jandaira Formation
Occurrence: Mossoró, RN
Reference: 35,40
Plate and Size: 9(35),15mm

Superfamily EPITONIOIDEA
Family EPITONIIDAE
Subfamily EPITONIINAE

Genus *Epitonium* Röding, 1798

264 *Epitonium gardneri* (White, 1887)
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 235,445
Plate and Size: 9(445),20mm

265 *Epitonium pyrene* (White, 1887)
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Jacaranda & Riachuelo, SE
Reference: 13,34,36,73,235,249,313,445
Plate and Size: 9(445),10mm
Synonymy: *E. riachuelanum* Maury, 1937

266 *Epitonium smalli* Leal, 1963
nomen nudum
Reference: 218,223

Subgenus *Asperiscala* de Boury, 1909

267 *Epitonium (Asperiscala) novangliae* (Couthouy, 1838)
Age: Miocene to Recent
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS
Reference: 91,392
Plate and Size: 9(392),14mm

268 *Epitonium (Asperiscala) tenuistriatum* (Orbigny, 1840)

Age: Miocene to Recent
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS
Reference: 91,392
Plate and Size: 9(392),28mm

Superfamily EULIMOIDEA
Family EULIMIDAE

Genus *Strombiformis* da Costa, 1778 (?)

269 *Strombiformis dalli* Gardner & Aldrich, 1919
Age: Miocene
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS
Reference: 91,335
Plate and Size: 9(335),9mm

Order NEOGASTROPODA
Superfamily MURICOIDEA
Family MURICIDAE
Subfamily MURICINAE

Genus *Murex* Linné, 1759

270 *Murex messorius* Sowerby, 1841
Age: NeoOligocene to Recent
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 235,243,392,445
Plate and Size: 10(243),37mm
Synonymy: *M. utilis* White, 1887

271 *Murex pennae* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 235,243
Plate and Size: 10(243),45mm

272 *Murex recurvirostris* Broberip, 1832
Age: NeoOligocene to Recent
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 446,447
Plate and Size: 10(446),45mm

273 *Murex toreia* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 10(243),23mm

274 *Murex williamsi* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,148,235,243
Plate and Size: 10(243),34mm

275 *Murex yaquensis* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 10(243),18mm

Genus *Chicoreus* Montfort, 1810

276 *Chicoreus brevifrons* (Lamarck, 1822)
Age: NeoOligocene to Recent
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,94,134,148,235,243,277,392
Plate and Size: 10(243),45mm
Synonymy: *C. cornurectus*: Maury, 1925 non Guppy, 1876

Subfamily TROPHONINAE

Genus *Trophon* Montfort, 1810

277 *Trophon progne* White, 1887
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Marinha Farinha, PE
Reference: 235,348,445
Plate and Size: 10(445),25mm

Genus *Boreotrophon* P.Fisher, 1884

278 *Boreotrophon tropica* (Maury, 1925) comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 10(243),18mm

Family THAIDIDAE

Genus *Thais* Röding, 1798 Subgenus *Stramonita* Schumacher, 1817

279 *Thais (Stramonita) haemastoma* (Linné, 1767)
Age: Pliocene to Recent
Stratigraphy: Turiaçu Formation
Occurrence: Turiaçu, MA

Reference: 235,392
Plate and Size: 10(392),50mm

Family BUCCINIDAE Subfamily BUCCININAE

Genus *Siphonalia* A.Adams, 1863

280 *Siphonalia harrisi* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 10(243),47mm

Subfamily PISANIINAE

Genus *Pisania* Bivona-Bernardi, 1832

281 *Pisania amazonica* (Maury, 1925) comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 10(243),24mm

282 *Pisania arcana* (Maury, 1925) comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 10(243),24mm

N.B.: this new combination is due morfological affinities of these species with this genus, better than *Pollia* Gray in Sowerby, 1834 and *Tritonidea* Swainson, 1840, both absent in Neotropical area.

Subfamily PHOTINAE

Genus *Phos* Montfort, 1810

283 *Phos flicitis* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 10(243),18mm

Genus *Antillophos* Woodring, 1928

284 *Antillophos cf elegans* (Guppy, 1866) comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Parnaiba, PI

Reference: 131
Plate and Size: 10(131),20mm

Family NASSARIIDAE
Subfamily NASSARIINAE

Genus *Nassarius* Dumeril, 1806
Subgenus *Hinia* Gray, 1847
Synonymy: *Tritia* A.Adams, 1853

285 *Nassarius (Hinia) scissulatus* (Dall, 1889)
Age: Miocene to Recent
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS
Reference: 91,392
Plate and Size: 10(392),15mm
N.B.: Formerly called *coppingeri* Smith: 392

Genus *Alectriion* Montfort, 1810 #

286 *Alectriion pirabica* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 10(243),6mm

287 *Alectriion praetirivittata* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,148,235,243
Plate and Size: 10(243),9mm

Family MELONGENIDAE

Genus *Levifusus* Conrad, 1865 #

288 *Levifusus trabeatus* (Conrad, 1865)
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 77
Plate and Size: 10(77),11mm

Family FASCIOLARIIDAE
Subfamily FASCIOLARIINAE

Genus *Fasciolaria* Lamarck, 1799

289 *Fasciolaria lastroensis* Maury, 1937
Age: Cretaceous, Albian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE

Reference: 235,249,313
Plate and Size: 10(313),120mm

290 *Fasciolaria restituta* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,148,235,243
Plate and Size: 10(243),50mm

291 *Fasciolaria urubuensis* Maury, 1937
Age: Cretaceous, Mid Albian
Stratigraphy: Riachuelo Formation
Occurrence: Urubu, SE
Reference: 36,73,235,249,313
Plate and Size: 10(249),92mm

Subfamily FUSININAE

Genus *Fusinus* Rafinesque, 1815
Synonymy: *Fusus* auctt; *Falsifusus* Grabau, 1904

292 *Fusinus baumanni* (Maury, 1925) comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 10(243),42mm

293 *Fusinus doris* (White, 1887)
Age: Paleocene to Miocene
Stratigraphy: Maria Farinha & Pirabas Formations
Occurrence: Maria Farinha, PE; Salinas & Pirabas, PA
Reference: 8,73,148,194,235,243,445
Plate and Size: 10(445),29mm

294 *Fusinus longiusculus* (White, 1887)
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 77,235,445
Plate and Size: 10(445),23mm
Synonymy: *F. ottonis* Aldrich, 1897

295 *Fusinus pernambucensis* (White, 1887)
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 77,235,445
Plate and Size: 10(445),34mm

296 *Fusinus soperi* (Maury, 1925)
Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation
Occurrence: Pirabas & Salinas, PA; Parnaiba, PI
Reference: 8,73,131,148,235,243
Plate and Size: 10(243),42mm

Genus *Serrifusus* Meek, 1876

297 *Serrifusus* (?) *marahuana* Maury, 1925
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Algodões Formation
Occurrence: Marau, BA
Reference: 54,57,73,235,243
Plate and Size: 11(243),20mm

298 *Serrifusus mariae* (White, 1887) comb.n.
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 77,235,445,447
Plate and Size: 11(445),27mm

Subfamily PERISTERNIINAE

Genus *Leucozonia* Gray, 1847

299 *Leucozonia ruginosa* (White, 1887) comb.n.
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 235,445
Plate and Size: 11(445),38mm
N.B.: this new combination is due morphological affinities of this species with this genus, better than *Murex* (*Neptunella*).

Subgenus *Mazzalina* Conrad, 1860

300 *Leucozonia* (*Mazzalina*) *acutispira* (White, 1887) comb.n.
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 77,235,445,447
Plate and Size: 11(445),28mm

Subfamily COLUBRARIINAE

Genus *Colubraria* Schumacher, 1817

301 *Colubraria paraensis* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 11(243),35mm

Family VOLUTIDAE
Subfamily VOLUTINAE

Genus *Volutispina* Newton, 1906
Synonymy: *Volutilithes* Swainson, 1840

302 *Volutispina alticostata* (White, 1887) comb.n.
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 234,445
Plate and Size: 11(445),37mm

303 *Volutispina radula* (Sowerby in Forbes, 1846) comb.n.?
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 77,235,445
Plate and Size: 11(445),26mm

Subfamily CYMBIINAE

Genus *Cymbiola* Swainson, 1831 #
Subgenus *Aulica* Gray, 1847

304 *Cymbiola* (*Aulica*) aff *cretacea* (Coquand)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba, SE
Reference: 13

Subfamily LYRIINAE

Genus *Lyria* Gray, 1847

305 *Lyria calligona* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 11(243),28mm

306 *Lyria musicinoides* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 11(243),22mm

Subfamily ATHLETINAE

Genus *Volutocorbis* Dall, 1890

307 *Volutocorbis limopsis* (Conrad, 1860)
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 77
Plate and Size: 11(77),50mm
Synonymy: *V. whitensis* (Maury, 1912)

Subfamily PHOLIDOTOMINAE

Genus *Volutomorpha* Gabb, 1877

308 *Volutomorpha brasiliensis* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246
Plate and Size: 11(246),130mm

309 *Volutomorpha cf elongata* (Orbigny, 1842)
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 9,13
Plate and Size: 11(9),40mm

Family HARPIDAE
Subfamily HARPINAE #

Genus *Harpa* Röding, 1798

310 *Harpa dechordata* White, 1887
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Marinha Farinha, PE
Reference: 77,235,348,445,447
Plate and Size: 11(445),50mm

Genus *Eocithara* Fischer, 1883

311 *Eocithara (?) togata* (White, 1887)
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 235,445,447
Plate and Size: 11(445),23mm

Subfamily MORUMINAE

Genus *Morum* Röding, 1798

312 *Morum harrisi* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 11(243),40mm

Family VASIDAE
Subfamily TURBINELLINAE

Genus *Turbinella* Lamarck, 1799
Synonymy: *Xancus* Röding, 1798 (rejected)

313 *Turbinella amazoniana* (Ferreira & Cunha, 1957) comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 130,145,148
Plate and Size: 11(145),60mm

314 *Turbinella brasiliiana* (Maury, 1925) comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,130,145,235,243
Plate and Size: 11(243),75mm

315 *Turbinella grata* (Maury, 1925) comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,130,145,235,243
Plate and Size: 11(243),70mm

316 *Turbinella laevigata* Anton, 1839
Age: NeoOligocene to Recent
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,94,392
Plate and Size: 11(392),100mm

317 *Turbinella mauryae* (Ferreira & Cunha, 1957) comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 130,147,148
Plate and Size: 11(130),25mm

318 *Turbinella praeovoidea* (Maury, 1925) comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 130,243
Plate and Size: 12(243),110mm

319 *Turbinella tuberculata* (Ferreira, 1964)
comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Salinópolis, PA
Reference: 130
Plate and Size: 11(130),185mm

Subfamily PTYCHATRACTINAE

Genus *Piestochilus* Meek, 1864

320 *Piestochilus* cf *bleicheri* (Thomas & Perón, 1889)
Age: Cretaceous, Cenomanian-Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras, SE
Reference: 13,27,68
Plate and Size: 12(68),70mm

Subgenus *Cryptorhytis* Meek, 1876

321 *Piestochilus* (*Cryptorhytis*) cf *thevestensis* (Coquand)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13

Subfamily VASINAE

Genus *Vasum* Röding, 1798

322 *Vasum haitense* Sowerby, 1850
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 12(243),60mm

323 *Vasum kraatzi* Ferreira & Cunha, 1957
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 145
Plate and Size: 11(145),45mm

Family OLIVIDAE

Subfamily OLIVINAE

Genus *Oliva* Bruguière, 1789

324 *Oliva paraensis* Maury, 1925
Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,148,235,243
Plate and Size: 12(245),28mm

325 *Oliva pirabica* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 135,148,243
Plate and Size: 12(243),25mm

Subfamily OLIVELLINAE

Genus *Olivella* Swainson, 1831

326 *Olivella bullula* (Reeve, 1850) #
Age: Miocene to Recent
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS
Reference: 1,91
Plate and Size: 14(1),12mm

327 *Olivella calcis* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 12(243),8mm

328 *Olivella goliath* Olsson, 1922
Age: Miocene
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS
Reference: 91,334
Plate and Size: 12(334),26mm

329 *Olivella paraensis* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,148,235,243
Plate and Size: 12(243),15mm

330 *Olivella pirabica* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 243
Plate and Size: 12(243),27mm

331 *Olivella subperdita* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 12(243),30mm

Subfamily ANCILLINAE

Genus *Ancilla* Lamarck, 1799
Subgenus *Sparella* Gray, 1857

332 *Ancilla (Sparella) mutila* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Parnaiba, PI
Reference: 131,194,235,243,445
Plate and Size: 12(243),22mm

Genus *Amalda* H. & A. Adams, 1853

333 *Amalda branneri* (Maury, 1925) comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Parnaiba, PI
Reference: 73,131,148,235,243
Plate and Size: 12(243),35mm

Family MARGINELLIDAE
Subfamily MARGINELLINAE

Genus *Marginella* Lamarck, 1799

334 *Marginella acuta* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,148,194,235,243,445
Plate and Size: 12(243), 32mm

335 *Marginella cereris* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Estação Agronômica, PA
Reference: 73,235,243
Plate and Size: 12(243),16mm

336 *Marginella crassiplicata* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 235,243,445
Plate and Size: 12(445),20mm

337 *Marginella estaciana* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation

Occurrence: Estação Agronômica, PA
Reference: 73,235,243
Plate and Size: 12(243),16mm

338 *Marginella multiplicata* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 194,235,243,445
Plate and Size: 12(445),7mm

339 *Marginella paraensis* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 12(243),41mm

340 *Marginella perlatens* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,148,235,243
Plate and Size: 12(243),13mm

341 *Marginella pirabica* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,148,235,243
Plate and Size: 12(243),32mm

342 *Marginella truncata* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 194,235,243,445
Plate and Size: 12(445),27mm

Genus *Prunum* Herrmann, 1852?

343 *Prunum prunum* (Gmelin, 1791)
Age: Miocene to Recent
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS
Reference: 91,392
Plate and Size: 12(392),29mm

Genus *Cryptospira* Hinds, 1844

344 *Cryptospira martini* (Petit, 1853)
Age: Miocene to Recent
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS

- Reference: 91,392
 Plate and Size: 12(392),40mm
- Family MITRIDAE
 Subfamily MITRINAE
- Genus *Mitra* Lamarck, 1798**
- 345 *Mitra senecta* (White, 1887)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,148,194,235,243,445
 Plate and Size: 12(243+445),34mm
- Family VOLUTOMITRIDAE
- Genus *Volutomitra* H. & A. Adams, 1853**
 Subgenus *Conomitra* Conrad, 1865
- 346 *Volutomitra (Conomitra) chrysallis* (White, 1887)
 comb.n.
 Age: Paleocene
 Stratigraphy: Maria Farinha Formation
 Occurrence: Maria Farinha, PE
 Reference: 77,235,445
 Plate and Size: 12(445),8mm
- Family COSTELLARIIDAE
- Genus *Vexillum* Röding, 1798**
 Subgenus *Uromitra* Bellardi, 1887
- 347 *Vexillum (Uromitra) triptum* Gardner, 1937
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Parnaiba, PI
 Reference: 131
 Plate and Size: 12(131),10mm
- Genus *Mesorhytis* Meek, 1876**
- 348 *Mesorhytis cf gasparini* (Orbigny)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Japaratuba & Laranjeiras, SE
 Reference: 13
- Superfamily CANCELLARIOIDEA
 Family CANCELLARIIDAE
 Subfamily CANCELLARIINAE
- 349 *Cancellaria calypso* White, 1887
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 194,235,445
 Plate and Size: 12(445),30mm
- 350 *Cancellaria euclethra* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,235,243
 Plate and Size: 12(243),30mm
- 351 *Cancellaria hartti* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,235,243
 Plate and Size: 12(243),50mm
- 352 *Cancellaria igarassuensis* Penna, 1965
 Age: Paleocene
 Stratigraphy: Maria Farinha Formation
 Occurrence: Maria Farinha, PE
 Reference: 348
 Plate and Size: 12(348),30mm
- 353 *Cancellaria pirabensis* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,148,235,243
 Plate and Size: 12(243),20mm
- 354 *Cancellaria praeindentata* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,148,235,243
 Plate and Size: 12(243),25mm
- 355 *Cancellaria subtilicancellata* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 235,243
 Plate and Size: 12(243),20mm
- Superfamily CONOIDEA
 Family CONIDAE
- Genus *Cancellaria* Lamarck, 1799**
- Genus *Conus* Linné, 1758**

356 *Conus conditorius* White, 1887
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 194,235,243,445
Plate and Size: 12(445),30mm

357 *Conus lisboae* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,148,235,243
Plate and Size: 12(243),37mm

358 *Conus longesperatus* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Estação Agronômica, PA
Reference: 73,148,235,243
Plate and Size: 12(243),10mm

359 *Conus pachecoi* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,148,135,243
Plate and Size: 13(243),32mm

360 *Conus pirabensis* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,148,235,243
Plate and Size: 13(243),35mm

361 *Conus restitutus* White, 1887
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; São Marcos, MA
Reference: 149,194,235,243,445
Plate and Size: 13(445),35mm

362 *Conus whitei* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Parnaíba, PI; São Marcos, MA
Reference: 73,131,149,235,243
Plate and Size: 12(243),30mm

Family TURRIDAE
Subfamily TURRINAE

Genus *Turris* Röding, 1798 #

Synonymy: *Pleurotoma* Lamarck, 1799

363 *Turris harpya* (White, 1887)
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Olinda, PE
Reference: 235,445,447
Plate and Size: 13(445),30mm

364 *Turris rodata*
Doubtful identification
Reference: 357

Genus *Polystira* Woodring, 1928
Synonymy: *Pleuroliria* de Gregorio, 1890

365 *Polystira albida* (Perry, 1811)
Age: NeoOligocene to Recent
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,94,134,148,235,243,392
Plate and Size: 13(243),50mm
N.B.: a subspecies *P.a. paraensis* Maury, 1925

Subfamily DRILLIINAE

Genus *Drillia* Gray, 1838

366 *Drillia consors pennae* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 13(243),45mm

367 *Drillia crandalli* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 13(243),31mm

368 *Drillia pirabica* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 1(243),45mm

Genus *Spirotropis* Sars, 1878

369 *Spirotropis patagonicus* (Orbigny, 1841)
Age: Miocene to Recent
Stratigraphy: Pelotas Basin

- Occurrence: Pelotas, RS
 Reference: 91,392
 Plate and Size: 13(392),10mm
- Subfamily CRASSISPIRINAE
- Genus *Crassispira* Swainson, 1840
- 370 *Crassispira jamaicensis* (Guppy, 1866)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Parnaiba, PI
 Reference: 111,131,241,356
 Plate and Size: 13(111),15mm
 Synonymy: *Drillia ebenina* Dall, 1890
- Subfamily TURRICULINAE
- Genus *Turricula* Schumacher, 1817
 Synonymy: *Surcula* H. & A. Adams, 1853
 Subgenus *Pleurofusia* Gregorio, 1890
- 371 *Turricula (Pleurofusia) camposi* (Maury, 1925) comb.n.
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 148,235,243
 Plate and Size: 13(243),47mm
- Family TEREBRIDAE
- Genus *Terebra* Bruguière, 1798
- 372 *Terebra aulakoessa* Gardner, 1937
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Capanema, PA
 Reference: 134,164
 Plate and Size: 13(164),9mm
- 373 *Terebra clethra* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,235,243
 Plate and Size: 13(243),11mm
- 374 *Terebra denotans* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,235,243
 Plate and Size: 13(243),12mm
- 375 *Terebra derbyi* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,235,243
 Plate and Size: 13(243),19mm
- 376 *Terebra estaciana* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Estação Agronômica, PA
 Reference: 235,243
 Plate and Size: 13(243),37mm
- 377 *Terebra gemmulata* Kiener, 1838/9
 Age: Miocene to Recent
 Stratigraphy: Pelotas Basin
 Occurrence: Pelotas, RS
 Reference: 91,392
 Plate and Size: 13(392),40mm
- 378 *Terebra odopoi* Gardner, 1937
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Castelo, PA
 Reference: 134,163
 Plate and Size: 13(163),38mm
- 379 *Terebra paraensis* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,148,235,243
 Plate and Size: 13(243),19mm
- 380 *Terebra peramabilis* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,235,243
 Plate and Size: 13(243),30mm
- Subgenus *Strioterebrum* Sacco, 1891
- 381 *Terebra (Strioterebrum) spirifera* Dall, 1896
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 163,447
 Plate and Size: 13(163),30mm
- Genus *Subula* Schumacher, 1817
 Synonymy: *Acus* Humphrey, 1797

382 *Subula protexta* (Conrad, 1846)

Age: Miocene to Recent

Stratigraphy: Pelotas Basin

Occurrence: Pelotas, RS

Reference: 91,392

Plate and Size: 13(392),25mm

Age: Miocene to Recent

Stratigraphy: Pelotas Basin

Occurrence: Pelotas, RS

Reference: 91,392

Plate and Size: 14(392),12mm

Subclass HETEROBRANCHIA

Order ALLOGASTROPODA

Superfamily ARCHITECTONICOIDEA

Family ARCHITECTONICIDAE

Genus *Architectonica* Röding, 1798

Synonymy: *Solarium* Lamarck, 1799

383 *Architectonica eudaidela* (Maury, 1925)

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Estação Agronômica, PA

Reference: 73,148,235,243

Plate and Size: 13(243),22mm

Subfamily TURBONILLINAE

Genus *Turbanilla* Risso, 1826

Subgenus *Pyrgisculus* Philippi, 1841

388 *Turbanilla (Pyrgisculus) interrupta* (Totten, 1835)

Age: Miocene to Recent

Stratigraphy: Pelotas Basin

Occurrence: Pelotas, RS

Reference: 91,392

Plate and Size: 14(392),8mm

Genus *Orvillia* White, 1887

389 *Orvillia mutabilis* White, 1887

Age: Paleocene

Stratigraphy: Maria Farinha Formation

Occurrence: Maria Farinha, PE

Reference: 235,445

Plate and Size: 14(445),55mm

390 *Orvillia ruginosa* White, 1887

Age: Paleocene

Stratigraphy: Maria Farinha Formation

Occurrence: Maria Farinha, PE

Reference: 235,445

Plate and Size: 14(445),36mm

Subclass OPISTHOBRANCHIA

Order CEPHALASPIDEA

Superfamily PHILINOIDEA

Family ACTEONIDAE

Genus *Acteon* Orbigny, 1834

Synonymy: *Actaeonella* Orbigny, 1845

391 *Acteon lucianoi* (Maury, 1930) comb.n.

Age: Cretaceous, Emscherian

Stratigraphy: Estiva Formation

Occurrence: Tamandaré, PE

Reference: 73,235,246,306

Plate and Size: 14(246),70mm

392 *Acteon pompeii* (Maury, 1930) comb.n.

Age: Cretaceous, Emscherian

Stratigraphy: Estiva Formation

Occurrence: Tamandaré, PE

Reference: 73,235,246,306

Superfamily PYRAMIDELLOIDEA

Family PYRAMIDELLIDAE

Subfamily PYRAMIDELLINAE

Genus *Pyramidella* Lamarck, 1799

Subgenus *Longchaeus* Mörcz, 1875

387 *Pyramidella (Longchaeus) candida* Mörcz, 1875

Plate and Size: 14(246),77mm

393 *Acteon silvae* (Maury, 1925) comb.n.

Age: Cretaceous, Turonian-Maastrichtian

Stratigraphy: Jandaira & Estiva Formations

Occurrence: Tamandaré, PE; Santana & Mossoró, RN

Reference: 35,40,235,243,246,306

Plate and Size: 14(243),31mm

394 *Acteon tamandarensis* (Maury, 1930) comb.n.

Age: Cretaceous, Emscherian

Stratigraphy: Estiva Formation

Occurrence: Tamandaré, PE

Reference: 73,235,246,306

Plate and Size: 14(246),24mm

Genus *Trochacteon* Meek, 1863

395 *Trochacteon cf cylindraceus* Stoliczka, 1867

Age: Cretaceous, Turonian-Maastrichtian

Stratigraphy: Jandaira Formation

Occurrence: Mossoró, RN

Reference: 40,252,430

Plate and Size: 14(40),48mm

396 *Trochacteon elongatus* Beurlen, 1964

Age: Cretaceous, Turonian

Stratigraphy: Açu Formation

Occurrence: Upanema, RN

Reference: 35,40

Plate and Size: 14(35),200mm

397 *Trochacteon tinocoi* Beurlen, 1964

Age: Cretaceous, Turonian

Stratigraphy: Açu Formation

Occurrence: Mossoró, RN

Reference: 35,40

Plate and Size: 14(35),130mm

Genus *Ringinella* Orbigny, 1842

398 *Ringinella pinguiscula* White, 1887

Age: Cretaceous, Albian-Cenomanian

Stratigraphy: Riachuelo Formation

Occurrence: Maruim, SE

Reference: 13,36,235,249,313,445

Plate and Size: 14(445),15mm

Family RETUSIDAE

Genus *Volvulella* Newton, 1891

399 *Volvulella cannada* Ihering, 1907

Age: Miocene

Stratigraphy: Pelotas Basin

Occurrence: Pelotas, RS

Reference: 91,182

Plate and Size: 14(182),4mm

Family ACERIDAE

Genus *Acera* Müller, 1776

400 *Acera browni* White, 1887

Age: Cretaceous, Albian-Cenomanian

Stratigraphy: Riachuelo Formation

Occurrence: Maruim, SE

Reference: 313,435,445

Plate and Size: 14(445),29mm

Family SCAPHANDRIDAE

Genus *Scaphander* Montfort, 1810

401 *Scaphander paraensis* Maury, 1925

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 73,235,243,445

Plate and Size: 14(445),29mm

Genus *Acteocina* Gray, 1847

402 *Acteocina arcana* (Maury, 1925) comb.n.

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 73,235,243

Plate and Size: 14(243),8mm

Genus *Cylichna* Lovén, 1846

403 *Cylichna delicia* Maury, 1925

Age: Cretaceous, Bahian

Stratigraphy: Pendência Formation

Occurrence: Macau & Pendência, RN

Reference: 73,235,243

Plate and Size: 14(243),7mm

Order NOTASPIDEA

Superfamily UMBRACULOIDEA

Family UMBRACULIDAE

Genus *Umbraculum* Schumacher, 1817

404 *Umbraculum derbyi* (Maury, 1925)

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,235,243
Plate and Size: 14(243),53mm

Subclass PULMONATA

Order ARCHAEPULMONATA

Superfamily ELLOBIOIDEA
Family CARYCHIIDAE

Genus *Carychium* O.F.Müller, 1774

405 *Carychium sommeri* Ferreira & Coelho, 1971
Age: Paleocene
Stratigraphy: Itaborai Formation
Occurrence: Itaborai, RJ
Reference: 142,341
Plate and Size: 14(142),4mm

Order BASOMMATOPHORA
Superfamily PHYSOIDEA
Family PHYSIDAE

Genus *Physa* Draparnaud, 1801

406 *Physa aridi* Mezzalira, 1974
Age: Cretaceous, Senonian
Stratigraphy: Bauru Group
Occurrence: São José do Rio Preto, SP
Reference: 5,281,283
Plate and Size: 14(281),10mm

407 *Physa gigantea* Michaud
Doubtful Identification
Reference: 357

Superfamily PLANORBIOIDEA
Family PLANORBIDAE
Subfamily PLANORBINAE

Genus *Biomphalaria* Preston, 1910
Synonymy: *Australorbis* Pilsbry, 1934
Taphius H.& A.Adams, 1855

408 *Biomphalaria bourguyi* (Roxo, 1924) comb.n.
Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Três Unidos & Javari River, AM
Reference: 235,403
Plate and Size: 14(403),15mm

409 *Biomphalaria itaboraiensis* (Mezzalira, 1946)
Age: Paleocene
Stratigraphy: Itaborai Formation

Occurrence: Itaborai & São Gonçalo, RJ
Reference: 55,73,273,341,344,345,437,439
Plate and Size: 14(341),5mm

410 *Biomphalaria monserratensis* (Hartt, 1870)
comb.n.
Age: Cretaceous, Aptian-Albian
Stratigraphy: Ilhas Formation
Occurrence: Monserrate, BA
Reference: 115,116,235,342,445
Plate and Size: 14(445),6mm

Subfamily HELISOMATINAE #

Genus *Vorticifex* Meek in Dall, 1870

411 *Vorticifex fluminensis* (Brito, 1967)
Age: Paleocene
Stratigraphy: Itaborai Formation
Occurrence: Itaborai, RJ
Reference: 55,73,341
Plate and Size: 14(341),8mm

Order STYLOMMATOPHORA
Suborder ORTHURETHRA

Superfamily PUPILLOIDEA
Family VERTIGINIDAE #
Subfamily VERTIGININAE

Genus *Vertigo* O.F.Müller, 1774

412 *Vertigo mezzalirai* Ferreira & Coelho, 1971
Age: Paleocene
Stratigraphy: Itaborai Formation
Occurrence: Itaborai, RJ
Reference: 142,341
Plate and Size: 14(142),2mm

Family STROBILOPSIDAE

Genus *Strobilopsis* Pilsbry, 1893

413 *Strobilopsis mauryae* Ferreira & Coelho, 1971
Age: Paleocene
Stratigraphy: Itaborai Formation
Occurrence: Itaborai, RJ
Reference: 142,341
Plate and Size: 14(142),4mm

Suborder MESURETHRA
Superfamily CLAUSILIOIDEA
Family CLAUSILIIDAE
Subfamily CLAUSILIINAE

Genus *Clausilia* Draparnaud, 1805 #

- 414 *Clausilia magalhaesi* Trindade, 1953
 Age: Paleocene
 Stratigraphy: Itaborai Formation
 Occurrence: Itaborai, RJ
 Reference: 55,73,232,341,345,439
 Plate and Size: 14(341),15mm
- Superfamily STROPHOCHEILOIDEA
 Family MEGALOBULIMIDAE
- Genus *Megalobulimus* Miller, 1878
- 415 *Megalobulimus yporanganus* Ihering & Pilsbry, 1901
 Age: Pleistocene to Recent
 Stratigraphy: caverns
 Occurrence: Iporanga, SP
 Reference: 15,248,280,235,283,319,442
 Plate and Size: 14(15),84mm
 Synonymy: *M. ovatus iguapensis* (Maury, 1935)
- Genus *Eoborus* Klappenbach & Olazarri, 1970
- 416 *Eoborus sanctijosephi* (Maury, 1935)
 Age: Paleocene
 Stratigraphy: Itaborai Formation
 Occurrence: Itaborai, RJ
 Reference: 55,208,235,248,319,341,342,344,345, 437,438,439
 Plate and Size: 14(55),45mm
- Suborder SIGMURETHRA
 Superfamily PUNCTOIDEA
 Family ENDODONTIDAE
- Genus *Austrodiscus* Parodiz, 1957
- 417 *Austrodiscus lopesi* Ferreira & Coelho, 1989
 Age: Paleocene
 Stratigraphy: Itaborai Formation
 Occurrence: Itaborai, RJ
 Reference: 144
 Plate and Size: 15(144),3mm
- Superfamily ORTHALICOIDEA
 Family ORTHALICIDAE
 Subfamily BULIMULINAE
- Genus *Bulimulus* Leach, 1814
 Synonymy: *Itaborahia* Maury, 1935
- 418 *Bulimulus carvalhoi* Brito, 1967
 Age: Paleocene
 Stratigraphy: Itaborai Formation
- Occurrence: Itaborai, RJ
 Reference: 53,55,73,341
 Plate and Size: 14(341),32mm
- 419 *Bulimulus coelhoi* Palma & Brito, 1974
 Age: Paleocene
 Stratigraphy: Itaborai Formation
 Occurrence: Itaborai, RJ
 Reference: 53,73,341
 Plate and Size: 15(341),13mm
- 420 *Bulimulus fazendicus* Maury, 1935
 Age: Paleocene
 Stratigraphy: Itaborai Formation
 Occurrence: Itaborai, RJ
 Reference: 52,53,55,73,234,248,319,341,342,345, 437,438,439
 Plate and Size: 15,(55),11mm
- 421 *Bulimulus ferreirai* Palma & Brito, 1974
 Age: Paleocene
 Stratigraphy: Itaborai Formation
 Occurrence: Itaborai, RJ
 Reference: 52,53,73,341
 Plate and Size: 15(341),10mm
- 422 *Bulimulus lamegoi* (Maury, 1935)
 Age: Paleocene
 Stratigraphy: Itaborai Formation
 Occurrence: Itaborai, RJ
 Reference: 53,55,73,235,248,319,341,342,344, 345,437,438,439
 Plate and Size: 15(235),35mm
- 423 *Bulimulus sommeri* Palma & Brito, 1974
 Age: Paleocene
 Stratigraphy: Itaborai Formation
 Occurrence: Itaborai, RJ
 Reference: 53,73,341
 Plate and Size: 15(341),19mm
- 424 *Bulimulus trindadeae* Ferreira & Coelho, 1971
 Age: Paleocene
 Stratigraphy: Itaborai Formation
 Occurrence: Itaborai, RJ
 Reference: 52,142,341
 Plate and Size: 15(341),10mm
- Genus *Thaumastus* Albers, 1860
- 425 *Thaumastus magnificus othoni* Maury, 1935
 Age: Pleistocene ?
 Stratigraphy: Caverns

Occurrence: Iporanga, SP
Reference: 53,235,248,271,283,319
Plate and Size: 15(248),70mm

Family UROCOPTIDAE
Subfamily BRACHYPODELLINAE

Genus *Brachypodella* Beck, 1837 #

426 *Brachypodella britoi* Ferreira & Coelho, 1971
Age: Paleocene
Stratigraphy: Itaborai Formation
Occurrence: Itaborai, RJ
Reference: 142,341
Plate and Size: 15(142),5mm

Superfamily ACHATINOIDEA
Family SUBULINIDAE
Subfamily OBELISCINAE

Genus *Obeliscus* Beck, 1837
Subgenus *Stenogryra* Shuttleworth, 1854

427 *Obeliscus (Stenogryra) maritima* (Spix, 1827)
Age: Pliocene to Recent
Stratigraphy: Pebas Formation
Occurrence: Carauari & Juruá River, AM
Reference: 235,425
Plate and Size: 15(425),60mm

Superfamily STREPTAXIOIDEA
Family STREPTAXIDAE
Subfamily STREPTAXINAE

Genus *Artemon* Beck, 1837

428 *Artemon alminoaffonsicum* Maury, 1934
Age: Pleistocene ?
Stratigraphy: ?
Occurrence: Almino Afonso, RN
Reference: 235,247
Plate and Size: 15(247),30mm

429 *Artemon andradai* Roxo, 1940
Age: Pleistocene to Recent
Stratigraphy: ?
Occurrence: Jacaré River, BA
Reference: 224,406
Plate and Size: 15(406),24mm

Subfamily ENNEINAE

Genus *Brasilennea* Maury, 1935

430 *Brasilennea arethusae* Maury, 1935
Age: Paleocene
Stratigraphy: Itaborai Formation
Occurrence: Itaborai, RJ
Reference: 55,73,224,235,248,319,341,342,345,437,438,439
Plate and Size: 15(342),12mm

431 *Brasilennea minor* (Trindade, 1956)
Age: Paleocene
Stratigraphy: Itaborai Formation
Occurrence: Itaborai, RJ
Reference: 55,73,341,345,438,439
Plate and Size: 15(55),10mm

2.2 Class BIVALVIA

Subclass PROTOBRANCHIA
Order SOLEMYOIDA
Superfamily SOLEMYOIDEA
Family SOLEMYIDAE

Genus *Janeia* King, 1850

432 *Janeia bokkeveldensis* (Reed, 1908)
Age: Devonian, Eifelian-Frasnian
Stratigraphy: São Domingos Member, Ponta Grossa Formation
Occurrence: Ponta Grossa, PR
Reference: 73,88,217,235,300,315,366,367,422
Plate and Size: 16(88),65mm

433 *Janeia brasiliensis* Clarke, 1913
Age: Devonian, Eifelian-Frasnian
Stratigraphy: Ponta Grossa Formation
Occurrence: Tibagi, Jaguariaiva & Ponta Grossa, PR; Santa Ana da Chapada, MT
Reference: 73,88,100,217,235,300,315,422
Plate and Size: 16(88),48mm

Order NUCULOIDA
Superfamily CTENODONTOIDEA
Family CTENODONTIDAE

Genus *Ctenodonta* Salter, 1852

434 *Ctenodonta pulchella* (Clarke, 1899) comb.n.
Age: Silurian, Ludlovian
Stratigraphy: Trombetas Formation
Occurrence: Trombetas, PA
Reference: 87,193,194,235
Plate and Size: 16(193),10mm

435 *Ctenodonta subreta* (Clarke, 1899) comb.n.
Age: Silurian, Ludlovian

Stratigraphy: Trombetas Formation
Occurrence: Trombetas, PA
Reference: 87,193,194,235
Plate and Size: 16(193),12mm

Superfamily NUCULOIDEA
Family NUCULIDAE

Genus *Nucula* Lamarck, 1799

436 *Nucula bellistriata parvula* Clarke, 1899
Age: Devonian, Emsian to Givetian
Stratigraphy: Maecuru & Ererê Formations
Occurrence: Maecuru & Ererê, PA
Reference: 87,100,192,193,194,231,235,435
Plate and Size: 16(193),11mm

437 *Nucula kayseri* Clarke, 1899
Age: Devonian, Eifelian-Givetian
Stratigraphy: Ererê Formation
Occurrence: Ererê, PA
Reference: 86,193,194,231,235,435
Plate and Size: 16(193),10mm

438 *Nucula kruegeri* Ulrich, 1893
Age: Carboniferous, Westphalian
Stratigraphy: Monte Alegre Formation
Occurrence: Monte Alegre, PA
Reference: 235,435,440
Plate and Size: 16(440),12mm

439 *Nucula mariae* Rathbun, 1874
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 124,235,365,445
Plate and Size: 16(445),14mm

440 *Nucula cf subaequilatera* Schaff
doubtful identification
Reference: 217,235

Superfamily NUCULANOIDEA
Family NUCULANIDAE
Subfamily NUCULANINAE

Genus *Nuculana* Link, 1807
Synonymy: *Leda* Schumacher, 1817

441 *Nuculana cf acuta* (Conrad, 1831)
Age: Pliocene to Recent
Stratigraphy: Turiaçu Formation
Occurrence: Turiaçu, MA
Reference: 73,235,243,392

Plate and Size: 16(243),9mm

442 *Nuculana braziliensis* (Rathbun, 1874)
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Paulista, PE
Reference: 148,449
Size: 7mm

443 *Nuculana cf browni* (Thomas, 1928)
Age: Carboniferous
Stratigraphy: Teixeira Soares Formation, Tubarão Group
Occurrence: Teixeira Soares, PR
Reference: 217,311
Plate and Size: 16(311),28mm

444 *Nuculana diversa* (Hall, 1883)
Age: Devonian, Eifelian-Givetian
Stratigraphy: Ererê Formation
Occurrence: Ererê, PA
Reference: 86,193,194,231,235,435
Plate and Size: 16(193),15mm

445 *Nuculana inornata* (Sharpe, 1856)
Age: Devonian, Eifelian-Frasnian
Stratigraphy: Ponta Grossa Formation
Occurrence: Ponta Grossa, PR
Reference: 73,88,235,367
Plate and Size: 16(88),15mm

446 *Nuculana limai* Mezzalira, 1956
Age: Carboniferous
Stratigraphy: Tubarão Group
Occurrence: Itaporanga, SP
Reference: 276,280
Plate and Size: 16(276),25mm

447 *Nuculana swiftiana* (Rathbun, 1874)
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha & Paulista, PE
Reference: 19,124,235,348,365,445
Plate and Size: 16(445),16mm

448 *Nuculana viator* Reed, 1908
Age: Devonian, Eifelian-Frasnian
Stratigraphy: São Domingos Member, Ponta Grossa Formation
Occurrence: Ponta Grossa, PR
Reference: 73,217,300,315,367,422
Plate and Size: 16(367),17mm

449 *Nuculana woorthi* (Oliveira, 1930)

- Age: Carboniferous
 Stratigraphy: Teixeira Soares Formation, Tubarão Group
 Occurrence: Teixeira Soares & Imbituva, PR
 Reference: 73,217,235,256,276,318,397,422
 Plate and Size: 16(318),8mm
- Genus *Adrana* H.& A.Adams, 1858
- 450 *Adrana agronomica* (Maury, 1925)
 Age: EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Igarapeaçu & Nova Timboteua, PA; São Marcos, MA
 Reference: 73,124,131,139,235,243
 Plate and Size: 16(243),18mm
- Genus *Phestia* Chernyshev, 1951
- 451 *Phestia cf rostellata* (Conrad, 1841)
 Age: Devonian, Eifelian-Givetian
 Stratigraphy: Ererê Formation
 Occurrence: Ererê, PA
 Reference: 11,231
 Plate and Size: 16(11),10mm
- Family MALLETIIDAE**
- Genus *Nuculites* Conrad, 1841
 Synonymy: *Cleidophorus* Hall, 1847
- 452 *Nuculites branneri* Clarke, 1899
 Age: Devonian, Eifelian to Frasnian
 Stratigraphy: Ponta Grossa, Pimenteiras & Ererê Formations
 Occurrence: Ponta Grossa, PR; Picos, PI; Ererê, PA
 Reference: 69,73,86,88,193,231,235,315,367,435,
 454
 Plate and Size: 16(86),36mm
- 453 *Nuculites brasiliensis* (Clarke, 1913)
 Age: Silurian, Ludlovian
 Stratigraphy: Trombetas Formation
 Occurrence: Trombetas River, PA
 Reference: 88,193,194,235
 Plate and Size: 16(193),28mm
- 454 *Nuculites depressus* Lange, 1943
 Age: Devonian, Eifelian-Frasnian
 Stratigraphy: Ponta Grossa Formation
 Occurrence: Ponta Grossa, PR
 Reference: 214,217,235
 Plate and Size: 16(214),16mm
- 455 *Nuculites ererensis* Hartt & Rathbun, 1875
- Age: Devonian, Eifelian to Strunian
 Stratigraphy: Ererê & Curuá Formations
 Occurrence: Ererê & Curuá, PA
 Reference: 86,172,193,194,231,235,435
 Plate and Size: 16(86),12mm
- 456 *Nuculites nyassa majora* Clarke, 1899
 Age: Devonian, Eifelian-Givetian
 Stratigraphy: Ererê Formation
 Occurrence: Ererê, PA
 Reference: 86,193,194,235,435
 Plate and Size: 16(193),22mm
- 457 *Nuculites cf oblongatus* Conrad, 1841
 Age: Devonian, Frasnian-Fammenian
 Stratigraphy: Inajá Formation
 Occurrence: Petrolândia, PE
 Reference: 304
 Plate and Size: 16(304),22mm
- 458 *Nuculites obtusus* (Reed, 1908)
 Age: Devonian, Eifelian-Frasnian
 Stratigraphy: Ponta Grossa Formation
 Occurrence: Ponta Grossa, PR
 Reference: 73,217,366,367
 Plate and Size: 16(366),36mm
- 459 *Nuculites pacatus* Reed, 1908
 Age: Devonian, Eifelian-Frasnian
 Stratigraphy: Jaguariaiva Member, Ponta Grossa Formation
 Occurrence: Ponta Grossa, PR
 Reference: 73,88,100,217,235,315,367
 Plate and Size: 16(88),55mm
- 460 *Nuculites parai* Clarke, 1913
 Age: Devonian, Eifelian-Givetian
 Stratigraphy: Ererê Formation
 Occurrence: Ererê, PA
 Reference: 73,88,235
 Plate and Size: 16(88),20mm
- 461 *Nuculites reedi* Clarke, 1913
 Age: Devonian, Eifelian-Frasnian
 Stratigraphy: Ponta Grossa Formation
 Occurrence: Ponta Grossa, PR
 Reference: 73,88,217,235,315
 Plate and Size: 16(88),32mm
- 462 *Nuculites sharpei* Reed, 1908
 Age: Devonian, Eifelian-Frasnian
 Stratigraphy: Jaguariaiva Member, Ponta Grossa Formation
 Occurrence: Ponta Grossa, PR

- Reference: 73,88,100,217,235,367
 Plate and Size: 16(88),39mm
- 463 *Nuculites smithi* Clarke, 1899
 Age: Devonian, Emsian
 Stratigraphy: Maecuru Formation
 Occurrence: Maecuru, PA
 Reference: 86,100,192,193,194,231,235,435
 Plate and Size: 16(193),20mm
- 464 *Nuculites cf. triquester* Conrad, 1841
 Age: Devonian, Eifelian-Givetian
 Stratigraphy: Ererê Formation
 Occurrence: Ererê, PA
 Reference: 11,231
 Plate and Size: 16(11),12mm
- Genus *Palaeoneilo* Hall & Whitfield, 1869
- 465 *Palaeoneilo magnifica* Clarke, 1913
 Age: Devonian, Eifelian-Frasnian
 Stratigraphy: Ponta Grossa & Pimenteiras Formations
 Occurrence: Ponta Grossa, PR; Picos, PI
 Reference: 73,88,100,217,235,300,306,422
 Plate and Size: 16(88),60mm
- 466 *Palaeoneilo orbignyi* Clarke, 1899
 Age: Devonian, Emsian
 Stratigraphy: Maecuru Formation
 Occurrence: Maecuru, PA
 Reference: 86,100,193,194,231,235,435
 Plate and Size: 16(193),34mm
- 467 *Palaeoneilo cf. otamitensis* Trechmann, 1917
 Doubtful identification
 Reference: 235,373,374
 Plate and Size: 16(373),12mm
- 468 *Palaeoneilo (?) pondiana* (Hartt & Rathbun, 1875)
 Age: Devonian, Eifelian-Givetian
 Stratigraphy: Ererê Formation
 Occurrence: Ererê, PA
 Reference: 86,172,192,193,194,231,235,435
 Plate and Size: 16(193),29mm
- 469 *Palaeoneilo rhysa* Clarke, 1913
 Age: Devonian, Eifelian-Frasnian
 Stratigraphy: Jaguariaiva Member, Ponta Grossa Formation
 Occurrence: Ponta Grossa, PR
 Reference: 73,88,217,235,300,422
 Plate and Size: 17(88),28mm
- 470 *Palaeoneilo sancticrucis* Clarke, 1913
 Age: Devonian, Eifelian-Frasnian
 Stratigraphy: Ponta Grossa & Pimenteiras Formations
 Occurrence: Ponta Grossa, PR; Picos, PI
 Reference: 73,88,217,231,300,306,422
 Plate and Size: 17(88),48mm
- 471 *Palaeoneilo sculptilis* Clarke, 1913
 Age: Devonian, Eifelian-Givetian
 Stratigraphy: Ererê Formation
 Occurrence: Ererê, PA
 Reference: 73,88,235
 Plate and Size: 17(88),30mm
- 472 *Palaeoneilo (?) simplex* Hartt & Rathbun, 1875
 Age: Devonian, Eifelian-Givetian
 Stratigraphy: Ererê Formation
 Occurrence: Ererê, PA
 Reference: 86,73,193,231,235,435
- 473 *Palaeoneilo sulcata* Hartt & Rathbun, 1875
 Age: Devonian, Eifelian-Givetian
 Stratigraphy: Ererê Formation
 Occurrence: Ererê, PA
 Reference: 86,173,193,231,235,435
 Plate and Size: 17(193),21mm
- Subclass PTERIOMORPHIA
 Order ARCOIDA
 Superfamily ARCOIDEA
 Family ARCIDAE
 Subfamily ARCINAE
- Genus *Arca* Linné, 1758
- 474 *Arca imbricata* Bruguière, 1789
 Age: NeoOligocene to Recent
 Stratigraphy: Pirabas Formation
 Occurrence: Barreirinhas, MA; Parnaiba, PI
 Reference: 71,94,149,392,447
 Plate and Size: 17(71),40mm
- 475 *Arca orestis* Rathbun, 1874
 Age: Paleocene
 Stratigraphy: Maria Farinha Formation
 Occurrence: Maria Farinha & Paulista, PE
 Reference: 124,235,365
 Size: 32mm
- 476 *Arca recondita* Sheldon & Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Igarapé & Nova Timboteua, PA

Reference: 71,73,124,235,243

Plate and Size: 17(243),16mm

N.B.: species dubiae: 71

477 *Arca umbonata* Lamarck, 1819

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Luis Correia & Parnaiba, PI

Reference: 131,244

Plate and Size: 17(244),35mm

478 *Arca zebra* (Swainson, 1833)

Age: NeoOligocene to Recent

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA; Parnaiba River, PI

Reference: 71,72,73,94,392

Plate and Size: 17(71),40mm

Genus *Barbatia* Gray, 1842

479 *Barbatia camurupimensis* (Maury, 1934)

Age: Cretaceous, Turonian-Maastrichtian

Stratigraphy: Jandaira Formation

Occurrence: Mossoró, RN

Reference: 35,40,235,247

Plate and Size: 17(247),17mm

480 *Barbatia disclusa* White, 1887

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 194,235,445

Plate and Size: 17(445),27mm

481 *Barbatia mossoroensis* (Maury, 1934)

Age: Cretaceous, Turonian-Maastrichtian

Stratigraphy: Jandaira Formation

Occurrence: Mossoró, RN

Reference: 35,40,235,247

Plate and Size: 17(247),14mm

Subgenus *Cucullaeearca* Conrad, 1865

482 *Barbatia (Cucullaeearca) candida* (Helbling, 1779)

Age: NeoOligocene to Recent

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 94,392

Plate and Size: 17(392),54mm

Subfamily ANADARINAE

Genus *Anadara* Gray, 1847

Subgenus *Scapharca* Gray, 1847

483 *Anadara (Scapharca) agraria* (Sheldon & Maury, 1925)

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Iparapé & Nova Timboteua, PA

Reference: 71,73,124,235,243

Plate and Size: 17(243),20mm

N.B.: species dubiae: 71

484 *Anadara (Scapharca) agronomica* (Sheldon & Maury, 1925)

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Iparapé & Nova Timboteua, PA

Reference: 71,73,124,148,235,243

Plate and Size: 17(243),14mm

N.B.: species dubiae: 71

485 *Anadara (Scapharca) crandalli* (Sheldon & Maury, 1925)

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 71,73,124,235,243

Plate and Size: 17(243),15mm

Synonymy: *A.pinguicensis* (Sheldon & Maury, 1925)

486 *Anadara (Scapharca) deshayesi* Hanley, 1842

Age: Miocene

Stratigraphy: Pelotas Basin

Occurrence: Pelotas, RS

Reference: 91,244

Plate and Size: 17(244),25mm

487 *Anadara (Scapharca) egleri* Ferreira, 1964

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Parnaíba, PI; Pirabas, PA

Reference: 71,124,131

Plate and Size: 17(131),21mm

488 *Anadara (Scapharca) inaequilateralis* (Guppy, 1866)

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 64,134,148,235,243,447

Plate and Size: 17(243),30mm

489 *Anadara (Scapharca) paraensis* (White, 1887)

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 71,73,124,194,235,243,445
Plate and Size: 17(243),11mm
Synonymy: *A.pertenuicostata* (Sheldon & Maury, 1925); *A.vanwinkleae* (Sheldon & Maury, 1925)

490 *Anadara (Scapharca) textilicostata* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 71,73,124,134,148,194,235,243,445, 447
Plate and Size: 17(243),16mm
Synonymy: *A.heneckeni*: Maury, 1925 non Maury, 1917; *A.melloi* (Sheldon & Maury, 1925); *A.inequilateralis*: White, 1887 non Guppy

Subgenus *Cuneearca* Dall, 1898

491 *Anadara (Cuneearca) brasiliiana* (Lamarck, 1819)
Age: NeoOligocene to Recent
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Parnaiba River, PI; São Marcos, MA
Reference: 71,72,73,94,124,149,235,243,392
Plate and Size: 17(243),30mm
Synonymy: *A.crashleyi* (Sheldon & Maury, 1925)

Family NOETIIDAE Subfamily NOETIINAE

Genus *Noetia* Gray, 1857

492 *Noetia trinitaria* (Guppy, 1866)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Parnaiba, PI
Reference: 131,244
Plate and Size: 17(244),25mm

Family PARALLELODONTIDAE Subfamily PARALLELODONTINAE

Genus *Parallelodon* Meek & Worthen, 1866 Synonymy: *Macrodon* Buckman, 1845

493 *Parallelodon hartti* Mendes, 1966
Age: Carboniferous, Westphalian
Stratigraphy: Itaituba Formation
Occurrence: Itaituba, PA
Reference: 119,235,267,269

Plate and Size: 17(267),26mm
Synonymy: *P.tenuilineatus*: Derby, 1894 non Meek & Worten

Family CUCULLAEIDAE

Genus *Cucullaea* Lamarck, 1801

494 *Cucullaea dutrae* Maury, 1925
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Algodões Formation
Occurrence: Marau, BA
Reference: 54,57,73,235,243
Plate and Size: 17(243),61mm

495 *Cucullaea erda* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246
Plate and Size: 17(246),65mm

496 *Cucullaea freia* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246
Plate and Size: 18(246),72mm

497 *Cucullaea isolda* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246
Plate and Size: 17(246),84mm

Genus *Lopatinia* Schmidt, 1872
Subgenus *Pseudocucullaea* Solger, 1903
Synonymy: *Eusebia* Maury, 1930

498 *Lopatinia (Pseudocucullaea) stantoni* (Maury, 1930)
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB; Aracaju, SE
Reference: 73,226,235,246,305
Plate and Size: 18(246),82mm

Genus *Idonearca* Conrad, 1862

499 *Idonearca hartti* (Rathbun, 1874)
Age: Paleocene
Stratigraphy: Maria Farinha Formation

- Occurrence: Maria Farinha & Paulista, PE
 Reference: 124,235,348,365,445,447
 Plate and Size: 18(445),30mm
 Synonymy: *Cucullaea subcentralis*: White, 1887
 non Rathbun, 1874
- Superfamily LIMOPSOIDEA
 Family GLYCYMERIDAE
- Genus *Glycymeris* da Costa, 1778
 Synonymy: *Panopea* Ménard, 1807
- 500 *Glycymeris acuticostata* (Sowerby, 1850)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA; Barreirinhos, MA
 Reference: 73,124,235,243,449
 Plate and Size: 18(243),14mm
 Synonymy: *G.linda* Maury, 1925; *G.naiadis* Maury, 1925
- 501 *Glycymeris bineminis* (White, 1887)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, Primavera & Salinas, PA;
 Barreirinhos, MA
 Reference: 8,13,73,124,148,149,194,235,243,445,
 449
 Plate and Size: 18(243),32mm
 Synonymy: *G.crashleyi* Maury, 1925
- 502 *Glycymeris brasiliensis* White, 1887
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Maruim, SE
 Reference: 235,249,445
 Plate and Size: 18(445),73mm
- 503 *Glycymeris eumita* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, Estação Agronômica &
 Primavera, PA
 Reference: 73,124,148,235,243,449
 Plate and Size: 18(243),17mm
 Synonymy: *G.eumila* auctt. err. typogr.
- 504 *Glycymeris ibari* (Philippi, 1887)
 Age: Miocene
 Stratigraphy: Pelotas Basin
 Occurrence: Cassapi & Pelotas, RS
 Reference: 191,241,338,357
 Plate and Size: 18(338),90mm
- 505 *Glycymeris longior* (Sowerby, 1833)
 Age: Miocene to Recent
 Stratigraphy: Pelotas Basin
 Occurrence: Pelotas, RS
 Reference: 91,392
 Plate and Size: 18(392),26mm
- 506 *Glycymeris pirabensis* (White, 1887)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,124,148,194,235,243,445,449
 Plate and Size: 18(243),22mm
 Synonymy: *G.pirabensis* auctt.,err.typogr.;
G.baumannii Maury, 1925
- 507 *Glycymeris rathbuni* White, 1887
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Maruim, SE
 Reference: 235,249,445
 Plate and Size: 18(445),49mm
- Genus *Trigonarca* Conrad, 1862
- 508 *Trigonarca aff furoni* Darteville
 Age: Cretaceous, Cenomanian-Coniacian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Laranjeiras, SE
 Reference: 13,27
- 509 *Trigonarca jessupae* Maury, 1930
 Age: Cretaceous, Campanian-Maastrichtian
 Stratigraphy: Gramame Formation
 Occurrence: Gramame River, João Pessoa, PB
 Reference: 73,235,246
 Plate and Size: 19(246),85mm
- 510 *Trigonarca aff thevestensis* (Coquand, 1862)
 Age: Cretaceous, Cenomanian-Coniacian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Laranjeiras, SE
 Reference: 13,27
- Order MYTILOIDA
 Superfamily MYTILOIDEA
 Family MYTILIDAE
 Subfamily MYTILINAE
- Genus *Mytilus* Linné, 1758
- 511 *Mytilus rosadoi* Oliveira, 1962
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Açu Formation

- Occurrence: Russas, CE
 Reference: 73,123,410,411,412
 Plate and Size: 19(123),6mm
- Reference: 35,235,247
 Plate and Size: 19(247),16mm
- 512 *Mytilus vidali* Ferreira & Cunha, 1959
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, & Capanema, PA
 Reference: 124,148
 Plate and Size: 19(148),50mm
- 518 *Modiolus camurupimicus* Maury, 1934
 Age: Cretaceous, Turonian
 Stratigraphy: Açu Formantion
 Occurrence: Camurupim, Mossoró, RN
 Reference: 35,235,247
 Plate and Size: 19(247),11mm
- Genus *Brachidontes* Swainson, 1840
- 513 *Brachidontes axistriatus* Beurlen, 1964
 Age: Cretaceous, Turonian
 Stratigraphy: Açu Formation
 Occurrence: Sebastianópolis, Mossoró, RN
 Reference: 35,40
 Plate and Size: 19(35),22mm
- 514 *Brachidontes eoexustus* Klein & Ferreira, 1979
 Age: Cretaceous, Cenomanian-Santonian
 Stratigraphy: Itapecuru Formation
 Occurrence: São Luis, MA
 Reference: 209
 Plate and Size: 18(209),12mm
- 519 *Modiolus declivus* (White, 1887)
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Maruim, SE
 Reference: 235,249,313,445
 Plate and Size: 19(249),26mm
- 520 *Modiolus domingosi* Fereira & Cunha, 1959
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 124,148
 Plate and Size: 19(148),30mm
- 521 *Modiolus cf dreysseniformis* (Waagen)
 Doubtful identification
 Reference: 217,235
- 515 *Brachidontes solisianus* (Orbigny, 1846)
 Age: Pliocene to Recent
 Stratigraphy: Turiaçu Formation
 Occurrence: Turiaçu, MA
 Reference: 73,235,243,392
 Plate and Size: 19(243),22mm
- 522 *Modiolus maroimensis* (White, 1887)
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Coqueiro & Maruim, SE
 Reference: 235,249,308
 Plate and Size: 19(249),20mm
- ?Genus *Coxesia* Mendes, 1952
- 516 *Coxesia mezzalirai* Mendes, 1952
 Age: Permian, Kasanian
 Stratigraphy: Corumbatai Formation, Passa Dois Group
 Occurrence: Rio Claro Region, SP
 Reference: 73,213,260,280,282,283,408,421
 Plate and Size: 19(260),10mm
- 523 *Modiolus sanharicus* Maury, 1937
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Sanhara, SE
 Reference: 13,73,235,249,313
 Plate and Size: 19(249),62mm
- Subfamily MODIOLINAE
- Genus *Modiolus* Lamarck, 1799
 Synonymy: *Volsellā* Scopoli, 1777
- 517 *Modiolus arvoredensis* (Maury, 1934)
 Age: Cretaceous, Turonian
 Stratigraphy: Açu Formation
 Occurrence: Arvoredo, Macaíba, RN
- 524 *Modiolus typicus* (Forbes, 1846)
 Age: Cretaceous, Turonian-Santonian
 Stratigraphy: Beberibe Formation
 Occurrence: Beberibe, PE
 Reference: 27,377,431
 Plate and Size: 19(431),18mm
- Genus *Mytella* Soot-Ryen, 1955
- 525 *Mytella charruana* (Orbigny, 1842)
 Age: Pliocene to Recent
 Stratigraphy: Turiaçu Formation

- Occurrence: Turiaçu, MA
 Reference: 73,235,243,392
 Plate and Size: 19(243),45mm
 Synonymy: *M.falcata* (Orbigny, 1842)
- Genus *Promytillus* Newell, 1942
- 526 *Promytillus spoliatus* Beurlen in Lange, 1954
 nomem nudum
 Reference: 217,387
- ?Genus *Phthonia* Hall, 1870
- 527 *Phthonia (?) eops* Clarke, 1913
 Age: Devonian, Eifelian-Frasnian
 Stratigraphy: Jaguariaiva Member, Ponta Grossa Formation
 Occurrence: Ponta Grossa, PR
 Reference: 88,100,217,235,301,422
 Plate and Size: 19(88),31mm
 N.B.: *Pholadella* (?): 301
- Subfamily LITHOPHAGINAE
- Genus *Lithophaga* Röding, 1798
- 528 *Lithophaga pooli* Dawson
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Urucará & Jatapu River, AM
 Reference: 73,122,235
 Plate and Size: 19(122),28mm
- Subfamily CRENELLINAE
- Genus *Botula* Mörch, 1853?
- 529 *Botula cf plumosa* Stephenson, 1952
 Age: Cretaceous, Turonian
 Stratigraphy: Açu Formation
 Occurrence: Sebastianópolis, Mossoró, RN
 Reference: 35,40
 Plate and Size: 19(35),33mm
- Order PTERIOIDA
 Suborder PTERIINA
 Superfamily AMBONYCHIOIDEA
 Family MYALINIDAE
- Genus *Myalina* de Koninck, 1842
- 530 *Myalina amazonica* (Mendes, 1966)
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation

- Occurrence: Itaituba, PA
 Reference: 267,269
 Plate and Size: 19(267),26mm
- 531 *Myalina kansensis* Shumard, 1863
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Itaituba, PA; Jatapu River, AM
 Reference: 73,119,122,235
 Plate and Size: 19(122),33mm
- 532 *Myalina keokukii* Worthen, 1875
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Urucará & Jatapu River, AM
 Reference: 73,122,164,235
 Plate and Size: 19(122),19mm
- 533 *Myalina obliqua* (Beurlen in Lange, 1959)
 nomen nudum
 Reference: 217,397
- 534 *Myalina swallowi* McChesney, 1867
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Jatapu River, AM
 Reference: 73,122
 Plate and Size: 19(122),36mm
- 535 *Myalina wyomingensis* Lea, 1853
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Urucará & Jatapu River, AM
 Reference: 73,122,164,235
 Plate and Size: 19(122),30mm
- Genus *Septimyalina* Newell, 1942
- 536 *Septimyalina lanei* Mendes, 1966
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Itaituba, PA
 Reference: 75,267
 Plate and Size: 19(267),26mm
- Genus *Anthraconiaia* Trueman & Weir, 1946
- 537 *Anthraconiaia mezzalirai* Maranhão in Simões e Fittipaldi, 1987 nomen nudum
 Reference: 236,421
- Superfamily PTERIOIDEA
 Family PTERIIDAE

- Genus *Pteria* Scopoli, 1777
- 538 *Pteria cf bakewellia*
Doubtful Identification
Reference: 235
N.B.: related 3 forms: *P.b. carinata* (King); *P.b. parva* (Meek & Worthen) and *P.b. sedgwinckiana* King
- 539 *Pteria camurupimica* Maury, 1934
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Camurupim & Apodi, Mossoró, RN
Reference: 35,235,247
Plate and Size: 19(247),10mm
- 540 *Pteria duartei* Mendes, 1966
Age: Carboniferous, Westphalian
Stratigraphy: Itaituba Formation
Occurrence: Itaituba, PA
Reference: 267,269
Plate and Size: 19(267),32mm
- 541 *Pteria infelix* White, 1887
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 235,249,445
Plate and Size: 20(445),70mm
- 542 *Pteria invalida* White, 1887
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha & Igarassu, PE
Reference: 235,445
Plate and Size: 20(445),12mm
- 543 *Pteria linguiformis* Evans & Shumard, 1864
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Pirabas, PA; São Gonçalo, Coqueiro & Lastro, SE
Reference: 13,194,445
Plate and Size: 19(445),40mm
- 544 *Pteria cf longa* Geinitz, 1866 ?
Age: Carboniferous, Westphalian
Stratigraphy: Itaituba Formation
Occurrence: Itaituba, PA
Reference: 235,267,418
Plate and Size: 20(418),35mm
- 545 *Pteria mossoroensis* Maury, 1934
Age: Cretaceous, Albian-Cenomanian
- Stratigraphy: Apodi Formation
Occurrence: Mossoró, RN
Reference: 35,235,247
Plate and Size: 20(247),10mm
- 546 *Pteria serini* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Barreirinhos, MA; Parnaíba, PI
Reference: 73,124,131,139,148,149,235,243
Plate and Size: 20(243),30mm
- Family ISOGNOMONIDAE
- Genus *Isognomon* Solander in Ligtfoot, 1786
- 547 *Isognomon arvorensis* (Maury, 1934)
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Arvoredo & Mossoró, RN
Reference: 35,40,235,247
Plate and Size: 20(247),28mm
- 548 *Isognomon petaloideus* (White, 1887)
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha & Paulista, PE
Reference: 124,235,445
Plate and Size: 20(445),40mm
- Family BAKEVELLIIDAE
- Genus *Gervillia* DeFrance, 1820
Synonymy: *Gervilleia* Rominger, 1846
- 549 *Gervillia dissita* White, 1887
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim & Coqueiro, SE
Reference: 194,235,249,445
Plate and Size: 20(445),40mm
- 550 *Gervillia regoi* Maury, 1937
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: P.Carreçoza, SE
Reference: 73,235,249
Plate and Size: 20(249),70mm
- ?Genus *Euptera* Darteville in Darteville & Freneix, 1957
- 551 *Euptera cf flicki* Pervinquière
Age: Cretaceous, Aptian

Stratigraphy: Santana Formation
Occurrence: Araripe, SE
Reference: 223,230

Family PTERINEIDAE

Genus *Ptychopteria* Hall, 1883
Subgenus *Actinopteria* Hall, 1884

552 *Ptychopteria (Actinopteria) echwegii* (Clarke, 1899)
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru & Curuá, PA
Reference: 86,100,104,231,235
Plate and Size: 20(86),31mm

553 *Ptychopteria (Actinopteria) humboldti* (Clarke, 1899)
Age: Devonian, Emsian to Givetian
Stratigraphy: Maecuru & Ererê Formations
Occurrence: Maecuru & Ererê, PA
Reference: 86,104,192,193,194,231,235,435
Plate and Size: 20(193),50mm

554 *Ptychopteria (Actinopteria) langei* Petri, 1967
Age: Devonian, Eifelian-Frasnian
Stratigraphy: Ponta Grossa Formation
Occurrence: Ponta Grossa, PA
Reference: 231,352,422
Plate and Size: 20(352),76mm

555 *Ptychopteria (Actinopteria) textilis* (Hall, 1884)
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru, PA
Reference: 170,235,418
Plate and Size: 20(418),30mm
N.B.: a subspecie: *A.t.arenaria* Hall

Genus *Leptodesma* Hall, 1883
Subgenus *Leptodesma* s.s.

556 *Leptodesma (Leptodesma) langei* Muniz, 1979
Age: Devonian, Frasnian-Fammenian
Stratigraphy: Inajá Formation
Occurrence: Tacaratu, PE
Reference: 304
Plate and Size: 20(304),37mm

557 *Leptodesma (Leptodesma) occidentalis* (Girty, 1927)
Age: Carboniferous, Westphalian

Stratigraphy: Itaituba Formation
Occurrence: Urucará & Jatapu River, AM
Reference: 73,122,235,343
Plate and Size: 20(122),10mm

Subgenus *Leiopteria* Hall, 1883

558 *Leptodesma (Leiopteria) browni* (Clarke, 1899) comb.n.
Age: Devonian, Emsian to Givetian
Stratigraphy: Maecuru & Ererê Formations
Occurrence: Maecuru & Ererê, PA
Reference: 86,100,192,193,194,231,235,435
Plate and Size: 20(193),35mm

559 *Leptodesma (Leiopteria) obliqua* (Beurlen in Lange, 1954)
nomen nudum
Reference: 215,397

560 *Leptodesma (Leiopteria) sawkinsi* (Clarke, 1899) comb.n.
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Curuá & Maecuru, PA
Reference: 86,193,231,235,435
Plate and Size: 20(193),30mm

Genus *Katzeria* Mendes, 1966

561 *Katzeria splendida* Mendes, 1966
Age: Carboniferous, Westphalian
Stratigraphy: Itaituba Formation
Occurrence: Itaituba & Bom Jardim, PA
Reference: 267,269
Plate and Size: 20(267),22mm

?Genus *Barbosaia* Mendes, 1952

562 *Barbosaia angulata* Mendes, 1952
Age: Permian, Kazanian
Stratigraphy: Corumbatai Formation, Passa Dois Group
Occurrence: Rio Claro Region, SP; Iriti, PR
Reference: 22,213,236,260,277,280,283,408,420
Plate and Size: 20(277),17mm

563 *Barbosaia gordoni* Mendes, 1954
Age: Permian, Kazanian
Stratigraphy: Corumbatai Formation, Passa Dois Group
Occurrence: Reserva, PR
Reference: 73,263,408
Plate and Size: 20(263),7mm

564 *Barbosaias roxoi* Maranhão in Simões & Fittipaldi, 1987
nomen nudum
Reference: 236,420,421

Family INOCERAMIDAE

Genus *Inoceramus* Sowerby, 1814

565 *Inoceramus apicalis* Woods, 1911
Age: Cretaceous, Cenomanian-Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13,107,195,204
Plate and Size: 20(204),30mm

566 *Inoceramus brasiliensis* (White, 1887)
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Garajau, SE
Reference: 37,38,173,235,249,445
Plate and Size: 20(445),50mm

567 *Inoceramus calumbiensis* Oliveira, 1940
Age: Cretaceous, Santonian-Maastrichtian
Stratigraphy: Piaçabuçu Formation
Occurrence: Calumbi River, SE
Reference: 73,173,235,322
Plate and Size: 20(322),25mm

568 *Inoceramus capulus* Shumard, 1860
Age: Cretaceous, Cenomanian-Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13,295
Plate and Size: 21(295),80mm

569 *Inoceramus cuvieri* Sowerby, 1814
Age: Cretaceous, Cenomanian-Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13,107,195,204
Plate and Size: 21(107),80mm

570 *Inoceramus dominguesi* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246
Plate and Size: 21(246),35mm

571 *Inoceramus perplexus* Whittle, 1877
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation

Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13,93,195
Plate and Size: 21(93),52mm

572 *Inoceramus pictus* Sowerby, 1829
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13,107,195,204
Plate and Size: 21(107),78mm

573 *Inoceramus remoratus* Santos, 1963
Age: Cretaceous, Cenomanian-Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: N.S.Socorro, SE
Reference: 13,73,173,413
Plate and Size: 21(413),78mm

574 *Inoceramus tenuistriatus* Nagao & Matsumoto, 1939
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13,195,204
Plate and Size: 21(204),26mm

575 *Inoceramus urubuensis* Maury, 1937
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Urubu, SE
Reference: 37,73,173,235,249
Plate and Size: 21(249),35mm

576 *Inoceramus wanderleyi* Santos, 1963
Age: Cretaceous, Cenomanian-Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: N.S.Socorro, SE
Reference: 13,73,413
Plate and Size: 21(413),85mm

Subgenus *Haenleinia* J.Böhm, 1907
Synonymy: *Cordiceramus* Heinz, 1932

577 *Inoceramus (Haenleinia) baixaverdensis* Maury, 1925
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Baixa Verde & Mossoró, RN
Reference: 35,40,73,173,235,243,419
Plate and Size: 21(243),130mm

578 *Inoceramus (Haenleinia) koeplitzi* Seitz, 1961
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation

- Occurrence: Mossoró, RN
 Reference: 40,173
 Plate and Size: 21(40),60mm
- Genus *Sergipia* Maury, 1925
- 579 *Sergipia hartti* Hessel, 1988
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Laranjeiras, SE
 Reference: 175
 Plate and Size: 21(175),47mm
- 580 *Sergipia posidonomyiformis* (Maury, 1925)
 Age: Cretaceous, Cenomanian-Coniacian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Laranjeiras, SE
 Reference: 173,175,235,243,249,313
 Plate and Size: 21(243),18mm
- Genus *Mytiloides* Brongniart, 1822
- 581 *Mytiloides dresdensis* (Tröger, 1967)
 Age: Cretaceous, Coniacian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Laranjeiras-N.S.Socorro, SE
 Reference: 13,195,204
 Plate and Size: 21(204),45mm
- 582 *Mytiloides fiegei* (Tröger, 1967)
 Age: Cretaceous, Coniacian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Laranjeiras-N.S.Socorro, SE
 Reference: 13,195,204
 Plate and Size: 21(204),68mm
- 583 *Mytiloides* aff *goppelnensis* (Badillet & Sornay, 1980)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Laranjeiras, SE
 Reference: 175
 Plate and Size: 21(175),46mm
- 584 *Mytiloides hercynicus* (Petrascheck, 1904)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Laranjeiras, SE
 Reference: 175,195
 Plate and Size: 21(175),46mm
- 585 *Mytiloides labiatus* (Schlotheim, 1813)
 Age: Cretaceous, Cenomanian to Santonian
 Stratigraphy: Cotinguiba, Açu & Beberibe
- Formations
 Occurrence: Cedro, Japaratuba & Laranjeiras, SE;
 Mossoró, RN
 Reference: 13,27,35,40,73,107,173,235,249,290
 Plate and Size: 21(290),63mm
 N.B.: 2 subspecies: *M.l.cedroensis* (Maury, 1937) and *M.l.sergipensis* (Maury, 1937)
- 586 *Mytiloides lusatiae* (Andert, 1911)
 Age: Cretaceous, Coniacian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Laranjeiras-N.S.Socorro, SE
 Reference: 13,195,204
 Plate and Size: 21(204),54mm
- 587 *Mytiloides modeliaensis* (Sornay, 1981)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Laranjeiras, SE
 Reference: 175
 Plate and Size: 21(175),22mm
- 588 *Mytiloides mytiloides* (Mantell, 1822)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Laranjeiras, SE
 Reference: 175,195
 Plate and Size: 22(175),53mm
- 589 *Mytiloides opalensis* (Bose, 1923)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Japaratuba & Laranjeiras, SE
 Reference: 13,93
 Plate and Size: 22(93),30mm
- 590 *Mytiloides striatoconcentricus* (Gumbel, 1868)
 Age: Cretaceous, Turonian-Coniacian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Japaratuba & Laranjeiras, SE
 Reference: 13,195,204
 Plate and Size: 22(204)63mm
- 591 *Mytiloides subhercynicus* (Seitz, 1934)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Japaratuba & Laranjeiras, SE
 Reference: 13,93
 Plate and Size: 22(93)30mm
- 592 *Mytiloides* aff *submytiloides* (Seitz, 1935)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Laranjeiras, SE

- Reference: 175,204
Plate and Size: 22(204),70mm
- 593 *Mytiloides transiens* (Seitz, 1935)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras, SE
Reference: 175
Plate and Size: 22(175),40mm
- Genus *Rhyssomytiloides* Hessel, 1988
- 594 *Rhyssomytiloides alatus* (Hessel, 1985)
Age: Cretaceous, EoTuronian
Stratigraphy: Cotinguiba Formation
Occurrence: São Roque, Aracaju, SE
Reference: 174,175,195
Plate and Size: 22(175),42mm
- 595 *Rhyssomytiloides bengtsoni* Hessel, 1988
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras, SE
Reference: 175
Plate and Size: 22(175),38mm
- 596 *Rhyssomytiloides beurleni* Hessel, 1988
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras, SE
Reference: 175
Plate and Size: 22(175),38mm
- 597 *Rhyssomytiloides mauryae* (Hessel, 1985)
Age: Cretaceous, EoTuronian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras, Aracaju, SE
Reference: 174,175,195
Plate and Size: 22(175),37mm
- 598 *Rhyssomytiloides retirensis* Hessel, 1988
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras, SE
Reference: 175
Plate and Size: 22(175),37mm
- Genus *Cremonoceramus* Cox, 1969
- 599 *Cremonoceramus (?) rotundatus* (Fiege, 1930)
Age: Cretaceous, Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras-N.S.Socorro, SE
Reference: 13,204
- Plate and Size: 22(204),56mm
- 600 *Cremonoceramus (?) walterdorffensis* (Andert, 1911)
Age: Cretaceous, Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras-N.S.Socorro, SE
Reference: 13,195,204
Plate and Size: 22(204),53mm
- Suborder PINNINA
Superfamily PINNOIDEA
Family PINNIDAE
- Genus *Pinna* Linné, 1758
- 601 *Pinna decussata* Goldfuss, 1827
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Algodões Formation
Occurrence: Camamu, BA
Reference: 54,57,73,377
Plate and Size: 22(57),80mm
- 602 *Pinna reginamarii* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,224,235,246
Plate and Size: 22(246),270mm
- Genus *Atrina* Gray, 1842
- 603 *Atrina laticostata* (Stoliczka, 1870)
Age: Cretaceous, Turonian-Santonian
Stratigraphy: Beberibe Formation
Occurrence: Beberibe, PE
Reference: 27,431,432
Plate and Size: 22(431),300mm
- 604 *Atrina pirabensis* Ferreira & Cunha, 1959
Age: EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 124,148
Plate and Size: 22(148),45mm
- Genus *Pteronites* McCoy in Griffith, 1844
Synonymy: *Aviculopina* Meek, 1864
- 605 *Pteronites americana* (Meek, 1875) comb.n.
Age: Carboniferous, Westphalian
Stratigraphy: Itaituba Formation
Occurrence: Urucará, Capucapu & Jatapu River, AM

Reference: 73,122,235
Plate and Size: 23(122),16mm

606 *Pteronites peracuta* (Shumard, 1858) comb.n?
Age: Carboniferous, Westphalian
Stratigraphy: Itaituba Formation
Occurrence: Itaituba, PA
Reference: 119,164,235
Plate and Size: 23(164),90mm

Order LIMOIDA
Superfamily LIMOIDEA
Family LIMIDAE

Genus *Lima* Bruguière, 1797
Synonymy: *Mantellum* Röding, 1798

607 *Lima algodoensis* Maury, 1925
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Algodões Formation
Occurrence: Marau, BA
Reference: 54,57,73,235,243
Plate and Size: 23(243),10mm

608 *Lima graptea* (Maury, 1925)
Age: EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,124,132,148,235,243
Plate and Size: 23(132),20mm

609 *Lima retifera* Shumard, 1858
Age: Carboniferous, Westphalian
Stratigraphy: Itaituba Formation
Occurrence: Itaituba, PA; Jatapu River, AM
Reference: 73,119,122,166,194,235,267
Plate and Size: 23(194),15mm

Genus *Pseudolimea* Arkell, 1932

610 *Pseudolimea interplicosa* (Stoliczka, 1871)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13,432
Plate and Size: 23(432),12mm

611 *Pseudolimea neglecta* Tate
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 37

612 *Pseudolimea sergipica* (Maury, 1934)

Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Aroeira, SE
Reference: 13,37,235,445
Plate and Size: 23(445),19mm
Synonymy: *Lima interlineata* White, 1887 nomen
pre-occupied

Genus *Limatula* Wood, 1839

613 *Limatula turgidula* (White, 1887)
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 235,249,313,445
Plate and Size: 23(445),15mm

Genus *Acesta* H. & A. Adams, 1858

614 *Acesta apoidiensis* (Beurlen, 1964)
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Açu, Apodi, RN
Reference: 35,40
Plate and Size: 23(35),40mm

615 *Acesta maranhensis* Klein & Ferreira, 1979
Age: Cretaceous, Cenomanian-Santonian
Stratigraphy: Itapecuru Formation
Occurrence: São Marcos, MA
Reference: 209
Plate and Size: 23(209),34mm

Genus *Plagiostoma* Sowerby, 1814

616 *Plagiostoma derbyi* (White, 1887)
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim & Lastro, SE
Reference: 37,235,249,445
Plate and Size: 23(445),51mm
Synonymy: *Lima praetexta* White, 1887

617 *Plagiostoma fazendaestivica* (Maury, 1930)
Age: Cretaceous, Coniacian-Santonian
Stratigraphy: Estiva Formation
Occurrence: Formoso River, PE
Reference: 73,235,246
Plate and Size: 23(246),53mm

618 *Plagiostoma imbirica* (Maury, 1937)
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Imbira, SE

- Reference: 37,73,235,249
 Plate and Size: 23(249),82mm
- 619 *Plagiostoma malaevissima* Beurlen, 1964
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Apodi Formation
 Occurrence: Mossoró, RN
 Reference: 35
 Plate and Size: 23(35),66mm
- 620 *Plagiostoma upanemensis* Beurlen, 1964
 Age: Cretaceous, Turonian
 Stratigraphy: Açu Formation
 Occurrence: Apodi, Mossoró, RN
 Reference: 35,40
 Plate and Size: 23(35),70mm
- Order OSTREOIDA
 Suborder OSTREINA
 Superfamily OSTREOIDEA
 Family OSTREIDAE
 Subfamily OSTREINAE
- ?Genus *Curvostrea* Vyalov, 1936
- 621 *Curvostrea castellobrancoi* Maury, 1937
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Santa Luzia, SE
 Reference: 13,37,235,249,313
 Plate and Size: 23(249),28mm
 Synonymy: *O.wegmaniana*: White, 1887 non Orbigny, 1846
- Genus *Ostrea* Linné, 1758
- 622 *Ostrea crenulata* Beurlen, 1864
 Age: Cretaceous, Turonian
 Stratigraphy: Açu Formation
 Occurrence: Sebastianópolis, RN
 Reference: 35,40
 Plate and Size: 23(35),47mm
- 623 *Ostrea distans* White, 1887
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas & Capanema, PA; Parnaíba, PI
 Reference: 73,124,148,194,235,243,416,445
 Plate and Size: 23(243),130mm
- 624 *Ostrea glucomarides* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas & Capanema, PA
 Reference: 73,124,148,235,243,416
 Plate and Size: 23(416),23mm
- 625 *Ostrea invalida* White, 1887
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Lastro, SE
 Reference: 37,235,249,313,445
 Plate and Size: 23(445),43mm
- 626 *Ostrea jacobi* Beurlen, 1964
 Age: Cretaceous, Turonian
 Stratigraphy: Açu Formation
 Occurrence: Aracati, CE
 Reference: 35,40
 Plate and Size: 23(35),185mm
- 627 *Ostrea lagoapiatensis* Maury, 1934
 Age: Cretaceous, Turonian
 Stratigraphy: Açu Formation
 Occurrence: Açu & Mossoró, RN
 Reference: 35,40,235,247
 Plate and Size: 24(247),100mm
- 628 *Ostrea maroimensis* White, 1887
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Maruim & Coqueiro, RN
 Reference: 37,235,249,313,445
 Plate and Size: 23(445),21mm
- 629 *Ostrea cf mesenterica* Morton, 1941
 Age: Cretaceous, Turonian-Maastrichtian
 Stratigraphy: Jandaira Formation
 Occurrence: Mossoró, RN
 Reference: 35,40
 Plate and Size: 23(35),15mm
- 630 *Ostrea mossoroensis* Beurlen, 1964
 Age: Cretaceous, Turonian
 Stratigraphy: Açu Formation
 Occurrence: Jandaira, Upanema, RN
 Reference: 35,40
 Plate and Size: 24(35),75mm
- 631 *Ostrea cf owenana* Shumard, 1861
 Age: Cretaceous, Turonian
 Stratigraphy: Açu Formation
 Occurrence: Sebastianópolis, RN
 Reference: 35
 Plate and Size: 24(35),75mm
- 632 *Ostrea pendenciana* Maury, 1925
 Age: Cretaceous, Turonian-Maastrichtian
 Stratigraphy: Jandaira & Açu Formations
 Occurrence: Mossoró, Macau & Apodi, RN
 Reference: 27,35,40,73,235,243,247,419
 Plate and Size: 24(243),100mm

633 *Ostrea procyonis* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 235,243,416
Plate and Size: 24(243),70mm
N.B.: doubtful species: 416

634 *Ostrea zomerysis* Ferreira & Santos, 1966
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Capanema & Primavera, PA
Reference: 73,124,416
Plate and Size: 24(416),55mm

Subfamily LOPHINAE

Genus *Lopha* Röding, 1798

635 *Lopha aracajuensis* Muniz, 1984
Age: Cretaceous, Santonian-Maastrichtian
Stratigraphy: Piaçabuçu Formation
Occurrence: Aracaju, SE
Reference: 305
Plate and Size: 24(305),66mm

636 *Lopha cf diluviana* (Linné, 1767)
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Lastro, Maruim, SE
Reference: 37,73,235,249
Plate and Size: 24(249),35mm
N.B.: doubtful identification: 37

637 *Lopha euzebioi* Maury, 1937
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Lastro, Maruim, SE
Reference: 37,73,235,249,313
Plate and Size: 24(249),60mm
Synonymy: *O. palmetta*: White, 1887 non Sowerby, 1814

638 *Lopha lombardi* Darteville & Freneix, 1957
Age: Cretaceous, Cenomanian-Santonian
Stratigraphy: Itapécuru Formation
Occurrence: São Luiz, MA
Reference: 209
Plate and Size: 24(209),20mm

639 *Lopha mutatoria* (White, 1887)
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Lastro, Maruim, SE

Reference: 37,235,249,313,445
Plate and Size: 24(445),49mm

640 *Lopha plicatuliformis* Beurlen, 1967
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Mossoró, RN
Reference: 40
Plate and Size: 24(40),22mm

641 *Lopha ramicola* Beurlen, 1964
Age: Cretaceous, Turonian
Stratigraphy: Açu & Jandaira Formations
Occurrence: Jandaira, RN; Ipojuca, PE
Reference: 35,40,224,306
Plate and Size: 24(35),50mm

642 *Lopha cf syphax* Coquand, 1854
Age: Cretaceous, Cenomanian-Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras, SE
Reference: 13,232,235,249,409
Plate and Size: 24(409),70mm

Family GRYPHAEIDAE Subfamily GRYPHAEINAЕ

Genus *Liostrea* Douvillé, 1904

643 *Liostrea cf delettrei* (Coquand, 1957)
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Mossoró, RN
Reference: 40
Plate and Size: 24(40),12mm

Subfamily PYCNO DONTEINAE

Genus *Pycnodonte* Fischer, 1835

644 *Pycnodonte cascudoi* Beurlen, 1967
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Mossoró, RN
Reference: 40
Plate and Size: 24(40),45mm

645 *Pycnodonte haitensis* (Sowerby, 1849)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Capanema & Caieira, PA
Reference: 416,447
Plate and Size: 24(416),85mm

646 *Pycnodonte cf panda* Morton, 1941

Age: Cretaceous, Turonian-Maastrichtian
Occurrence: Jandaira Formation
Occurrence: Mossoró, RN
Reference: 40,418
Plate and Size: 24(418),26mm

Subfamily I:XOGYRINAE

Genus *Exogyra* Say, 1820

647 *Exogyra africana* Coquand, 1869
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13,346
Plate and Size: 25(346),40mm

648 *Exogyra albertolofgreni* Löfgren, 1943
Age: Cretaceous, Santonian-Maastrichtian
Stratigraphy: Piaçabuçu Formation
Occurrence: Atalaia, Aracaju, SE
Reference: 73,226,235,305
Plate and Size: 25(226),22mm

649 *Exogyra columba* (Lamarck, 1819)
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13,160
Plate and Size: 25(160),32mm
Synonymy: *E. mermeli* Coquand

650 *Exogyra conica* Sowerby, 1813
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Santa Luzia, SE
Reference: 13,249,313,445
Plate and Size: 25(445),22mm

651 *Exogyra ganhamoroba* Maury, 1937
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Ganhamoroba River, Lastro, SE
Reference: 13,249,313,445
Plate and Size: 25(249),57mm

652 *Exogyra haliotoidea* (Sowerby, 1813)
Age: Cretaceous, Albian to Maastrichtian
Stratigraphy: Riachuelo & Piaçabuçu Formations
Occurrence: Lastro & Aracaju, SE
Reference: 13,37,73,226,235,249,305,313
Plate and Size: 25(249),50mm
Synonymy: *Planospirites ostracina*: White, 1887
non Lamarck, 1801

653 *Exogyra cf olisiponensis* Sharpe, 1850
Age: Cretaceous, Turonian-Santonian
Stratigraphy: Beberibe Formation
Occurrence: Beberibe, PE
Reference: 27,418
Plate and Size: 25(418),45mm

654 *Exogyra sergipensis* Maury, 1937
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Lastro, SE
Reference: 37,73,235,249,
Plate and Size: 25(249),45mm

655 *Exogyra truncata* Oliveira, 1940
Age: Cretaceous, Santonian-Maastrichtian
Stratigraphy: Piaçabuçu Formation
Occurrence: Calumbi River, SE
Reference: 73,235,322
Plate and Size: 25(322),13mm

Genus *Gryphaeostrea* Conrad, 1865

656 *Gryphaeostrea duartei* (Oliveira, 1940)
comb.n.
Age: Cretaceous, Santonian-Maastrichtian
Stratigraphy: Piaçabuçu Formation
Occurrence: Calumbi River, SE
Reference: 73,235,322
Plate and Size: 25(322),13mm

657 *Gryphaeostrea euzebioi* (Oliveira, 1940)
comb.n.
Age: Cretaceous, Santonian-Maastrichtian
Stratigraphy: Piaçabuçu Formation
Occurrence: Calumbi River, SE
Reference: 73,235,322
Plate and Size: 25(322),15mm

658 *Gryphaeostrea trachyoptera* (White, 1887)
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, São José & P.N.Cruz,
PE
Reference: 124,235,249,348,365,445,447
Plate and Size: 25(249),25mm
Synonymy: *G.pernambucensis* (Maury, 1937);
Exogyra lateralis: Rathbun, 1874 non Nilsson, 1827

Superfamily PLICATULOIDEA
Family PLICATULIDAE

Genus *Plicatula* Lamarck, 1801

659 *Plicatula auressensis* Coquand, 1862
Age: Cretaceous, Cenomanian-Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Riachuelo, SE
Reference: 7,13,37
Plate and Size: 25(7),30mm

660 *Plicatula cedroensis* Maury, 1937
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Cedro, SE
Reference: 13,73,232,235,249,313
Plate and Size: 25(249),21mm

661 *Plicatula eroessa* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Igarapé-Açu, Salinas & Nova Timboteua, PA; Parnaíba PI; Barreirinhas, MA
Reference: 8,73,124,131,132,148,149,235,243
Plate and Size: 25(243),16mm
Synonymy: *P.flabellifera* Maury, 1925

662 *Plicatula independenciae* Beurlen, 1964
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Upanema, RN
Reference: 35,40
Plate and Size: 25(35),45mm

663 *Plicatula modioloides* White, 1887
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Jaguaruna & Maruim, SE
Reference: 235,249,313,445
Plate and Size: 25(249),32mm

664 *Plicatula cf mullicaensis* Weller, 1907
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Mossoró, RN
Reference: 35,40
Plate and Size: 25(35),35mm

665 *Plicatula parahybensis* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246
Plate and Size: 25(246),65mm

666 *Plicatula tenuirostrata* White, 1887
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation

Occurrence: Santa Luzia, SE
Reference: 13,73,235,249,445
Plate and Size: 25(249),23mm

Suborder PECTININA
Superfamily PECTINOIDEA
Family PECTINIDAE
Subfamily PECTININAE

Genus *Pecten* Müller, 1778

667 *Pecten collapsus* White, 1887
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Lastro, Maruim, SE
Reference: 235,245,313,445
Plate and Size: 25(445),35mm

668 *Pecten gemminatus* Sowerby, 1846
Age: Miocene
Stratigraphy: Pelotas Basin
Occurrence: Cassapi & Pelotas, RS
Reference: 180,181,241,337,357
Plate and Size: 25(180),37mm
Synonymy: *P.quemadensis* Ihering, 1897;
P.fissicostatus Ihering, 1907

669 *Pecten gramamensis* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246
Plate and Size: 26(246),60mm

670 *Pecten nordestensis* Oliveira, 1943
Age: Cretaceous, Santonian-Maastrichtian
Stratigraphy: Piaçabuçu Formation
Occurrence: Atalaia, Aracaju, SE
Reference: 73,226,235,305,330
Plate and Size: 25(226),35mm

Genus *Leptopecten* Verrill, 1897

671 *Leptopecten latiauratus* (Conrad, 1837)
Age: NeoOligocene to Recent
Stratigraphy: Pirabas Formation
Occurrence: Pirabas & Capanema, PA; Paraíba River, PI
Reference: 73,94,129,131,141
Plate and Size: 26(131),22mm

672 *Leptopecten pirabensis* (Ferreira, 1960)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation

- Occurrence: Primavera, PA
 Reference: 124,141
 Plate and Size: 26(141),16mm
- Genus *Neitheia* Drouet, 1825
- 673 *Neitheia bahiaensis* Brito, 1967
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Algodões Formation
 Occurrence: Camamu & Boipeba Island, BA
 Reference: 54,57,73
 Plate and Size: 26(57),43mm
- 674 *Neitheia nana* Klein & Ferreira, 1979
 Age: Cretaceous, Cenomanian-Santonian
 Stratigraphy: Itapecuru Formation
 Occurrence: São Luiz, MA
 Reference: 209
 Plate and Size: 26(209),17mm
- 675 *Neitheia quadricostata regoi* Maury, 1937
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Lastro, SE
 Reference: 73,235,249,313
 Plate and Size: 26(249),56mm
- 676 *Neitheia cf quinquecostata* Sowerby, 1814
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Algodões Formation
 Occurrence: Marau, BA
 Reference: 54,57,105,235,249,377
 Plate and Size: 26(105),13mm
- 677 *Neitheia sergipensis* White, 1887
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Lastro, SE; Inhambuque, BA
 Reference: 13,73,232,235,249,256,313,445
 Plate and Size: 26(249),7mm
- 678 *Neitheia shawi* Pervinquière, 1912
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Lastro, SE
 Reference: 13,36,37,73,224,232,235,249,313
 Plate and Size: 26(249),40mm
 Synonymy: *N.quadricostata*: White, 1887 non Sowerby, 1814; *N.quadricostata lastroensis* Maury, 1937
- Genus *Campitonectes* Agassiz in Meek, 1864
- 679 *Camptonectes placidus* White, 1887
- Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Aroeira River & C.Redondo, SE
 Reference: 235,249,313,445
 Plate and Size: 26(249),8mm
 Synonymy: *C.plicatus* Maury, 1937, err.typogr.
- Subfamily CHLAMIDINAE
- Genus *Chlamys* Röding, 1798
- 680 *Chlamys callimorphus* (Maury, 1925)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, Salinópolis & Capanema, PA
 Reference: 73,124,129,141,148,235,243
 Plate and Size: 26(243),51mm
- 681 *Chlamys cereridededitus* (Maury, 1925)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Igarapé-Açu & Nova Timboteua, PA
 Reference: 73,124,129,235,243
 Plate and Size: 26(243),22mm
- 682 *Chlamys indissolubilis* (Maury, 1925)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas and Salinópolis, PA
 Reference: 73,124,129,141,235,243
 Plate and Size: 26(243),51mm
- 683 *Chlamys glendonensis* Mansfield, 1940
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Barreirinha, MA
 Reference: 141,149
 Plate and Size: 26(141),19mm
- 684 *Chlamys japericensis* Ferreira, 1960
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Primavera & Capanema, PA;
 Barreirinha, MA
 Reference: 73,124,129,149
 Plate and Size: 26(129),22mm
- 685 *Chlamys sentis* (Reeve, 1853)
 Age: NeoOligocene to Recent
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,94,141,392
 Plate and Size: 26(141),21mm

- 686 *Chlamys tehuelchus* (Orbigny, 1846)
 Age: Miocene to Recent
 Stratigraphy: Pelotas Basin
 Occurrence: Pelotas, RS
 Reference: 91,392
 Plate and Size: 26(392),64mm
- 687 *Chlamys thalerus* (Maury, 1925)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas & Salinópolis, PA
 Reference: 73,124,129,141,235,243
 Plate and Size: 27(243),56mm
 Synonymy: *C.thaumastus* (Maury, 1925)
- Subgenus *Argopecten* Monterosato, 1889
- 688 *Chlamys (Argopecten) agronomica* (Maury, 1925)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Igarapé Açu & Capanema, PA
 Reference: 73,129,141,235,243
 Plate and Size: 27(243),6mm
- 689 *Chlamys (Argopecten) capanamensis* Ferreira, 1960
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Parnaíba, PI; Capanema, PA; São Marcos, MA
 Reference: 73,124,129,131,141,149
 Plate and Size: 27(141),57mm
- 690 *Chlamys (Argopecten) concinnatus* (Woodring, 1925)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Parnaíba, PI
 Reference: 131,141
 Plate and Size: 27(131),17mm
- 691 *Chlamys (Argopecten) coopericellus* Ferreira, 1960
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas & Primavera, PA
 Reference: 124,129,141
 Plate and Size: 27(141),26mm
- 692 *Chlamys (Argopecten) daidelus* (Maury, 1925)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA; Turiaçu, MA
 Reference: 73,124,129,136,141,235,243
- Plate and Size: 27(243),15mm
- 693 *Chlamys (Argopecten) gibbus* (Linné, 1758)
 Age: NeoOligocene to Recent
 Stratigraphy: Pirabas Formation
 Occurrence: Primeira, MA
 Reference: 94,141,149,392
 Plate and Size: 27(141),15mm
- 694 *Chlamys (Argopecten) tetrica* Ferreira, 1960
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Primavera & Salinópolis, PA
 Reference: 54,129,141
 Plate and Size: 27(141),17mm
- Family AVICULOPECTINIDAE
 Subfamily AVICULOPECTININAE
- Genus *Aviculopecten* McCoy, 1851
- 695 *Aviculopecten cambahyensis* Martins, 1951
 Age: Carboniferous
 Stratigraphy: Teixeira Soares & Maricá Formations, Tubarão Group
 Occurrence: Cambai Grande, Larvas do Sul & São Gabriel, RS
 Reference: 240,357,453
 Plate and Size: 27(240),27mm
- 696 *Aviculopecten camposi* Mendes, 1966
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Itaituba, PA
 Reference: 267,269
 Plate and Size: 27(267),12mm
- 697 *Aviculopecten carboniferous* Stevens, 1858
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Itaituba, PA
 Reference: 119,166,194,235,240
 Plate and Size: 27(166),16mm
- 698 *Aviculopecten coelhoanus* Katzer, 1896
 Age: Devonian, Emsian
 Stratigraphy: Maecuru Formation
 Occurrence: Maecuru, PA
 Reference: 100,189,192,193,194,231,235,435,454
 Plate and Size: 27(193),56mm
- 699 *Aviculopecten coxanus* Meek & Worthen, 1860

- Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Itaituba, PA
 Reference: 137,194,235,240,296
 Plate and Size: 27(194),18mm
- 700 *Aviculopecten lyelli* Dawson, 1868
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Arucará, AM
 Reference: 73,122,135
 Plate and Size: 27(122),14mm
- 701 *Aviculopecten multiscalptus* Thomas, 1928
 Age: Carboniferous, Stefanian-Kungurian
 Stratigraphy: Rio do Sul & Teixeira Soares Formations, Itararé Subgroup, Tubarão Group
 Occurrence: Rio Dareia & Baitaca, PR
 Reference: 217,397,422
 Plate and Size: 27(397),20mm
- 702 *Aviculopecten neglectus* (Geinitz, 1873)
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Itaituba, PA
 Reference: 119,194,235,240
 Plate and Size: 27(194),10mm
- 703 *Aviculopecten occidentalis* Shumard, 1855
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Itaituba, PA
 Reference: 119,194,220,235,240,267
 Plate and Size: 27(240),28mm
- 704 *Aviculopecten subquadratus* Bell, 1929
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Arucará, Capucapu & Jatapu River, AM
 Reference: 73,122,235
 Plate and Size: 27(122),14mm
- 705 *Aviculopecten trichotomus* Kegel & Costa, 1951
 Age: Carboniferous, Westphalian-Stephanian
 Stratigraphy: Piaui Formation
 Occurrence: José de Freitas, PI
 Reference: 73,202,224
 Plate and Size: 27(202),20mm
- Genus *Heteropecten* Kegel & Costa, 1951
- 706 *Heteropecten catharinæ* (Reed, 1930)
- Age: Permian, Kungurian
 Stratigraphy: Rio Bonito Formation, Tubarão Group
 Occurrence: Taió, SC
 Reference: 73,91,202,203,224,235,240,371,394,395,398,400,407
 Plate and Size: 27(371),28mm
- Synonymy: *H.bastosi* Kegel & Costa, 1951;
H.diglypha Kegel & Costa, 1951; *H.platicosta* Kegel & Costa, 1951; *H.unicus* (Reed, 1930);
H.micellus (Reed, 1930); *H.crassicostatus* (Reed, 1930); *H.relegatus* (Reed, 1930)
- Genus *Limipecten* Girty, 1904
- 707 *Limipecten araneosus* Cronic, 1949
 Age: Carboniferous
 Stratigraphy: Teixeira Soares Formation, Tubarão Group
 Occurrence: Teixeira Soares, PR
 Reference: 217,313
 Plate and Size: 27(313)55mm
- 708 *Limipecten capivariensis* (Mendes, 1952)
 Age: Carboniferous
 Stratigraphy: Capivari Formation, Tubarão Group
 Occurrence: Capivari, SP
 Reference: 73,214,261,280,397
 Plate and Size: 28(261),46mm
- Subfamily STREBLOCHONDRIINAE
- Genus *Streblopteria* McCoy, 1851
- 709 *Streblopteria antiqua* Muniz, 1979
 Age: Devonian, Frasnian-Fammenian
 Stratigraphy: Inajá Formation
 Occurrence: Tacaratu, PE
 Reference: 304
 Plate and Size: 28(304),23mm
- 710 *Streblopteria (?) herzteri* Meek, 1871
 Doubtful identification
 Reference: 119,235,240,253,267
 N.B.: *Streblochondria* sp: 267
- Family POSIDONIIDAE
- Genus *Didymotis* Gerhardt, 1897
- 711 *Didymotis* aff *variabilis* Gerhardt, 1897
 Age: Cretaceous, Cenomanian-Coniacian
 Stratigraphy: Cotinguba Formation
 Occurrence: Laranjeiras-N.S.Socorro, SE
 Reference: 13,290

Plate and Size: 28(290)45mm

Family PROPEAMUSSIDAE

Genus *Amusium* Röding, 1798?

712 *Amusium papyraceum* (Gabb, 1873)

Age: NeoOligocene to Recent

Stratigraphy: Pirabas Formation

Occurrence: Salinópolis & Capanema, PA;
Turiaçu, MA

Reference: 73,94,129,134,148,150,392,447

Plate and Size: 28(392),52mm

Age: Cretaceous, Albian-Cenomanian

Stratigraphy: Algodões Formation

Occurrence: Marau, BA

Reference: 54,57,73,235,243

Plate and Size: 28(243),19mm

717 *Anomia aracajuensis* Oliveira

Age: Cretaceous, Santonian-Maastrichtian

Stratigraphy: Piaçabuçu Formation

Occurrence: Aracaju, SE

Reference: 226,235

Plate and Size: 28(226),8mm

718 *Anomia barbadinhica* Maury, 1925

Age: Cretaceous, Turonian-Maastrichtian

Stratigraphy: Jandaira Formation

Occurrence: Mossoró, RN

Reference: 35,40,73,235,243

Plate and Size: 28(243),35mm

719 *Anomia carregozica* Maury, 1937

Age: Cretaceous, Albian-Cenomanian

Stratigraphy: Riachuelo Formation

Occurrence: Riachuelo & Tanque, SE

Reference: 73,235,249,313

Plate and Size: 28(249),11mm

Family PSEUDOMONOTIDAE

Genus *Pseudomonotis* von Beyrich, 1862

713 *Pseudomonotis hawni* (Meek & Worthen, 1858)

Age: Carboniferous, Westphalian

Stratigraphy: Itaituba Formation

Occurrence: Urucará & Jatapu River, AM

Reference: 122,220,235

Plate and Size: 28(122),8mm

720 *Anomia macedoi* Maury, 1925

Age: Pliocene-Pleistocene

Stratigraphy: Turiaçu Formation

Occurrence: Pirapemas, MA

Reference: 73,235,243

Plate and Size: 28(243),25mm

Family ENTOLIIDAE

Genus *Entolium* Meek, 1865

714 *Entolium aviculatum* (Swallow, 1858)

Age: Carboniferous, Westphalian

Stratigraphy: Itaituba Formation

Occurrence: Itaituba, PA

Reference: 236,272,343

Plate and Size: 28(272),12mm

721 *Anomia perbrasiliiana* Maury, 1925

Age: Cretaceous, Albian-Cenomanian

Stratigraphy: Algodões Formation

Occurrence: Marau, BA

Reference: 54,57,73,235,243

Plate and Size: 28(243),15mm

Family SPONDYLIDAE

Genus *Spondylus* Linné, 1758

715 *Spondylus bostrychites* Guppy, 1867

Age: EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 73,132,235,243,445,447

Plate and Size: 28(243),28mm

Synonymy: *S.pinguiculus* White, 1887

722 *Anomia sergipensis* Maury, 1937

Age: Cretaceous, Albian-Cenomanian

Stratigraphy: Riachuelo Formation

Occurrence: Maruim, SE

Reference: 235,249,445

Plate and Size: 28(249),15mm

Synonymy: *A.laevigata*: White, 1887 non Sowerby, 1936

Superfamily ANOMIOIDEA

Family ANOMIIDAE

Genus *Anomia* Linné, 1758

716 *Anomia algodoensis* Maury, 1925

723 *Anomia simplex* Orbigny, 1842

Age: NeoOligocene to Recent

Stratigraphy: Pirabas, Formation

Occurrence: Pirabas, PA

Reference: 73,94,134,148,235,243,392

Plate and Size: 28(243),18mm

N.B.: maybe a *A. ephippium* (Linné, 1758) synonymy.

724 *Anomia cf. subquadrata* Stanton, 1983
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Mossoró, RN
Reference: 40,427
Plate and Size: 28(427),24mm

Subclass PALAEOHETERODONTA
Order TRIGONIOIDA
Superfamily TRIGONIOIDEA
Family TRIGONIIDAE

Genus *Pterotrigonia* van Hoepen, 1929

725 *Pterotrigonia coqueiroensis* (Maury, 1937)
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim & Laranjeiras, SE
Reference: 38,73,235,445
Plate and Size: 28(445),34mm
Synonymy: *Trigonia subcrenulata*: White, 1887
non Orbigny, 1842

Family MYOPHORIIDAE

Genus *Schizodus* Murchison & Verneuil, 1844

726 *Schizodus cf. affinis* Herrick, 1887
Age: Carboniferous
Stratigraphy: Teixeira Soares Formation, Tubarão Group
Occurrence: Teixeira Soares, PR
Reference: 166,217
Plate and Size: 28(166),17mm

727 *Schizodus amazonicus* Mendes, 1966
Age: Carboniferous, Westphalian
Stratigraphy: Itaituba Formation
Occurrence: Itaituba, PA
Reference: 267,269
Plate and Size: 28(267),44mm

728 *Schizodus occidentalis* Reed, 1930
Age: Permian, Kungurian
Stratigraphy: Rio Bonito Formation, Tubarão Group
Occurrence: Taió, SC
Reference: 73,235,268,394,398
Plate and Size: 28(398),20mm

729 *Schizodus rossicus* Verneuil, 1873
Doubtful identification
Reference: 235,267

730 *Schizodus wheeleri* Swallow, 1858

Age: Carboniferous, Westphalian
Stratigraphy: Itaituba Formation
Occurrence: Itaituba, PA
Reference: 220,235,267
Plate and Size: 28(220),31mm

Genus *Toechomya* Clarke, 1899

731 *Toechomya freitasi* Clarke, 1899
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru, PA
Reference: 86,100,235
Plate and Size: 28(86),30mm

732 *Toechomya rathbuni* Clarke, 1899
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru, PA
Reference: 86,235
Plate and Size: 28(86),45mm

Order MODIOMORPHOIDA
Superfamily MODIOMORPHOIDEA
Family MODIOMORPHIDAE

Genus *Modiomorpha* Hall & Whitfield, 1869

733 *Modiomorpha austronotica* Clarke, 1913
Age: Devonian, Eifelian-Frasnian
Stratigraphy: Jaguariaiva & São Domingos Members, Ponta Grossa Formation
Occurrence: Ponta Grossa, PR
Reference: 73,74,88,100,217,231,235,269,300,351,422
Plate and Size: 28(88),35mm

734 *Modiomorpha erebus* (Clarke, 1913)
Age: Devonian, Eifelian-Frasnian
Stratigraphy: São Domingos Member, Ponta Grossa Formation
Occurrence: Ponta Grossa, PR
Reference: 73,88,100,217,235,300,422
Plate and Size: 28(88),30mm

735 *Modiomorpha helmreicheni* Clarke, 1899
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru, PA
Reference: 86,192,193,194,231,235,435
Plate and Size: 29(193),47mm

736 *Modiomorpha pimentana* Hartt & Rathbun, 1875
Age: Devonian, Eifelian-Givetian
Stratigraphy: Ererê Formation
Occurrence: Ererê, PA
Reference: 86,172,193,194,231,235,435

Plate and Size: 28(193),36mm

737 *Modiomorpha sellowi* Clarke, 1899

Age: Devonian, Emsian

Stratigraphy: Maecuru Formation

Occurrence: Maecuru, PA

Reference: 86,192,193,194,231,235,267,435

Plate and Size: 28(193),60mm

Genus *Spathella* Hall, 1885

738 *Spathella brevis* Muniz, 1979

Age: Devonian, Frasnian-Fammenian

Stratigraphy: Inajá Formation

Occurrence: Tacaratu, PE

Reference: 304

Plate and Size: 28(304),31mm

Genus *Naiadopsis* Mendes, 1952

739 *Naiadopsis lamellosus* Mendes, 1952

Age: Permian

Stratigraphy: Corumbataí Formation, Passa Dois Group

Occurrence: Rio Claro Region & Tambau, SP;
Terezinha, PR

Reference: 73,99,112,158,213,217,260,263,280,
282,283,408,420,422

Plate and Size: 28(260),34mm

Genus *Guerangeria* Oehlert, 1880

740 *Guerangeria ortoni* Clarke, 1899

Age: Devonian, Emsian

Stratigraphy: Maecuru Formation

Occurrence: Maecuru, PA

Reference: 86,192,193,231,235,435

Plate and Size: 28(86),36mm

Genus *Goniophora* Phillips, 1848

741 *Goniophora abbreviata* Clarke, 1913

Age: Devonian, Eifelian-Frasnian

Stratigraphy: Jaguariaiva Member, Ponta Grossa Formation

Occurrence: Jaguariaiva, PR

Reference: 73,88,100,217,235,269,300,351,422

Plate and Size: 28(88),25mm

742 *Goniophora woodwardi* Clarke, 1899

Age: Devonian, Eifelian-Givetian

Stratigraphy: Ererê Formation

Occurrence: Ererê, PA

Reference: 86,193,194,231,235,435

Plate and Size: 28(193),23mm

Genus *Sphenotomorpha* Williams & Breger, 1916

743 *Sphenotomorpha ulrichi* (Carke, 1913)

Age: Devonian, Eifelian-Frasnian

Stratigraphy: Ponta Grossa Formation

Occurrence: Ponta Grossa, PR

Reference: 88,235,422

Plate and Size: 28(88),71mm

Superfamily CYCLOCONCHOIDEA

Family ALLODESMATIDAE

Genus *Anodontopsis* McCoy, 1851

744 *Anodontopsis austrina* Clarke, 1899

Age: Silurian, Ludlovian

Stratigraphy: Trombetas Formation

Occurrence: Vira Mundo, Trombetas River, PA

Reference: 87,235

Plate and Size: 28(87),20mm

745 *Anodontopsis putilla* Clarke, 1899

Age: Silurian, Ludlovian

Stratigraphy: Trombetas Formation

Occurrence: Vira Mundo, Trombetas River, PA

Reference: 87,235

Plate and Size: 28(87),20mm

Order UNIONOIDA

Superfamily UNIONOIDEA

Family HYRIIDAE

Genus *Prisodon* Schumacher, 1817

Synonymy: *Hyria* Lamarck, 1819

746 *Prisodon corrugata* Lamarck, 1819

Age: Pliocene to Recent

Stratigraphy: Pebas Formation

Occurrence: Caravari, Jururá River & Três Unidos, AM

Reference: 235,339,376,403,405

Plate and Size: 29(376),80mm

747 *Prisodon wheatleyi* Marshall, 1927

Age: Pliocene to Recent

Stratigraphy: Pebas Formation

Occurrence: Caravari & Juruá River, AM

Reference: 235,237,405

Plate and Size: 29(237),35mm

Genus *Diplodon* Spix, 1827

748 *Diplodon arrudai* Mezzalira, 1974

Age: Cretaceous, Senonian

Strata: Bauru Group

Occurrence: Presidente Prudente, SP

Reference: 281,283

Plate and Size: 29(281),66mm

749 *Diplodon lucianoi* Maury, 1934

Age: NeoJurassic-EoCretaceous

Stratigraphy: Souza Formation

Occurrence: Souza, PB

Reference: 247

Plate and Size: 29(247),7mm

Genus *Castalia* Lamarck, 1819

750 *Castalia ambigua* Lamarck, 1819

Age: Pliocene to Recent

Stratigraphy: Pebas Formation

Occurrence: Carauari & Juruá River, AM

Reference: 212,224,235,376,403,405

Plate and Size: 29(376),50mm

Genus *Ecuadoria* Marshall & Bowles, 1932

751 *Ecuadoria bibiana* Marshall, 1932

Age: Pliocene

Stratigraphy: Pebas Formation

Occurrence: Carauari & Juruá River, AM

Reference: 73,235,405

Plate and Size: 29(405),20mm

752 *Ecuadoria (?) minor* Roxo, 1937

nomen nudum

Reference: 235,405

?Genus *Florenceia* Mezzalira, 1974

753 *Florenceia peiropolensis* Mezzalira, 1974

Age: Cretaceous, Senonian

Stratigraphy: Bauru Group

Occurrence: Uberaba, MG

Reference: 281

Plate and Size: 29(281),50mm

Family SANCTICAROLITIDAE

Genus *Sancticarolis* Mezzalira, 1974

754 *Sancticarolis tolentinoi* Mezzalira, 1974

Age: Cretaceous, Senonian

Stratigraphy: Bauru Group

Occurrence: São Carlos, SP

Reference: 281,283

Plate and Size: 29(281),12mm

Superfamily MUTELOIDEA

Family MUTELIDAE

Genus *Itaimbea* Mezzalira, 1974

755 *Itaimbea priscus* (Ihering, 1913)

Age: Cretaceous, Senonian

Stratigraphy: Bauru Group

Occurrence: Fernando Prestes, SP

Reference: 183,280,281,283,343

Plate and Size: 29(281),55mm

Genus *Taxodontites* gen. n.

756 *Taxodontites paulistanensis* (Mezzalira, 1974)

Age: Cretaceous, Senonian

Stratigraphy: Bauru Group

Occurrence: Alvares Machado & Pacaembu

Paulista, SP

Reference: 281,283

Plate and Size: 29(281),40mm

Family MYCETOPODIDAE

Genus *Anodontites* Bruguiére, 1792

N.B.: All species referred to *Anodonta* (Eurasian genus) were transferred to this genus

757 *Anodontites (?) allporti* (White, 1887)

Age: Cretaceous, Alagoan

Stratigraphy: Salvador Formation, Bahia Group

Occurrence: Pojuca and Alagoinhas, BA

Reference: 73,235,256,342,445

Plate and Size: 29(445),33mm

758 *Anodontites batesi* (Woodward, 1871) comb.n.

Age: Pliocene

Stratigraphy: Pebas Formation

Occurrence: Três Unidos, Javari River, AM

Reference: 235,403,448

Plate and Size: 29(448),67mm

759 *Anodontites freitasi* Mezzalira, 1974

Age: Cretaceous, Senonian

Stratigraphy: Bauru Group

Occurrence: Pacaembu Paulista, SP

Reference: 281

Plate and Size: 29(281),70mm

760 *Anodontites (?) hartti* (White, 1887)

Age: Cretaceous, Alagoan

Stratigraphy: Salvador Formation, Bahia Group

Occurrence: Pojuca & Alagoinhas, BA

Reference: 235,256,342,445
Plate and Size: 29(445),40mm

761 *Anodontites (?) mawsoni* (White, 1887)
Age: Cretaceous, Alagoan
Stratigraphy: Salvador Formation, Bahia Group
Occurrence: Pojuca & Alagoinha, BA
Reference: 235,256,342,445
Plate and Size: 29(445),22mm

762 *Anodontites pricei* Mezzalira, 1974
Age: Cretaceous, Senonian
Stratigraphy: Bauru Group
Occurrence: Peirópolis, MG
Reference: 281
Plate and Size: 29(281),70mm

763 *Anodontites (?) totiumsanctorum* (Hartt, 1870)
Age: Cretaceous, Alagoan
Stratigraphy: Salvador Formation, Bahia Group
Occurrence: Pojuca & Alagoinhas, BA
Reference: 235,256,342,445
Plate and Size: 29(445),15mm

764 *Anodontites williamsi* (Hartt in Magalhães & Mezzalira, 1954) nomen nudum
Reference: 235

Genus *Fossula* Lea, 1870

765 *Fossula derbyi* Ihering, 1907
Age: Miocene
Stratigraphy: ?
Occurrence: Santa Maria da Boca do Monte, RS
Reference: 342
Plate and Size: 29(342),70mm

Genus *Monocondylaea* Orbigny, 1835

766 *Monocondylaea cominatoi* Mezzalira, 1974
Age: Cretaceous, Senonian
Stratigraphy: Bauru Group
Occurrence: Pacaembu Paulista, SP
Reference: 281,283
Plate and Size: 29(281),40mm

Superfamily ANTHRACOSIOIDEA
?Family PALAEOMUTELIDAE

Genus *Palaeomutela* Amalitsky, 1892

767 *Palaeomutela (?) platinensis* (Reed, 1935)
Age: Permian, Kazanian
Stratigraphy: Rio do Rasto Formation, Passa Dois

Group
Occurrence: Platina, PR
Reference: 73,217,231,263,268,373,374,401,420,
422
Plate and Size: 29(373),12mm

Superfamily Uncertain
Family PACHYCARDIIDAE

Genus *Kidodia* Cox, 1936

768 *Kidodia (?) expansa* Mendes, 1954
Age: Permian, Kazanian
Stratigraphy: Serra Alta Formation, Passa Dois Group
Occurrence: Guarapuava, PR
Reference: 263,422
Plate and Size: 29(263), 5mm

769 *Kidodia (?) cf formosissima* (Orbigny)
Doubtful identification
Reference: 73,235

770 *Kidodia (?) paranaensis* Beurlen in Lange, 1954
Nomen nudum
Reference: 217

771 *Kidodia cf stockleyi* Cox, 1936
Age: Permian, Kazanian
Stratigraphy: Corumbatai Formation, Passa Dois Group
Occurrence: Cordeirópolis, SP
Reference: 236,283,420
Plate and Size: 29(236),10mm

Subclass HETERODONTA

Order VENEROIDA
Superfamily LUCINOIDEA
Family LUCINIDAE
Subfamily LUCININAE

Genus *Lucina* Bruguiére, 1797
Synonymy: *Phacoides* Blainville, 1825

772 *Lucina frigalis* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Igarapé-Açu & Nova Timboteua, PA
Reference: 73,124,235,243
Plate and Size: 29(243),11mm

773 *Lucina pectinata* (Gmelin, 1791)
Age: NeoOligocene to Recent

Stratigraphy: Pirabas Formation
Occurrence: Barreirinhas, MA
Reference: 84, 149, 392
Plate and Size: 29(392), 50mm

774 *Lucina promaucana crucialis* (Ihering, 1907)
comb.n.
Age: Miocene
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS
Reference: 91, 182
Plate and Size: 29(182), 20mm

775 *Lucina querida* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73, 124, 235, 243
Plate and Size: 29(243), 18mm

Subgenus *Lucinisca* Dall, 1901

776 *Lucina (Lucinisca) fluctivagus* (Maury, 1925)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Parnaiba, PI
Reference: 73, 124, 131, 235, 243
Plate and Size: 29(243), 12mm

777 *Lucina (Lucinisca) luciniolae* (Maury, 1925)
comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Parnaiba, PI
Reference: 131, 148, 235, 243
Plate and Size: 29(243), 11mm

778 *Lucina (Lucinisca) thalassogonus* (Maury, 1925)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73, 124, 235, 243
Plate and Size: 30(243), 9mm

Subgenus *Callucina* Dall, 1901

779 *Lucina (Callucina) tenella* Rathbun, 1874
Age: Paleocene to EoMiocene
Stratigraphy: Maria Farinha & Pirabas Formations
Occurrence: Maria Farinha & Paulista, PE;
Pirabas, PA
Reference: 124, 194, 235, 365, 445
Plate and Size: 30(445), 14mm

Genus *Here* Gabb, 1866

780 *Here eudaidalus* (Maury, 1925) comb.n.
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73, 124, 148, 231, 243
Plate and Size: 30(243), 17mm

Genus *Linga* de Gregorio, 1885

781 *Linga glomeramen* (Maury, 1925)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; São Marcos, MA
Reference: 73, 124, 149, 235, 243
Plate and Size: 30(243), 14mm

Subfamily MILTHINAE

Genus *Miltha* H. & A. Adams, 1857

782 *Miltha childrenae* (Gray, 1824)
Age: NeoOligocene to Recent
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 94, 134, 392
Plate and Size: 30(392), 82mm
Synonymy: *M. childreni* auctt., err.typogr.

Subfamily DIVARICELLINAE

Genus *Divaricella* von Martens, 1880

783 *Divaricella castelensis* Ferreira & Cunha, 1959
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 124, 148
Plate and Size: 30(148), 18mm

Family FIMBRIIDAE #

Genus *Fimbria* Megerle, 1811
Synonymy: *Corbis* Cuvier, 1817

784 *Fimbria aff manzairni* (Bittner)
Doubtful affinities
Reference: 235

785 *Fimbria maiae* (Maury, 1934) comb.n.
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Macau & Mossoró, RN
Reference: 35, 40, 235, 247
Plate and Size: 30(247), 19mm

786 *Fimbria mauryae* (Beurlen, 1964) comb.n.
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Açu, Mossoró, RN
Reference: 35,40
Plate and Size: 30(35),45mm

Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,124,148,235,243
Plate and Size: 30(243),10mm

Superfamily CARDITOIDEA
Family CARDITIDAE
Subfamily CARDITINAE

Genus *Cardita* Bruguière, 1792

787 *Cardita paranensis* Borchert, 1901
Age: Miocene
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS
Reference: 48,91
Plate and Size: 30(48),20mm

793 *Venericardia linoi* Oliveira, 1957
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Olinda, PE
Reference: 73,327,330
Plate and Size: 30(327),19mm

Subfamily VENERICARDIINAE

Genus *Venericardia* Lamarck, 1801

788 *Venericardia agriculturae* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Igarapé-Açu, Parnaíba & Nova Timboteua, PA; São Marcos, MA
Reference: 73,124,131,149,235,243
Plate and Size: 30(243),13mm

794 *Venericardia marisaustralis* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,224,235,246
Plate and Size: 30(246),45mm

789 *Venericardia amazoniana* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Igarapé-Açu & Nova Timboteua, PA
Reference: 124,235,243
Plate and Size: 30(243),21mm

795 *Venericardia morganiana* Rathbun, 1874
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 124,194,235,348,365,445,447
Plate and Size: 30(445),32mm

790 *Venericardia camaronensis* Ihering, 1907
Age: Miocene
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS
Reference: 91,181
Plate and Size: 30(181),10mm

796 *Venericardia mossoroensis* Maury, 1934
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Mossoró & Apodi, RN
Reference: 35,40,235,247
Plate and Size: 30(247),13mm

791 *Venericardia cannada* Ihering, 1907
Age: Miocene
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS
Reference: 91,181
Plate and Size: 30(181),16mm

797 *Venericardia perimetra* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Turiaçu, MA
Reference: 73,124,148,150,235,243
Plate and Size: 30(243),39mm

792 *Venericardia isaura* Maury, 1925

798 *Venericardia perumbonata* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas & Gerônio, PA
Reference: 8,73,124,148,194,235,243,445
Plate and Size: 30(243),10mm

799 *Venericardia philotima* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,124,148,235,243
Plate and Size: 30(243),32mm

- 800 *Venericardia pseudowilmotii* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 124,235,243,445
 Plate and Size: 30(445),38mm
 Synonymy: *Cardita wilmotti*: White, 1887 non Rathbun
- 801 *Venericardia thaleria* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,124,148,235,243
 Plate and Size: 30(243),13mm
- 802 *Venericardia wilmotii* Rathbun, 1874
 Age: Paleocene
 Stratigraphy: Maria Farinha Formation
 Occurrence: Maria Farinha, PE
 Reference: 124,194,235,348,365,445,447
 Plate and Size: 30(348),23mm
- Subfamily CARDITAMERINAE
- Genus *Carditamera* Conrad, 1838
- 803 *Carditamera manteia* (Maury, 1925)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA; Parnaiba, PI; S. Marcos, MA
 Reference: 73,124,131,148,149,235,243
 Plate and Size: 30(243),29mm
- Family PERMOPHORIDAE
 Subfamily PERMOPHORINAE
- Genus *Permophorus* Chavan, 1954
 Synonymy: *Pleurophorus* King, 1844
- 804 *Permophorus brasiliensis* (Mendes, 1966) comb.n.
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Itaituba, PA
 Reference: 267
 Plate and Size: 30(267),19mm
- 805 *Permophorus similis* (Girty, 1927) comb.n.?
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Urucará & Jatapu River, AM
 Reference: 73,122,235,267
- Plate and Size: 30(122),14mm
- 806 *Permophorus subcostatus* Meek & Worthen, 1868
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Urucará & Jatapu River, AM
 Reference: 73,122,235
 Plate and Size: 30(122),11mm
- 807 *Permophorus tropidophorus* (Meek)
 Age: Carboniferous, Westphalian
 Stratigraphy: Itaituba Formation
 Occurrence: Itaituba, PA
 Reference: 235,267,418
 Plate and Size: 30(418),21mm
- ?Genus *Pleurodapis* Clarke, 1913
- 808 *Pleurodapis multicincta* Clarke, 1913
 Age: Devonian, Eifelian-Frasnian
 Stratigraphy: São Domingos Member, Ponta Grossa Formation
 Occurrence: Ponta Grossa, PR
 Reference: 73,88,100,217,235,300,422
 Plate and Size: 30(88),75mm
- Subfamily MYOCONCHINAE
- Genus *Myoconcha* Sowerby, 1824
- 809 *Myoconcha* cf *goldfussis* Dunker
 Doubtful identification
 Reference: 73,217,235,370
- Genus *Stutchuria* Etheridge, 1900
- 810 *Stutchuria brasiliensis* Reed, 1930
 Age: Permian, Kungurian
 Stratigraphy: Rio Bonito Formation, Tubarão Group
 Occurrence: Taió, SC
 Reference: 73,235,371,394,395,398
 Plate and Size: 31(371),160mm
- Superfamily CRASSATELLOIDEA
 Family CRASSATELLIDAE
 Subfamily CRASSATELLINAE
- Genus *Crassatella* Lamarck, 1799
 Synonymy: *Crassatellites* Krüger, 1823
- 811 *Crassatella dilabida* White, 1887
 Age: Paleocene

Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha & Paulista, PE
Reference: 124,235,348,445
Plate and Size: 30(455),31mm

812 *Crassatella ganguararica* (Maury, 1937)
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Gangarari, SE
Reference: 13,38,73,235,249,313
Plate and Size: 30(249),9mm

813 *Crassatella maroimensis* (White, 1887)
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 38,235,249,313,445
Plate and Size: 31(445),23mm

Genus *Eucrassatella* Iredale, 1924

814 *Eucrassatella uruguayensis* (Smith, 1880) #
Age: Miocene to Recent
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS
Reference: 91,155
Plate and Size: 31(155),15mm

Genus *Oriocrassatella* Etheridge, 1907

815 *Oriocrassatella itajaiensis* Rocha Campos,
1970
Age: Permian, Kungurian
Stratigraphy: Rio Bonito Formation, Tubarão
Group
Occurrence: Taió, SC
Reference: 398,407
Plate and Size: 31(398),66mm

Genus *Cypricardella* Hall, 1858

816 *Cypricardella hartti* Clarke, 1899
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru, PA
Reference: 86,100,192,193,194,231,235,435
Plate and Size: 31(193),46mm

817 *Cypricardella (?) olivieri* Clarke, 1913
Age: Devonian, Eifelian-Frasnian
Stratigraphy: São Domingos Member, Ponta
Grossa Formation
Occurrence: Ponta Grossa, PR
Reference: 73,88,217,235,300,422
Plate and Size: 31(88),20mm

818 *Cypricardella (?) petrolandensis* Muniz, 1979
Age: Devonian, Frasnian-Fammenian
Stratigraphy: Inajá Formation
Occurrence: Petrolândia, PE
Reference: 224,304
Plate and Size: 31(304),22mm

819 *Cypricardella pohli* Clarke, 1899
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru, PA
Reference: 86,100,192,193,194,235,435
Plate and Size: 31(86),44mm

Subfamily SCAMBULINAE

Genus *Crassinella* Guppy, 1874

820 *Crassinella erichseni* Ferreira, 1969
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: São Marcos, MA
Reference: 137,139
Plate and Size: 31(139),17mm

821 *Crassinella martinicensis* (Orbigny, 1842)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: São Marcos, MA
Reference: 94,136,137,139,392
Plate and Size: 31(137),6mm

Family Uncertain

Genus *Leinzia* Mendes, 1949

822 *Leinzia bipleura* (Reed, 1928)
Age: Permian, Kazanian
Stratigraphy: Estrada Nova Formation, Passa Dois
Group
Occurrence: Serrinha, PR
Reference: 93,217,235,370,408,422
Plate and Size: 31(370),10mm

823 *Leinzia curta* Beurlen in Lange, 1954
Nomen Nudum
Reference: 213

824 *Leinzia similis* (Holdhaus, 1918)
Age: Permian, Kazanian
Stratigraphy: Estrada Nova Formation, Passa Dois
Group
Occurrence: Serriha, PR
Reference: 73,176,217,235,259,263,282,286,370,

- 401,408,420,422
Plate and Size: 31(263),12mm
- Genus *Anhembia* Mezzalira, Mendes & Maranhão, 1990
- 825 *Anhembia froesi* (Mendes, 1949)
Age: Permian, Kazanian
Stratigraphy: Serra Alta Formation, Passa Dois Group
Occurrence: Anhembi, SP
Reference: 99,213,217,259,277,280,282,283,286, 408,420,421,422
Plate and Size: 31(277),71mm
- 826 *Anhembia gigantea* (Mendes, 1949)
Age: Permian, Kazanian
Stratigraphy: Serra Alta Formation, Passa Dois Group
Occurrence: Anhembi, SP
Reference: 217,259,280,282,283,286,408
Plate and Size: 31(259),11mm
- Genus *Nothoterraia* Rohn (1986)
- 827 *Nothoterraia acarinata* Rohn in Simões & Fittipaldi, 1987 nomen nudum
Reference: 401,420,422
- Superfamily ASTARTOIDEA
Family ASTARTIDAE #
Subfamily ASTARTINAE
- Genus *Astarte* Sowerby, 1818
- 828 *Astarte brunetti* Hartt
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13
- 829 *Astarte sergipensis* Maury, 1937
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Lastro, SE
Reference: 73,235,249,313
Plate and Size: 31(249),25mm
- Genus *Astartella* Hall, 1858
- 830 *Astartella langei* Mendes, 1966
Age: Carboniferous, Westphalian
Stratigraphy: Itaituba Formation
Occurrence: Itaituba, PA
- Reference: 267
Plate and Size: 31(267),35mm
- Genus *Astartellopsis* Beurlen, 1954
- 831 *Astartellopsis nana* Beurlen "1953"
nomen nudum
Reference: 217,408
- 832 *Astartellopsis prosocrina* Beurlen, 1954
Age: Permian, Kazanian
Stratigraphy: Estrada Nova Formation, Passa Dois Group
Occurrence: Serrinha, PR
Reference: 73,217,235,370,408
Plate and Size: 31(370),6mm
Synonymy: *A. cf triasina*: Reed, 1929 non Roem
- Subfamily PINZONELLINAE
- Genus *Pinzonella* Reed, 1932
Synonymy: *Pinzonellopsis* Mendes, 1944
- 833 *Pinzonella elongata* Beurlen, 1954
Age: Permian, Kazanian
Stratigraphy: Corumbatai Formation, Passa Dois Group
Occurrence: Rio Claro Region, Charqueada & Tambau, SP; Terezinha, PR
Reference: 112,217,277,280,283
Plate and Size: 31(277),13mm
N.B.: maybe a *P.neotropica* synonymy
- 834 *Pinzonella illusa* Reed, 1932
Age: Permian, Kazanian
Stratigraphy: Corumbatai Formation, Passa Dois Group
Occurrence: Rio Claro Region, Angatuba & Taguai, SP; Terezinha, PR
Reference: 73,158,159,213,217,236,257,260,264, 274,277,279,280,282,283,359,360,361,372,373, 374,397,408,420,421
Plate and Size: 31(260),17mm
Synonymy: *P.similis* Reed, 1932; *P.trigonia* Mendes, 1944
- 835 *Pinzonella neotropica* (Reed, 1928)
Age: Permian, Kazanian
Stratigraphy: Corumbatai & Estrada Nova Formations, Passa Dois Group
Occurrence: Rio Claro Region, Tambau, Paranapanema & Descalvado, SP; Terezina, PR; Canoinhas, SC
Reference: 73,122,158,213,217,235,257,260,263,

268,274,279,280,283,316,340,369,370,372,373,
374,375,408,420,421,422
Plate and Size: 31(260),20mm
Synonymy: *Trigonodus cf costatus*:Reed, 1929
non Wöhrm; *Pinzonellopsis rugosa occidentalis*
(Reed, 1929); *Terraia angusta* Reed, 1929

Subfamily ERIPHYLINAE

Genus *Eriphylla* Gabb, 1867
Subgenus *Dozyia* Bosquet in Dewalque, 1868

836 *Eriphylla (Dozyia) lenticularis* (Goldfuss,
1839)
Age: Cretaceous, Cenomanian-Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13,432
Plate and Size: 31(432),35mm

Superfamily CARDIOIDEA Family CARDIIDAE Subfamily CARDIINAE

Genus *Cardium* Linné, 1758 #

837 *Cardium algodoensis* Maury, 1925
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Algodões Formation
Occurrence: Algodões, BA
Reference: 54,57,73,235,243
Plate and Size: 31(243),11mm

838 *Cardium coutinhoi* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Igarapé-Açu & Nova Timboteua, PA
Reference: 73,124,235,243
Plate and Size: 31(243),40mm

839 *Cardium endymionis* Maury, 1934
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Mossoró, RN
Reference: 35,40,247
Plate and Size: 31(247),45mm

840 *Cardium hortensium* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Nova Timboteua & Igarapé-Açu, PA
Reference: 73,124,148,213,235,243
Plate and Size: 31(243),20mm

841 *Cardium itapassarocanum* Maury, 1934

Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Itapassaroca, RN
Reference: 35,235,247
Plate and Size: 32(247),45mm

842 *Cardium jenkinsi* Maury, 1934
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Itapassaroca & Mossoró, RN
Reference: 35,235,247
Plate and Size: 32(247),18mm

843 *Cardium philotarium* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,124,148,235,243
Plate and Size: 32(243),13mm

844 *Cardium riogramamense* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Pessoas, PB
Reference: 73,224,235,246
Plate and Size: 32(246),57mm

845 *Cardium soperi* Maury, 1925
Age: Cretaceous, Bahian
Stratigraphy: Pendência Formation
Occurrence: Marau & Pendência, RN
Reference: 73,235,243
Plate and Size: 32(243),73mm

846 *Cardium thalassium* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,124,235,243
Plate and Size: 32(243),17mm

847 *Cardium viridarii* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Igarapé-Açu & Nova Timboteua, PA
Reference: 73,124,235,243
Plate and Size: 32(243),20mm

Genus *Granocardium* Gabb, 1869
Subgenus *Criocardium* Conrad, 1870

848 *Granocardium (Criocardium) soaresanum*
(Rathbun, 1874)
Age: Paleocene

Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha & Paulista, PE; Natal, RN
Reference: 124,185,235,365,445
Plate and Size: 32(185),12mm

Genus *Acanthocardia* Gray, 1851

849 *Acanthocardia riachuelense* (Maury, 1937)
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Riachuelo & Roque Mendes, SE
Reference: 38,73,235,249,314
Plate and Size: 32(249),33mm

Subfamily FRAGINAE #

Genus *Fragum* Röding, 1798
Synonymy: *Isocardia* Oken, 1815

850 *Fragum branneri* (White, 1887) comb.n.
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 38,40,235,243,249,314,445
Plate and Size: 32(445),32mm

851 *Fragum brasiliensis* (Beurlen, 1964) comb.n.
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Mossoró, RN
Reference: 35,40
Plate and Size: 32(35),40mm

852 *Fragum coutinhoanum* (White, 1887) comb.n.
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 38,235,249,314,445
Plate and Size: 32(445),35mm

853 *Fragum estancianum* (Maury, 1925)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Nova Timboteua & Igarapé-Açu, PA
Reference: 73,124,148,235,243
Plate and Size: 32(243),8mm

854 *Fragum perobliquum* (von Koenen, 1897)
Age: Cretaceous, Cenomanian-Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras, SE
Reference: 13,27

855 *Fragum praecisum* (White, 1887) comb.n.
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 235,249,314,445
Plate and Size: 32(445),36mm

856 *Fragum proavitum* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Turiaçu, MA
Reference: 124,150,194,235,243,445
Plate and Size: 32(445),11mm

Genus *Trigonocardia* Dall, 1900

857 *Trigonocardia cordeliae* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,124,148,235,243
Plate and Size: 32(243),7mm

Subfamily TRACHYCARDIINAE

Genus *Trachycardium* Mörch, 1853

858 *Trachycardium amphitrites* (Maury, 1925)
Age: Cretaceous, Turonian to Maastrichtian
Stratigraphy: Açu & Jandaira Formations
Occurrence: Mossoró & Pendência, RN
Reference: 35,40,73,235,243,347
Plate and Size: 32(243),66mm

859 *Trachycardium paraense* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas & Salinas, PA
Reference: 8,73,124,148,194,235,243,445
Plate and Size: 32(243),30mm

860 *Trachycardium perinfaustum* (Maury, 1925)
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Mossoró, Macau & Pendência, RN
Reference: 35,40,73,235,243,347
Plate and Size: 32(243),66mm

861 *Trachycardium pessoi* (Maury, 1925)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,124,148,235,243
Plate and Size: 32(243),41mm

- 862 *Trachycardium riograndensis* (Maury, 1925)
 Age: Cretaceous, Turonian-Maastrichtian
 Stratigraphy: Jandaira Formation
 Occurrence: Macau & Mossoró, RN
 Reference: 35,40,73,235,243,247,347
 Plate and Size: 32(243),26mm
 Synonymy: *T.galateae* (Maury, 1925)
- Subgenus *Dallocardia* Steward, 1930
- 863 *Trachycardium (Dallocardia) muricatum* (Linné, 1758)
 Age: Miocene to Recent
 Stratigraphy: Pelotas Basin
 Occurrence: Pelotas, RS
 Bibliography: 91,392
 Plate and Size: 32(392),70mm
- Subfamily LAEVICARDIINAE
- Genus *Laevicardium* Swainson, 1840
- 864 *Laevicardium laevigatum* (Linné, 1758)
 Age: NeoOligocene to Recent
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 94,392,447
 Plate and Size: 32(392),18mm
- 865 *Laevicardium serratum* (Linné, 1758) #
 Age: NeoOligocene to Recent
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA; Turiaçu, MA
 Reference: 73,150,235,243
 Plate and Size: 32(243),34mm
- Subfamily PROTOCARDIINAE #
- Genus *Nemocardium* Meek, 1876
- 866 *Nemocardium brasiliense* (White, 1887)
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Maruim, SE
 Reference: 38,235,248,314,445
 Plate and Size: 32(445),31mm
- 867 *Nemocardium indistinctum* (White, 1887)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,124,194,235,243
 Plate and Size: 32(243),28mm
- Subgenus *Microcardium* Thiele, 1934
- 868 *Nemocardium (Microcardium) jamaicensis* (Dall, 1900)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: São Marcos, MA
 Reference: 139,447
 Plate and Size: 32(139),8mm
- Superfamily MACTROIDEA
 Family MACTRIDAE
 Subfamily MACTRINAE
- Genus *Mactra* Linné, 1767
- 869 *Mactra defossa* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,124,148,235,243
 Plate and Size: 32(243),41mm
- 870 *Mactra marplatensis* Doello-Jurado, 1918
 Age: Miocene to Recent
 Stratigraphy: Pelotas Basin
 Occurrence: Pelotas RS
 Reference: 91,392
 Plate and Size: 32(392),33mm
- Genus *Cymbophora* Gabb, 1869 #
- 871 *Cymbophora cf scalpellum* Stephenson, 1941
 Age: Cretaceous, Turonian-Maastrichtian
 Stratigraphy: Jandaira Formation
 Occurrence: Mossoró, RN
 Reference: 35,40
 Plate and Size: 32(35),50mm
- Subfamily PTEROPSELLINAE
- Genus *Anatina* Schumacher, 1817
- 872 *Anatina putatoria* White, 1887
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Lastro, Maruim, SE
 Reference: 235,249,445
 Plate and Size: 32(445),60mm
- Superfamily SOLENOIDEA
 Family SOLENIDAE
- Genus *Solen* Linné, 1758

873 *Solen paraensis* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 235,445
Plate and Size: 33(445),80mm

Subgenus *Solena* Mörch, 1853

874 *Solen (Solena) obliquus* (Spengler, 1794)
Age: NeoOligocene to Recent
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,94,148,235,243,392,447
Plate and Size: 33(243),102mm

Superfamily TELLINOIDEA

Family TELLINIDAE

Subfamily TELLININAE

Genus *Tellina* Linné, 1758

875 *Tellina celestes* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,124,148,235,236,243
Plate and Size: 33(243),33mm

876 *Tellina dutrae* Maury, 1925

Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Algodões Formation
Occurrence: Algodões, BA
Reference: 54,57,73,235,243
Plate and Size: 33(243),16mm

877 *Tellina penthesileae* Maury, 1925

Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Igarapé Açu & Nova Timboteua, PA;
Parnaíba, PI
Reference: 73,124,131,148,235,243
Plate and Size: 33(243),25mm

878 *Tellina pernambucensis* Rathbun, 1874

Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha & Paulista, PE
Reference: 124,194,235,365,445
Plate and Size: 33(445),18mm

Subgenus *Angulus* Muhlfeld, 1811

879 *Tellina (Angulus) gibber* Ihering, 1907

Age: Miocene to Recent
Stratigraphy: Pelotas Basin
Occurrence: Pelotas, RS
Reference: 91,392
Plate and Size: 33(392),20mm

Subfamily MACOMINAE

Genus *Macoma* Leach, 1819

Subgenus *Psammacoma* Dall, 1900

880 *Macoma (Psammacoma) riopirabica* Maury,
1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,124,148,234,243
Plate and Size: 33(243),35mm

Genus *Apolymetis* Salisbury, 1929 #

881 *Apolymetis trinitaria* (Dall, 1900)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; São Marcos, MA
Reference: 73,134,136,139,148,235,243
Plate and Size: 33(139),30mm

Family SEMELIDAE

Genus *Semele* Schumacher, 1817

882 *Semele paraensis* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,124,148,194,235,243,445
Plate and Size: 33(445),38mm
Synonymy: *S. ferreiraiae* Maury, 1925

Family PSAMMOBIIDAE
Subfamily SOLECURTINAE

Genus *Solecurtus* Blainville, 1824

883 *Solecurtus cereris* (Maury, 1925)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Igarapé-Açu & Nova Timboteua, PA
Reference: 73,124,235,243
Plate and Size: 33(243),24mm

Genus *Tagelus* Gray, 1847

884 *Tagelus whitei* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,124,148,235,243
Plate and Size: 33(243),40mm

Family TANCREDIIDAE #

Genus *Meekia* Gabb, 1864

885 *Meekia commemorata* White, 1887
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Maria Farinha, PE
Reference: 235,445
Plate and Size: 33(445),14mm

Family DONACIDAE

Genus *Iphigenia* Schumacher, 1817

886 *Iphigenia ferreirai* Campos, 1980
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Parnaiba River, PI
Reference: 72,73
Plate and Size: 33(72),52mm

Doubtful Tellinoidea

Genus *Terraia* Cox, 1934

Synonymy: *Maackia* Mendes, 1954;
Oliveriaia Mendes, 1954

887 *Terraia aequilateralis* Mendes, 1952
Age: Permian, Kazanian
Stratigraphy: Corumbatai Formation, Passa Dois Group
Occurrence: Rio Claro Region & Angatuba, SP
Reference: 23,73,158,159,213,260,264,277,280,
282,283,360,408,420,421
Plate and Size: 33(273),13mm

888 *Terraia altissima* (Holhaus, 1918)
Age: Permian, Kazanian
Stratigraphy: Corumbatai & Rio do Rasto Formations, Passa Dois Group
Occurrence: Rio Claro Region, SP; Serrinha, PR
Reference: 73,106,176,217,235,257,258,263,296,
316,370,412,420,421,422
Plate and Size: 33(370+263),14mm
Synonymy: *Pseudocorbula* aff *sandbergert*: Reed, 1929 non Philippi, 1898; *T. reducta* Reed, 1929;

Solenomorpha deflexa Holdhaus, 1918; *Myophoria* cf *worhmanni*: Reed, 1929 non Bittner; *Myophoria* cf *kefersteini* *nuda*: Reed, 1929 non Waagen; *Myophoriopsis* cf *kittli*: Reed, 1929 non Bittner; *Isocyprina concentrica*: Reed, 1929 non Moore; *Isocyprina percrassa*: Reed, 1929 non Bohm, 1901; ?*Myophoriopsis* cf *richthofeni*: Reed, 1929 non Stur.

889 *Terraia contorta* (Mendes, 1954)

Age: Permian, Kazanian
Stratigraphy: Serra Alta Formation, Passa Dois Group
Occurrence: Reserva, PR
Reference: 23,73,263,408,422
Plate and Size: 33(263),11mm

890 *Terraia curvata* (Reed, 1929)

Age: Permian, Kazanian
Stratigraphy: Rio do Rasto Formation, Passa Dois Group
Occurrence: Serrinha, PR
Reference: 73,217,235,370
Plate and Size: 33(370),11mm

891 *Terraia* (?) *erichseni* Mendes, 1954

Age: Permian, Kazanian
Stratigraphy: Corumbatai Formation, Passa Dois Group
Occurrence: Gutierrez, PR
Reference: 73,263,408
Plate and Size: 33(263),30mm

892 *Terraia ferroviaria* Loefgren, 1942

nomen nudum
Reference: 283

893 *Terraia intermedia* (Holdhaus, 1918)

Age: Permian, Kazanian
Stratigraphy: Rio do Rasto Formation, Passa Dois Group
Occurrence: Serrinha, PR
Reference: 73,176,217,235,370
Plate and Size: 33(370),22mm
Synonymy: *Myophoriopsis rosthorni*: Reed, 1929 non Boué; *Myophoria* (*Heminajas*) *holdhausi* Reed, 1929

894 *Terraia iratiensis* (Beurlen, 1957)

Age: Permian, Kazanian
Stratigraphy: Irati Formation, Passa Dois Group
Occurrence: São Mateus do Sul, PR
Reference: 23,73,420,422
Plate and Size: 33(23),13mm

- 895 *Terraia lamegoi* Mendes, 1954
 Age: Permian, Kazanian
 Stratigraphy: Corumbatai Formation, Passa Dois Group
 Occurrence: Terezinha, PR
 Reference: 263,408,422
 Plate and Size: 33(263),19mm
- 896 *Terraia pristina* (Reed, 1929)
 Age: Permian, Kazanian
 Stratigraphy: Rio do Rasto Formation, Passa Dois Group
 Occurrence: Serrinha, PR
 Reference: 73,217,235,263,267,401,408,420,422
 Plate and Size: 33(263),12mm
 Synonymy: *Thracia perversa* Reed, 1929
- Superfamily DREISSENOIDEA
 Family DREISSENIDAE
- Genus *Dreissena* Beneden, 1835 #
- 897 *Dreissena acuta* Etheridge, 1879
 Age: Pliocene
 Stratigraphy: Pebas Formation
 Occurrence: Canamá, AM
 Reference: 126,127,235,403
 Plate and Size: 33(403),30mm
- Superfamily ARCTICOIDEA
 Family ARCTICIDAE
- Genus *Veniella* Stoliczka, 1870
 Synonymy: *Roudairia* Munier-Chalmas, 1881
- 898 *Veniella brasiliensis* (Maury, 1930)
 Age: Cretaceous, Campanian-Maastrichtian
 Stratigraphy: Gramame Formation
 Occurrence: Gramame River, João Pessoa, PB; Aracaju, SE
 Reference: 224,226,235,246,415
 Plate and Size: 33(415),90mm
- 899 *Veniella erichseni* (Santos & Castro, 1970) comb.n.
 Age: Cretaceous, Santonian-Maastrichtian
 Stratigraphy: Piaçabuçu Formation
 Occurrence: Cotinguiba, SE
 Reference: 415
 Plate and Size: 33(415),53mm
- Family TRAPEZIIDAE
- Genus *Trapezium* Mengele, 1811 #
- 900 *Trapezium inseptulum* White, 1887
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Porto dos Barcos, Maruim, SE
 Reference: 235,249,445
 Plate and Size: 33(445),47mm
- Superfamily CORBICULOIDEA
 Family PISIDIIDAE
- Genus *Sphaerium* Scopoli, 1777 #
- 901 *Sphaerium ativum* White, 1887
 Age: Cretaceous, Alagoan
 Stratigraphy: Bahia Group
 Occurrence: Pojuca, BA
 Reference: 235,256,342,445
 Plate and Size: 33(445),7mm
 Synonymy: *S. etivum* auctt.,err.typogr.
- Superfamily VENEROIDEA
 Family VENERIDAE
 Subfamily VENERINAE
- Genus *Ventricolaria* Keen, 1854
- 902 *Ventricolaria thalestris* (Maury, 1925)
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA; Turiaçu, MA
 Reference: 73,124,148,149,150,235,243
 Plate and Size: 33(243),43mm
 Synonymy: *V. amazoniana* (Maury, 1925); *V. proserpinæ* (Maury, 1925); *V. sanctaenocis* (Maury, 1925)
- Genus *Periglypta* Jukes-Browne, 1914
- 903 *Periglypta multicostata* (Sowerby, 1835) #
 Age: NeoOligocene (Aquitanian) to Recent
 Stratigraphy: Pirabas Formation
 Occurrence: Capanema, PA
 Reference: 78
 Plate and Size: 33(78),30mm
 Synonymy: *Cytherea caesarina* Dall, 1903
- Subfamily CHIONINAE
- Genus *Chione* Mengele, 1811
- 904 *Chione doellojuradoi* Medina, 1962
 Age: Miocene
 Stratigraphy: Pelotas Basin
 Occurrence: Pelotas, RS

- Reference: 91,251
Plate and Size: 34(251),40mm
- 905 *Chione thalassopora* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas,PA
Reference: 73,124,148,235,243
Plate and Size: 34(243),20mm
- Subgenus *Chione* s.s.
- 906 *Chione (Chione) cancellata* (Linné, 1967)
Age: NeoOligocene to Recent
Stratigraphy: Pirabas Formation
Occurrence: Parnaiba, PI
Reference: 94,131,392
Plate and Size: 34(131),22mm
Synonymy: *C.subrostrata* (Lamarck, 1818)
- 907 *Chione (Chione) paraensis* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas & Salinas, PA; Parnaiba, PI; Turiaçu, MA
Reference: 8,124,131,148,149,150,194,235,243,445
Plate and Size: 34(445),44mm,
- Subgenus *Lirophora* Conrad, 1863
- 908 *Chione (Lirophora) agraria* (White, 1887)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas & Igarapé-Açu, PA; Parnaiba, PI; São Marcos, MA
Reference: 73,124,131,148,149,194,235,243,445
Plate and Size: 34(243),10mm
- 909 *Chione (Lirophora) cordeliae* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,124,148,235,243
Plate and Size: 34(243),14mm
- 910 *Chione (Lirophora) perthesileae* (Maury, 1925)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,124,148,235,243
Plate and Size: 34(243),25mm
- 911 *Chione (Lirophora) praepaphia* (Maury, 1925)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Parnaiba, PI
Reference: 73,94,124,131,148,235,243,392
Plate and Size: 34(243),18mm
N.B.: maybe a *C.paphia* (Linné, 1767) synonymy
- Genus *Protothaca* Dall, 1902
Subgenus *Leukoma* Romer, 1857
- 912 *Protothaca (Leukoma) pectorina* (Lamarck, 1818)
Age: Pliocene to Recent
Stratigraphy: Turiaçu Formation
Occurrence: Turiaçu, MA
Reference: 73,150,235,243,492
Plate and Size: 34(243),2mm
Synonymy: *P.praepectorina* (Maury, 1925)
- Genus *Mercenaria* Schumacher, 1817 #
- 913 *Mercenaria prototypa* (Maury, 1925)
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,124,235,243
Plate and Size: 34(243),60mm
- Subfamily PITARINAE
- Genus *Pitar* Römer, 1857
Subgenus *Lamellioconcha* Dall, 1902
- 914 *Pitar (Lamellioconcha) baumanni* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 73,124,235,243
Plate and Size: 34(243),30mm
- 915 *Pitar (Lamellioconcha) circinata* (Born, 1778)
Age: NeoOligocene to Recent
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA; Turiaçu, MA; Parnaiba, PI
Reference: 73,94,131,134,148,235,243,392,447
Plate and Size: 34(243),31mm
- 916 *Pitar (Lamellioconcha) diminuta* Ferreira, 1964
Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Parnaiba, PI

Reference: 124,131

Plate and Size: 34(131),13mm

917 *Pitar (Lamellioconcha) euglypta* (Maury, 1925)

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA; São Marcos & Turuaçu, MA

Reference: 73,124,139,148,150,243

Plate and Size: 34(243),17mm

918 *Pitar (Lamellioconcha) hartti* (Maury, 1925)

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 73,124,148,235,243

Plate and Size: 34(243),34mm

919 *Pitar (Lamellioconcha) obscurata* (White, 1887)

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 73,124,194,235,243,249,313,445

Plate and Size: 34(243),31mm

920 *Pitar (Lamellioconcha) perarcana* Maury, 1925

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA; Parnaiba, PI; São Marcos, MA

Reference: 73,124,132,148,149,235,243

Plate and Size: 34(243),20mm

921 *Pitar (Lamellioconcha) recondita* (Maury, 1925)

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 73,124,148,235,243

Plate and Size: 34(243),15mm

922 *Pitar (Lamellioconcha) vertumni* Maury, 1925

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Igarapé-Açu & Nova Timboteua, PA

Reference: 73,124,235,243

Plate and Size: 34(243),13mm

Genus *Callista* Poli, 1791

Subgenus *Callista* s.s.

923 *Callista (Callista) maculata* (Linné, 1758)

Age: NeoOligocene to Recent

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 73,94,235,243,392,447

Plate and Size: 34(243),42mm

Subgenus *Macrocallista* Meek, 1876

924 *Callista (Macrocallista) mcgrathiana* (Rathbun, 1874)

Age: Paleocene

Stratigraphy: Maria Farinha Formation

Occurrence: Maria Farinha & Paulista, PE

Reference: 124,194,235,348,365,445

Plate and Size: 34(445),23mm

925 *Callista (Macrocallista) pirabica* (Maury, 1925) comb.n.

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 73,124,235,243

Plate and Size: 34(243),41mm

Subfamily CLEMENTINIINAE #

Genus *Clementia* Gray, 1842

926 *Clementia dariena* (Conrad, 1856)

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Pirabas, PA

Reference: 73,134,148,243,447

Plate and Size: 34(243),17mm

Synonymy: *C.brasiliana* Maury, 1925

Subfamily MERETRICINAE

Genus *Tivela* Link, 1807

927 *Tivela sulcata* Campos, 1980

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Cajueiro & Parnaiba, PI

Reference: 72,73

Plate and Size: 34(72),33mm

Subfamily DOSINIINAE

Genus *Dosinia* Scopoli, 1777

Synonymy: *Dosinidia* Dall, 1902

- 928 *Dosinia concentrica* (Born, 1778)
 Age: NeoOligocene to Recent
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas & Salinas, PA; Parnaiba, PI;
 Turiaçu, MA
 Reference: 8,73,94,124,131,148,149,150,194,235,
 243,249,392,445
 Plate and Size: 34(243),50mm
 Synonymy: *D.brasiensis* White, 1887
- Subfamily CYCLININAE
- Genus *Cyprimeria* Conrad, 1864 #
- 929 *Cyprimeria riograndensis* Maury, 1934
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Apodi Formation
 Occurrence: Macau, RN
 Reference: 35,235,247
 Plate and Size: 34(247),45mm
- Subfamily TAPETINAE
- Genus *Legumen* Conrad, 1858
- 930 *Legumen cf ellipticum* Conrad, 1858
 Age: Cretaceous, Campanian-Maastrichtian
 Stratigraphy: Gramame Formation
 Occurrence: Gramame River, João Pessoa, PB
 Reference: 302,303
 Plate and Size: 34(302),42mm
- Family PETRICOLIDAE
- Genus *Petricola* Lamarck, 1801
- 931 *Petricola posidonis* Maury, 1925
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Algodões Formation
 Occurrence: Algodões, BA
 Reference: 54,57,73,235,243
 Plate and Size: 34(243),17mm
- Doubtful Order: VENEROIDA-HIPPURITOIDA ?
- Superfamily CHAMOIDEA
- Family CHAMIDAE
- Genus *Chama* Linné, 1758
- 932 *Chama agronomica* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Igarapé-Açu & Nova Timboteua, PA;
 São Marcos, MA
 Reference: 73,124,149,235,243
- Plate and Size: 34(243),20mm
- 933 *Chama callipona* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,124,148,235,243
 Plate and Size: 35(243),30mm
- 934 *Chama eudeyla* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,124,148,235,243
 Plate and Size: 35(243),30mm
- 935 *Chama pannicularia* White, 1887
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,124,194,235,243,445
 Plate and Size: 35(243),30mm
- Genus *Arcinella* Schumacher, 1817
 Synonymy: *Echinochama* Fischer, 1887
- 936 *Arcinella praearcinella* (Maury, 1925) comb.n.
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,124,132,148,235,243
 Plate and Size: 35(243),20mm
 N.B.: species dubiae: 132
- 937 *Arcinella yaquensis* (Maury, 1917) comb.n.
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas & Salinas, PA
 Reference: 8,73,132,134,148,235,243
 Plate and Size: 35(243),35mm
 Synonymy: *A.pristina* (Maury, 1925)
- Order MYOIDA
 Suborder MYOINA
 Superfamily MYOIDEA
 Family CORBULIDAE
 Subfamily CORBULINAE
- Genus *Corbula* Bruguière, 1797
- 938 *Corbula bahiaensis* Maury, 1925
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Algodões Formation
 Occurrence: Algodões, BA

- Reference: 54,57,73,235,243
 Plate and Size: 35(243),10mm
- 939 *Corbula canamaensis* Etheridge, 1879
 Age: Pliocene
 Stratigraphy: Pebas Formation
 Occurrence: Canamá, AM
 Reference: 126,127,235,403
 Plate and Size: 35(126),15mm
 N.B.: species dubiae: 403
- 940 *Corbula lyoni* Pilsbry, 1897
 Age: Miocene to Recent
 Stratigraphy: Pelotas Basin
 Occurrence: Pelotas, RS
 Reference: 91,392
 Plate and Size: 35(392),12mm
- 941 *Corbula lyra* Maury, 1930
 Age: Cretaceous, Campanian-Maastrichtian
 Stratigraphy: Gramame Formation
 Occurrence: Gramame River, João Pessoa, PB
 Reference: 73,235,246
 Plate and Size: 35(246),4mm
- 942 *Corbula maroimensis* (White, 1887)
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Maruim, SE
 Reference: 38,235,248,313,445
 Plate and Size: 35(445),29mm
- 943 *Corbula mossoroensis* Beurlen, 1964
 Age: Cretaceous, Turonian-Maastrichtian
 Stratigraphy: Jandaira Formation
 Occurrence: Mossoró, RN
 Reference, 35,40
 Plate and Size: 35(35),8mm
- 944 *Corbula vieta* Guppy, 1866
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 148
 Plate and Size: 35(148),6mm
- Subgenus *Caryocorbula* Gardner, 1928
- 945 *Corbula (Caryocorbula) agricolae* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Igarapé-Açu & Nova Timboteua, PA
 Reference: 73,124,235,243
- Plate and Size: 35(243),12mm
- 946 *Corbula (Caryocorbula) arrecta* White, 1887
 Age: Paleocene
 Stratigraphy: Maria Farinha Formation
 Occurrence: Maria Farinha & Paulista, PE
 Reference: 124,194,235,348,445
 Plate and Size: 35(445),11mm
- 947 *Corbula (Caryocorbula) delgada* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA; Parnaíba, PI
 Reference: 73,124,131,148,243
 Plate and Size: 35(243),13mm
- 948 *Corbula (Caryocorbula) giga* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA; Parnaíba, PI
 Reference: 73,124,131,148,235,243
 Plate and Size: 35(243),14mm
- 949 *Corbula (Caryocorbula) mimosa* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,124,148,238,243
 Plate and Size: 35(243),7mm
- 950 *Corbula (Caryocorbula) pauciornata* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA
 Reference: 73,124,235,243
 Plate and Size: 35(243),11mm
- 951 *Corbula (Caryocorbula) querida* Maury, 1925
 Age: NeoOligocene-EoMiocene
 Stratigraphy: Pirabas Formation
 Occurrence: Pirabas, PA; Parnaíba, PI; São Marcos, MA
 Reference: 73,124,131,136,139,148,149,235,243
 Plate and Size: 35(243),7mm
- 952 *Corbula (Caryocorbula) semenoides* Gardner, 1928
 Age: Miocene
 Stratigraphy: Pelotas Basin
 Occurrence: Pelotas, RS
 Reference: 91,162
 Plate and Size: 35(162),4mm

953 *Corbula (Caryocorbula) vertumni* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Igarapé-Açu & Nova Timboteua, PA; Parnaíba, PI
Reference: 73,124,131,235,243
Plate and Size: 35(243),10mm

Subfamily CAESTOCORBULINAE

Genus *Caestocorbula* Vincent, 1910
Subgenus *Parmicorbula* Vokes, 1944

954 *Caestocorbula (Parmicorbula) assuana* Beurlen, 1964 comb.n.
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation
Occurrence: Açu, RN
Reference: 35,40
Plate and Size: 35(35),10mm

955 *Caestocorbula (Parmicorbula) chordata* (White, 1887)
Age: Cretaceous (Albian) to EoMiocene
Stratigraphy: Riachuelo, Maria Farinha & Pirabas Formations
Occurrence: Maruim, SE; Maria Farinha, PE; Pirabas, PA
Reference: 38,194,248,313,445
Plate and Size: 35(445),13mm

Subfamily PACHYDONTINAE

Genus *Pachydon* Gabb, 1868
Synonymy: *Anisothyris* Conrad, 1871

956 *Pachydon acreanus* (Maury, 1937)
Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Cruzeiro do Sul, AC
Reference: 73,124,235,250,425
Plate and Size: 35(250),12mm

957 *Pachydon carinatus* (Conrad, 1874) comb.n.
Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Canamá, AM
Reference: 126,127,235,302,448
Plate and Size: 35(448),27mm

958 *Pachydon cuneatus* (Conrad, 1874) comb.n.
Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Canamá, AM

Reference: 96,235,403,448
Plate and Size: 35(448),30mm

959 *Pachydon erectus* (Conrad, 1874) comb.n.
Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Amazonian Valley, AM
Reference: 96,235,403,448
Plate and Size: 35(448),45mm

960 *Pachydon obliquus* Gabb, 1868

Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Três Unidos, Javari River, AM
Reference: 161,235,403,448
Plate and Size: 35(448),18mm

961 *Pachydon tenuis* Gabb, 1868

Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Canamá, AM; Cruz do Sul, AC
Reference: 126,127,161,235,250,403,423,448
Plate and Size: 35(448),20mm
Synonymy: *P.hauxwelli* (Woodward, 1871); *P.ovatus* (Conrad, 1874); *P.tonna* auct., err.typogr. N.B.: 3 subspecies of *hauxwelli*: *P.h.hauxwelli* s.s.; *P.h.crassus* (Woodward, 1871); *P.h.distortus* (Woodward, 1871)

962 *Pachydon tumidus* (Etheridge, 1879) comb.n.

Age: Pliocene
Stratigraphy: Pebas Formation
Occurrence: Canamá, AM
Reference: 126,127,235,403
Plate and Size: 35(126),15mm

Subclass ANOMALODESMATA

Order PHOLADOMYOIDA
Superfamily EDMONDIOIDEA
Family EDMONDIIDAE

Genus *Edmondia* de Koninck, 1841
Synonymy: *Allorisma* King, 1844

963 *Edmondia acclina* Kegel, 1954
Age: Carboniferous, Tournasian-Visean
Stratigraphy: Poti Formation
Occurrence: Campo Maior & Poti, PI
Reference: 73,199
Plate and Size: 35(199),31mm

964 *Edmondia barringtoni* (Thomas, 1928) comb.n.

Age: Carboniferous, Stefanian-Kungurian
Stratigraphy: T. Soares & Rio do Sul Formations,

- Tubarão Group**
 Occurrence: Baitaca, PR
 Reference: 217,397,422
 Plate and Size: 35(397),70mm
- 965 *Edmondia celebris* Kegel, 1954
 Age: Carboniferous, Tournasian-Visean
 Stratigraphy: Poti Formation
 Occurrence: Terezina, Campo Maior & Poti River, PI
 Reference: 73,199
 Plate and Size: 35(199),40mm
- 966 *Edmondia corpulenta* Kegel, 1954
 Age: Carboniferous, Tournasian-Visean
 Stratigraphy: Poti Formation
 Occurrence: Campo Maior, PI
 Reference: 73,199
 Plate and Size: 35(199),31mm
- 967 *Edmondia dequeuchi* Kegel, 1954
 Age: Carboniferous, Tournasian-Visean
 Stratigraphy: Poti Formation
 Occurrence: Campo Maior, PI
 Reference: 73,199
 Plate and Size: 35(199),35mm
- 968 *Edmondia index* Kegel, 1954
 Age: Carboniferous, Tournasian-Visean
 Stratigraphy: Poti Formation
 Occurrence: Campo Maior, PI
 Reference: 73,199,224
 Plate and Size: 35(199),27mm
- 969 *Edmondia maacki* (Beurlen in Lange, 1954)
 nomen nudum
 Reference: 217,397
- 970 *Edmondia obliquata* Kegel, 1954
 Age: Carboniferous, Tournasian-Visean
 Stratigraphy: Poti Formation
 Occurrence: Campo Maior, PI
 Reference: 73,199
 Plate and Size: 35(199),35mm
- 971 *Edmondia parinasense* Thomas
 Doubtful identification
 Reference: 217
- 972 *Edmondia philipi* Hall & Whitfield, 1870
 Age: Devonian, Frasnian-Fammenian
 Stratigraphy: Inajá Formation
 Occurrence: Petrolândia, PE
 Reference: 304
- Plate and Size: 36(304),30mm
- 973 *Edmondia senilis* (Phillips, 1836)
 Age: Carboniferous, Westphalian
 Stratigraphy: Itatuba Formation
 Occurrence: Jatapu River, AM
 Reference: 73,122,235,343
 Plate and Size: 36(122),26mm
 Synonymy: *E.rudis* M'Coy, 1851
- 974 *Edmondia salamunii* Beurlen, 1954
 Age: Permian, Kazanian
 Stratigraphy: Serra Alta Formation, Passa Dois Group
 Occurrence: Irati, PR
 Reference: 22
 Plate and Size: 36(22),41mm
- 975 *Edmondia sylvana* Hartt & Rathbun, 1875
 Age: Devonian, Eifelian-Givetian
 Stratigraphy: Ererê Formation
 Occurrence: Ererê, PA
 Reference: 86,172,193,194,231,235,435
 Plate and Size: 36(193),18mm
- 976 *Edmondia terminale* (Hall)
 Age: Carboniferous, Westphalian
 Stratigraphy: Itatuba, PA
 Occurrence: Igarapé, Bom Jardim, PA
 Bibliography: 119,194,235,267,418
 Plate and Size: 36(418),65mm
 Synonymy: *E.subcuneata* (Meek & Worthen)
 N.B.: doubtful identification: 267
- Genus *Cardiomorpha* de Koninck, 1841
- 977 *Cardiomorpha* (?) *colossea* Clarke, 1913
 Age: Devonian, Eifelian-Frasnian
 Stratigraphy: São Domingos Member, Ponta Grossa Formation
 Occurrence: Ponta Grossa, PR
 Reference: 73,88,100,217,235,300,422
 Plate and Size: 36(88),85mm
- Superfamily PHOLADOMYOIDEA
 Family GRAMMYSIIDAE
- Genus *Grammysia* de Verneuil, 1847
- 978 *Grammysia burmeisteri* Clarke, 1899
 Age: Devonian, Emsian
 Stratigraphy: Maecuru Formation
 Occurrence: Maecuru, PA
 Reference: 86,100,122,193,194,231,235,435

Plate and Size: 36(193),70mm

979 *Grammysia gardneri* Clarke, 185
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru, PA
Reference: 86,192,193,194,231,235,435
Plate and Size: 36(86),25mm

980 *Grammysia lundi* Clarke, 1899
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru, PA
Reference: 86,192,193,194,231,235,435
Plate and Size: 36(193),32mm

981 *Grammysia pissisi* Clarke, 1899
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru, PA
Reference: 86,192,193,194,231,235,435
Plate and Size: 36(193),47mm

982 *Grammysia ulrichi* Clarke, 1899
Age: Devonian, Eifelian-Givetian
Stratigraphy: Ererê Formation
Occurrence: Ererê, PA
Reference: 86,100,192,193,194,231,235,435
Plate and Size: 36(193),15mm

Genus *Grammysioidea* Williams & Breger,
1916

983 *Grammysioidea capricornus* Clarke, 1913
Age: Devonian, Eifelian-Frasnian
Stratigraphy: Ponta Grossa Formation
Occurrence: Ponta Grossa, PR
Reference: 88,100,422
Plate and Size: 36(88),50mm
Synonymy: *G.capricornius* auctt.,err.typogr.

984 *Grammysioidea corrugata* (Sharpe, 1856)
Age: Devonian, Eifelian-Frasnian
Stratigraphy: Ponta Grossa Formation
Occurrence: Ponta Grossa, PR
Reference: 88,193,217,235,366,367,368
Plate and Size: 36(88),30mm

985 *Grammysioidea scaphula* Clarke, 1913
Age: Devonian, Eifelian-Frasnian
Stratigraphy: São Domingos & Tibagi Members,
Ponta Grossa Formation
Occurrence: Tibagi & Ponta Grossa, PR
Reference: 73,88,100,217,231,235,300,422

Plate and Size: 36(88),30mm

?Genus *Pholadella* Hall, 1869
986 *Pholadella (?) jaguariaivensis* Mörsch, 1987
We have no access to this reference: 301

987 *Pholadella paralella* Hall, 1900
Age: Devonian, Eifelian-Givetian
Stratigraphy: Ererê Formation
Occurrence: Ererê, PA
Reference: 86,193,194,231,235,435
Plate and Size: 36(193),21mm

988 *Pholadella radiata* Hall, 1900
Age: Devonian, Eifelian-Frasnian
Stratigraphy: Tibagi & São Domingos Members,
Ponta Grossa Formation
Occurrence: Tibagi & Ponta Grossa, PR
Reference: 73,88,100,196,217,235,300,422,435
Plate and Size: 36(196),32mm

Genus *Prothyris* Meek, 1871
Subgenus *Paraprothyris* Clarke, 1913

989 *Prothyris (Paraprothyris) knodi* Clarke, 1913
Age: Devonian, Eifelian-Frasnian
Stratigraphy: Jaguariaiva & São Domingos
Members, Ponta Grossa Formation
Occurrence: Jaguariaiva & Ponta Grossa, PR
Reference: 73,88,217,235,300,422
Plate and Size: 36(422),40mm

Genus *Sanguinolites* McCoy, 1844
Synonymy: *Sphenotus* Hall, 1885

990 *Sanguinolites (?) cf amotapensis* Thomas
Doubtful identification
Reference: 217

991 *Sanguinolites (?) arenosus* Beurlen in Lange,
1954
nomen nudum
Reference: 217,397

992 *Sanguinolites baitacensis* Beurlen in Lange,
1954 nomen nudum
Reference: 217,397

993 *Sanguinolites bodenbenderi* (Clarke, 1899)
comb.n.
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru, PA
Reference: 86,100,192,193,194,231,235,435

- Plate and Size: 36(193),65mm
- 994 *Sanguinolites chronichi* Mendes, 1966
Age: Carboniferous, Westphalian
Stratigraphy: Itaituba Formation
Occurrence: Itaituba, PA
Reference: 267,269
Plate and Size: 36(267),30mm
- 995 *Sanguinolites clarkei* (Katzer) in Magalhães & Mezzalira, 1953
nomen nudum
Reference: 235
- 996 *Sanguinolites gorceixi* (Clarke, 1899) comb.n.
Age: Devonian, Eifelian-Givetian
Stratigraphy: Ererê Formation
Occurrence: Ererê, PA
Reference: 86,193,194,231,235,435
Plate and Size: 36(193),33mm
- 997 *Sanguinolites lagoensis* (Clarke, 1913)
Age: Devonian, Eifelian-Frasnian
Stratigraphy: Ponta Grossa Formation
Occurrence: Lago & Ponta Grossa, PR
Reference: 73,88,100,217,235,300,422
Plate and Size: 36(88),40mm
- 998 *Sanguinolites langei* Beurlen in Lange, 1954
nomen nudum
Reference: 217,397
- 999 *Sanguinolites pauciplicatus* Beurlen in Lange, 1954 nomen nudum
Reference: 217
- 1000 *Sanguinolites pernambucensis* Muniz, 1979
Age: Devonian, Frasnian-Fammenian
Stratigraphy: Inajá Formation
Occurrence: Tacaratu, PE
Reference: 224,304
Plate and Size: 36(304),30mm
- 1001 *Sanguinolites rochacamposi* Muniz, 1979
Age: Devonian, Frasnian-Fammenian
Stratigraphy: Inajá Formation
Occurrence: Tacaratu, PE
Reference: 304
Plate and Size: 36(304),35mm
- ?Genus *Cimitaria* Hall & Whitfield, 1869
- 1002 *Cimitaria karsteni* Clarke, 1899
Age: Devonian, Emsian
- Stratigraphy: Maecuru Formation
Occurrence: Maecuru, PA
Reference: 86,100,192,193,194,231,235,435
Plate and Size: 36(193),27mm
- Family MEGADESMIDAE
- Genus *Ferrazia* Reed, 1932
- 1003 *Ferrazia cardinalis* Reed, 1932
Age: Permian, Kazanian
Stratigraphy: Corumbatai Formation, Passa Dois Group
Occurrence: Rio Claro Region & Angatuba, SP; Terezina, PR
Reference: 73,159,213,217,224,235,257,260,263,264,274,277,278,280,282,283,372,408,420,421
Plate and Size: 36(260),30mm
- 1004 *Ferrazia simplicicarinata* Mezzalira, 1957
Age: Permian, Kazanian
Stratigraphy: Corumbatai Formation, Passa Dois Group
Occurrence: Rio Claro Region, SP
Reference: 213,236,277,278,280,282,283,420,421
Plate and Size: 36(277),13mm
- Genus *Plesiocyprinella* Holdhaus, 1918
- 1005 *Plesiocyprinella carinata* Holdhaus, 1918
Age: Permian, Kazanian
Stratigraphy: Serra Alta & Corumbatai Formations, Passa Dois Group
Occurrence: Rio Claro Region, SP; Terezina & Irati, PR
Reference: 22,73,176,213,217,224,235,257,258,260,277,280,282,283,359,360,361,372,408,420,421
Plate and Size: 36(260),35mm
- Genus *Casterella* Mendes, 1952
- 1006 *Casterella camargoii* Beurlen, 1954
Age: Permian, Kazanian
Stratigraphy: Serra Alta & Corumbatai Formations, Passa Dois Group
Occurrence: Rio Claro, SP; Serra Alta, PR
Reference: 22,213,236,277,280,282,283,420,421,422
Plate and Size: 36(277),40mm
- 1007 *Casterella gratiosa* Mendes, 1952
Age: Permian, Kazanian
Stratigraphy: Corumbatai Formation, Passa Dois

Group

Occurrence: Rio Claro Region & Angatuba, SP;
Terezinha, PR
Reference: 99,158,159,231,236,360,264,280,282,
283,408,420,421,422
Plate and Size: 36(260),20mm

Genus *Jacquesia* Mendes, 1944

Synonymy: *Favia* Mendes, 1962

1008 *Jacquesia arcuata* (Mendes, 1962)

Age: Permian, Kazanian
Stratigraphy: Corumbatai Formation
Occurrence: Angatuba, SP
Reference: 159,264,280,282,283,408
Plate and Size: 37(408),20mm

1009 *Jacquesia brasiliensis* (Reed, 1929)

Age: Permian, Kazanian
Stratigraphy: Terezinha & Corumbatai Formations,
Passa Dois Group
Occurrence: Rio Claro Region, Tambau &
Descalvado, SP; Terezinha & Rio Azul, PR
Reference: 20,73,112,158,213,217,235,254,260,
263,268,274,279,280,283,370,372,373,374,408,
420,421,422
Plate and Size: 37(263),30mm
Synonymy: *J. angusta* (Reed, 1935);
Myophoricardium lineatum: Reed, 1929 non
Worhmann; *J. carinata* Beurlen, 1953; *Myophoria*
martialis (Reed, 1929)

Genus *Leptoterraia* Beulen, 1954

1010 *Leptoterraia caudata* Beulen in Lange,
1954
Nomen nudum
Reference: 217,408

1011 *Leptoterraia emerita* (Reed, 1929)

Age: Permian, Kazanian
Occurrence: Serrinha Formation, Passa Dois
Group
Occurrence: Serrinha, PR
Reference: 73,217,235,260,263,296,401,408,420,
422
Plate and Size: 37(296),30mm

Synonymy: *Gonodon astartiformis*: Reed, 1929
non Muster; *Lucina cf circularis*: Reed, 1929 non
Stopp; *Nuculana aff excavata*: Reed, 1929 non
Munster; *Gonodon aff mellingi*: Reed, 1929 non
Haver; *Gonodon quadrata*: Reed, 1929 non
Parona; *Unicardium cf schmidi*: Reed, 1929 non
Geinitz; *Pseudocorbula arkosiae*: Reed, 1929 non

Martin, 1865

1012 *Leptoterraia longissima* Beurlen, 1954

Age: Permian, Kazanian
Stratigraphy: Rio do Rasto & Corumbatai
Formations, Passa Dois Group
Occurrence: Serrinha & Esperança, PR;
Corumbatai, SP
Reference: 73,217,235,296,408
Plate and Size: 37(296),9mm
Synonymy: *Anoplophora munsteri*: Reed, 1929
non Wissm; *Anoplophora recta*: Reed, 1929 non
Gumb; *Anoplophora lettica*: Reed, 1929 non
Quenstedt

1013 *Leptoterraia morata* (Reed, 1935)

Age: Permian, Kazanian
Stratigraphy: Rio do Rasto Formation, Passa Dois
Group
Occurrence: Esperança & Platina, PR
Reference: 217,235,373,374
Plate and Size: 37(273),10mm

Genus *Holdhaesiella* Mendes, 1952

1014 *Holdhaesiella almeidai* Mendes, 1952

Age: Permian, Kazanian
Stratigraphy: Corumbatai Formation, Passa Dois
Group
Occurrence: Rio Claro Region, SP
Reference: 20,213,260,280,282,283,408,420,421
Plate and Size: 37(280),28mm

1015 *Holdhaesiella elongata* (Holdhaus, 1918)

Age: Permian, Kazanian
Stratigraphy: Terezinha & Corumbatai Formations,
Passa Dois Group
Occurrence: Rio Claro Region, Angatuba &
Descalvado, SP; Terezinha, PR
Reference: 20,22,73,99,158,176,213,217,235,236,
257,260,263,264,277,279,280,282,283,373,374,
408,420,421,422
Plate and Size: 37(263),30mm
Synonymy: *Pleurophorus cf elongatus*: Reed,
1935 non Moore, 1861; *H. mendesi* Beurlen, 1953

Genus *Pyramus* Dana, 1847

Synonymy: *Cowperesia* Mendes, 1963
Angatubia Mendes, 1962

1016 *Pyramus anceps* (Reed, 1935)

Age: Permian, Kazanian
Stratigraphy: Corumbatai & Terezinha Formations,
Passa Dois Group

Occurrence: Rio Claro Region, Angatuba, Taguai, Tambau & Descalvado, SP; Irati & Teresa Cristina, PR; Canoinhas, SC
Reference: 20,22,73,106,110,112,158,159,213, 217,235,257,260,263,264,268,277,279,280,282, 283,373,374,408,420,421
Plate and Size: 37(263),12mm
Synonymy: ?*Lucina aegra* Cox, 1934*;
Pseudocorbula cf arkosiae: Reed, 1929 non Mart.;
Pseudocorbula camaquensis Mendes, 1944;
?*Lucina paranaensis* Reed, 1928; ?*Cowperesia camposi* Mendes, 1962; ?*Pseudocorbula falconeri* Cox, 1934*; *Pseudocorbula subtriangularis* Reed, 1935; *Pseudocorbula triangularis* Mendes, 1944
N.B: * will be the valid name if confirmed synonymy

1017 *Pyramus cowperesioides* (Mendes, 1962)
Age: Permian, Kazanian
Stratigraphy: Corumbatai Formation, Passa Dois Group
Occurrence: Angatuba & Conchas, SP
Reference: 158,159,236,264,280,282,283,420,421
Plate and Size: 37(264),20mm

Genus *Othonella* Mendes, 1963

1018 *Othonella araguaiana* Mendes, 1963
Age: Permian, Kazanian
Stratigraphy: Corumbatai Formation, Passa Dois Group
Occurrence: Araguaia, MT
Reference: 266,408,420
Plate and Size: 37(266),30mm

Genus *Relogiicola* Rohn (1986)

1019 *Relogiicola delicata* Rohn in Simões & Fittipaldi, 1987 nomen nudum
Reference: 401,420

Family PHOLADOMYIDAE

Genus *Pholadomya* Sowerby, 1823

1020 *Pholadomya baixaleitensis* Maury, 1934
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Macau, RN
Reference: 35,40,235,247
Plate and Size: 37(247),45mm

1021 *Pholadomya cf coloradoensis* Stanton, 1893
Age: Cretaceous, Turonian
Stratigraphy: Açu Formation

Occurrence: Mossoró, RN
Reference: 40,427
Plate and Size: 37(427),30mm

1022 *Pholadomya marahuana* Maury, 1925
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Algodões Formation
Occurrence: Marau, BA
Reference: 54,57,73,235,243
Plate and Size: 37(243),30mm
Synonymy: *P.algodoense* Maury, 1925 (nomen nudum)

1023 *Pholadomya parahybensis* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246
Plate and Size: 37(246),106mm

Genus *Myonia* Dana, 1847
Synonymy: *Maeonia* Dana, 1849

1024 *Myonia (?) costata* Rocha Campos, 1970
Age: Permian, Kungurian
Stratigraphy: Rio Bonito Formation, Tubarão Group
Occurrence: Taió, SC
Reference: 73,398,408
Plate and Size: 37(398),70mm

1025 *Myonia tayoensis* (Reed, 1930)
Age: Permian, Kungurian
Stratigraphy: Rio Bonito Formation, Tubarão Group
Occurrence: Taió, SC
Reference: 73,235,371,394,398
Plate and Size: 37(398),76mm
Synonymy: *M.cuneata*: Reed, 1930 non Dana, 1849

Genus *Roxoa* Mendes, 1952

1026 *Roxoa corumbataiensis* Mendes, 1952
Age: Permian, Kazanian
Stratigraphy: Corumbatai & Serra Alta Formations, Passa Dois Group
Occurrence: Rio Claro Region, SP; Irati, PR
Reference: 22,158,213,260,280,282,283,420,421
Plate and Size: 37(280),25mm

1027 *Roxoa intricans* (Mendes, 1944)
Age: Permian, Kazanian
Stratigraphy: Corumbatai Formation, Passa Dois

- Group
 Occurrence: Corumbatai, SP
 Reference: 73,213,235,257,260,280,282,283,408,
 421
 Plate and Size: 37(280),35mm
- Family PLEUROMYIDAE
- Genus *Pleuromya* Agassiz, 1842
- 1028 *Pleuromya bisinuosa* (White, 1887)
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Maruim, SE
 Reference: 38,235,349,313,445
 Plate and Size: 37(445),55mm
- 1029 *Pleuromya mactroides* Schlotheim
 doubtful identification
 Reference: 235,257
 Plate and Size: 37(257),30mm
- 1030 *Pleuromya refugium* (White, 1887)
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Maruim, SE
 Reference: 38,235,249,445
 Plate and Size: 37(445),72mm
- Superfamily PANDOROIDEA
- Family LATERNULIDAE
- Genus *Laternula* Röding, 1798
- 1031 *Laternula linistriata* Beurlen, 1964
 Age: Cretaceous, Turonian
 Stratigraphy: Açu Formation
 Occurrence: Açu, RN
 Reference: 35,40
 Plate and Size: 37(35),19mm
- Superfamily POROMYOIDEA
- Family POROMYIDAE
- Genus *Liopista* Meek, 1864
- 1032 *Liopista* aff *incurvata* (Riedel)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Laranjeiras, SE
 Reference: 13,27
- 1033 *Liopista* *sergipensis* White, 1887
 Age: Cretaceous, Albian-Cenomanian
- Stratigraphy: Riachuelo Formation
 Occurrence: Maruim, SE
 Reference: 38,235,249,313,445
 Plate and Size: 37(445),27mm
- Subgenus *Psilomya* White, 1874
- 1034 *Liopista* (*Psilomya*) *aracatiensis* Beurlen, 1964
 Age: Cretaceous, Turonian
 Stratigraphy: Açu Formation
 Occurrence: Aracati, SE
 Reference: 35,40
 Plate and Size: 37(35),80mm
- 1035 *Liopista* (*Psilomya*) *ligeriensis* (Orbigny, 1845)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Japaratuba & Laranjeiras, SE
 Bibliography: 7,13
 Plate and Size: 27(7),24mm
- 1036 *Liopista* (*Psilomya*) *profunda* (White, 1887)
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Maruim, SE
 Reference: 38,235,249,313,445
 Plate and Size: 37(445),35mm
- 1037 *Liopista* (*Psilomya*) *supermensa* (White, 1887)
 Age: Cretaceous, Albian-Cenomanian
 Stratigraphy: Riachuelo Formation
 Occurrence: Maruim, SE
 Reference: 13,235,249,445
 Plate and Size: 37(445),75mm
- Family CUSPIDARIIDAE
- Genus *Cuspidaria* Nardo, 1840
- 1038 *Cuspidaria scolopaciceps* (White, 1887)
 Age: Paleocene
 Stratigraphy: Maria Farinha Formation
 Occurrence: Maria Farinha & Paulista, PE
 Reference: 124,235,348,445
 Plate and Size: 37(445),12mm
- Superfamily CLAVAGELLOIDEA #
- Family CLAVAGELLIDAE
- Genus *Clavagella* Lamarck, 1818

1039 *Clavagella cf echinata* Lamarck, 1818
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Pirabas, PA
Reference: 148
Plate and Size: 37(148),65mm

BIVALVIA INCERTAE SEDIS

Genus *Rioclaroa* Mezzalira, 1957

1040 *Rioclaroa lefevrei* Mezzalira, 1957
Age: Permian, Kazanian
Stratigraphy: Corumbatai Formation, Passa Dois Group
Occurrence: Rio Claro, SP
Reference: 22,213,236,277,280,282,283,408,420, 421
Plate and Size: 38(277),20mm

Genus *Mendesia* Maranhão (1986)

1041 *Mendesia piracicabensis* Maranhão in Simões & Fittipaldi, 1987 nomen nudum
Reference: 236,420,421

Genus *Guiratingia* Petri & Fulfarro, 1966

1042 *Guiratingia mendesi* Petri & Fulfarro, 1966
Age: Permian
Stratigraphy: Aquidauana Formation, Tubarão Group
Occurrence: Taboca, MT
Reference: 353,354,421
Plate and Size: 37(353),7mm

Other NOMEN NUDUM out of the list

1043 *alternatus*, *Prosopecten*, Beurlen in Lange, 1954
Reference: 217,397
1044 *densicostatus*, *Prosopecten*, Beurlen in Lange, 1954
Reference: 217,397
1045 *densiplicata*, *Chaenomya*, Beurlen in Lange, 1954
Reference: 217,397
1046 *elegans*, *Prosopecten*, Beurlen in Lange, 1954
Reference: 217,397
1047 *paranaensis*, *Solenomorpha*, Beurlen in Lange, 1954
Reference: 217
1048 *prolata*, *Thraciomorpha*, Beurlen in Lange,

1954
Reference: 217
1049 *radiatus*, *Prosopecten*, Beurlen in Lange, 1954
Reference: 217,397
1050 *rhomboidalis*, *Prosopecten*, Beurlen in Lange, 1954
Reference: 217,397

2.3 Class SCAPHOPODA

Order DENTALIIDA
Family DENTALIIDAE

Genus *Dentalium* Linné, 1758

1051 *Dentalium mauryae* Penna-Neme & Muniz, 1976
Age: Paleocene
Stratigraphy: Maria Farinha Formation
Occurrence: Algodões, PE
Reference: 349
Plate and Size: 38(349),25mm

1052 "Dentalium" *florencei* Rego, 1936
N.B: a fish *Hybopus* spine
Reference: 235,274,280,283,294,363

1053 *Dentalium paulini* Maury, 1925
Age: NeoOligocene-EoMiocene
Stratigraphy: Pirabas Formation
Occurrence: Igarapé-Açu & Nova Timboteua, PA; Parnaíba, PI; Turiaçu, MA
Reference: 73,131,146,150,235,243
Plate and Size: 38(146),20mm

2.4 ?Class CALYPTOPTOMATIDA

Order HYOLITHIDA
Superfamily HYOLITHOIDEA
Family HYOLITHIDAE

Genus *Hyolites* Eichwald, 1840

1054 *Hyolites subaequalis* (Salter, 1856)
Age: Devonian, Eifelian-Frasnian
Stratigraphy: Tibagi Member, Ponta Grossa Formation
Occurrence: Tibagi, PR
Reference: 73,88,217,366,367
Plate and Size: 38(88),30mm

2.5 Class CEPHALOPODA

Subclass NAUTILOIDEA

Order ORTHOCERIDA

Superfamily ORTHOCERATOIDEA

Family ORTHOCERATIDAE

Subfamily MICHELINOCERATINAE

Genus *Michelinoceras* Foerste, 1932

1055 *Michelinoceras gamkaensis* (Reed, 1904)

Age: Devonian, Eifelian-Frasnian

Stratigraphy: Ponta Grossa Formation

Occurrence: Ponta Grossa, PR

Reference: 73,88,217,235,315,366

Plate and Size: 38(88),80mm

Subfamily KIONOCERATINAE

Genus *Kionoceras* Hyatt, 1884

1056 *Kionoceras zoilus* Clarke, 1913

Age: Devonian, Eifelian-Frasnian

Stratigraphy: Ponta Grossa Formation

Occurrence: Ponta Grossa, PR

Reference: 73,88,217,235,315

Plate and Size: 38(88),80mm

Order NAUTILIDA

Superfamily NAUTILOIDEA

Family ATURIIDAE

Genus *Aturia* Brönn, 1838

1057 *Aturia ackermannii* Oliveira, 1958

Age: NeoOligocene-EoMiocene

Stratigraphy: Pirabas Formation

Occurrence: Capanema, PA

Reference: 328

Plate and Size: 38(328),74mm

Family HERCOGLOSSIDAE

Genus *Hercoglossa* Conrad, 1866

1058 *Hercoglossa lamegoi* Oliveira, 1953

Age: Paleocene

Stratigraphy: Maria Farinha Formation

Occurrence: Algodões, PE

Reference: 324

Plate and Size: 38(324),112mm

Genus *Cimonia* Conrad, 1866

1059 *Cimonia pernambucense* (Maury, 1930)

Age: Paleocene

Stratigraphy: Maria Farinha Formation

Occurrence: Maria Farinha & Olinda, PE

Reference: 224,235,246,324,445

Plate and Size: 39(324),75mm

Synonymy: *Eutrephoceras sowerbyanus*: White, 1887 non Orbigny

Subclass AMMONOIDEA

Order CERATITINA

Superfamily CERATITOIDEA

Family CERATITIDAE

Genus *Ceratites* de Haan, 1825

1060 *Ceratites pierdenalis* von Buch, 1848

Age: Cretaceous, Albian-Cenomanian

Stratigraphy: Riachuelo Formation

Occurrence: Maruim, SE

Reference: 13,178,235

Order LYTOCERATINA

Superfamily LYTOCERATOIDEA

Family TETRAGONITIDAE

Subfamily TETRAGONITINAE

Genus *Pseudophyllites* Kossmat, 1895

1061 *Pseudophyllites amphitrites* Maury, 1930

Age: Cretaceous, Campanian-Maastrichtian

Stratigraphy: Gramame Formation

Occurrence: Gramame River, João Pessoa, PB

Reference: 73,235,246

Plate and Size: 39(246),213mm

1062 *Pseudophyllites nereidideditus* Maury, 1930

Age: Cretaceous, Campanian-Maastrichtian

Stratigraphy: Gramame Formation

Occurrence: Gramame River, João Pessoa, PB

Reference: 73,235,246

Plate and Size: 39(246),230mm

Subfamily GAUDRYCERATINAE

Genus *Anagaudryceras* Shimizu, 1934

1063 *Anagaudryceras buddha* (Forbes)

Age: Cretaceous, Cenomanian-Coniacian

Stratigraphy: Cotinguiba Formation

Occurrence: Laranjeiras-Socorro, SE

Reference: 13

Superfamily TURRILITOIDEA

Family HAMITIDAE

Genus *Hamites* Parkinson, 1811

Subgenus *Hemitella* Breistroffer, 1947
Synonymy: *Helicoceras* Orbigny, 1842

1064 *Hamites (Hemitella) hystriculum* (White, 1886)
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 178,235,246,313,445
Plate and Size: 39(445),43mm

Family BACULITIDAE

Genus *Baculites* Lamarck, 1799

1065 *Baculites kegeli* Oliveira, 1957
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Olinda, PE
Reference: 327,330
Plate and Size: 39(327),34mm

Family NOSTOCERATIDAE

Genus *Bostrychoceras* Hyatt, 1900

1066 *Bostrychoceras indicum* (Stoliczka, 1863)
Age: Cretaceous, Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras-N.S.Socorro, SE
Reference: 13,210
Plate and Size: 39(210),55mm

Family DIPLOMOCERATIDAE

Genus *Glyptoxoceras* Spath, 1925

1067 *Glyptoxoceras brasiliense* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246
Plate and Size: 39(246),75mm

1068 *Glyptoxoceras parahybense* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246
Plate and Size: 39(246),195mm
Synonymy: *G.pare* auctt., err.typogr.

Superfamily SCAPHITOIDEA
Family SCAPHITIDAE

Subfamily SCAPHITINAE

Genus *Scaphites* Parkinson, 1811

1069 *Scaphites reesidei* Wade, 1926
Age: Cretaceous, EoTuronian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras, SE
Reference: 13,235,443
Plate and Size: 39(443),60mm

Order AMMONITINA

Superfamily DESMOCERATOIDEA

Family DESMOCERATIDAE

Subfamily PUZOSIINAE

Genus *Puzosia* Bayle, 1878

1070 *Puzosia bistricta* (White, 1887)
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 98,235,246,249,313,445
Plate and Size: 39(445),53mm

1071 *Puzosia garajuana* Maury, 1930

Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 16,17,67,98,235,246,249,313,445
Plate and Size: 40(445),136mm
Synonymy: *Ammonites hopkinsi*: White, 1887 non Forbes, 1844

1072 *Puzosia rosarica* Maury, 1937

Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Rosário, SE
Reference: 16,17,98,235,249,313
Plate and Size: 39(249+17),16mm

Subgenus *Anapuzosia* Matsumoto, 1954

1073 *Puzosia (Anapuzosia) brasiliiana* Maury, 1937
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 13,16,17,235,246,249,313,445
Plate and Size: 40(249+17),60mm
Synonymy: *P.planulatus*: White, 1887 non Sowerby

Subfamily DESMOCERATINAE

- Genus *Damesites* Matsumoto, 1942
- 1074 *Damesites petrobasia* G.Beurlen, 1969
Age: Cretaceous, Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Ouiçamã, SE
Reference: 13,18
Plate and Size: 40(18),48mm
- Subfamily HAUERICERATINAE
- Genus *Hauericeras* deGrossouvre, 1894
- 1075 *Hauericeras antiquum* Collignon
Age: Cretaceous, Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras-N.S.Socorro, SE
Reference: 13
- Family PACHYDISCIDAE
- Genus *Canadoceras* Spath, 1922
- 1076 *Canadoceras andromeda* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246
Plate and Size: 40(246),82mm
- 1077 *Canadoceras riogramamense* Maury, 1930
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246
Plate and Size: 40(246),153mm
- Genus *Pachydiscus* Zittel, 1884
Synonymy: *Parapachydiscus* Hyatt, 1900
- 1078 *Pachydiscus albuquerquei* (Maury, 1930)
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364
Plate and Size: 40(246),235mm
- 1079 *Pachydiscus arionis* (Maury, 1930)
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364
Plate and Size: 40(246),250mm
- 1080 *Pachydiscus athena* (Maury, 1930)
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364
Plate and Size: 41(246),225mm
- 1081 *Pachydiscus brasiliensis* (Maury, 1930)
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364
Plate and Size: 41(246),370mm
- 1082 *Pachydiscus bruneti* (Maury, 1930)
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364
Plate and Size: 40(246),62mm
- 1083 *Pachydiscus dossantosi* (Maury, 1930)
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,224,235,246,364
Plate and Size: 40(246),200mm
- 1084 *Pachydiscus endymion* (Maury, 1930)
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364
Plate and Size: 41(246),300mm
- 1085 *Pachydiscus eurydice* (Maury, 1930)
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364
Plate and Size: 41(246),117mm
- 1086 *Pachydiscus euzebioi* (Maury, 1930)
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364
Plate and Size: 41(246),26mm
- 1087 *Pachydiscus gettyi* (Maury, 1930)
Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364

Plate and Size: 42(246),110mm

1088 *Pachydiscus hera* (Maury, 1930)

Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364

Plate and Size: 42(246),265mm

1089 *Pachydiscus hermes* (Maury, 1930)

Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364

Plate and Size: 42(246),17mm

1090 *Pachydiscus oceanus* (Maury, 1930)

Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364

Plate and Size: 42(246),275mm

1091 *Pachydiscus orpheus* (Maury, 1930)

Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364

Plate and Size: 42(246),130mm

1092 *Pachydiscus parahybensis* (Maury, 1930)

Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364

Plate and Size: 42(246),150mm

1093 *Pachydiscus perseus* (Maury, 1930)

Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364

Plate and Size: 42(246),225mm

1094 *Pachydiscus poseidon* (Maury, 1930)

Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364

Plate and Size: 43(246),155mm

1095 *Pachydiscus psyche* (Maury, 1930)

Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB

Reference: 73,235,246,364

Plate and Size: 43(246),210mm

1096 *Pachydiscus reedsi* (Maury, 1930)

Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364

Plate and Size: 43(246),177mm

1097 *Pachydiscus sumneri* (Maury, 1930)

Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João Pessoa, PB
Reference: 73,235,246,364

Plate and Size: 43(246),87mm

1098 *Pachydiscus williamsoni* (Maury, 1930)

Age: Cretaceous, Campanian-Maastrichtian
Stratigraphy: Gramame Formation
Occurrence: Gramame River, João
Pessoa, PB Reference: 73,235,246,364

Plate and Size: 43(246),107mm

Superfamily HOPLITOIDEA

Family DOUVILLEICERATIDAE

Subfamily DOUVILLEICERATINAE

Genus *Douvilleiceras* de Grossouvre, 1894

1099 *Douvilleiceras euzebiovii* (Maury, 1937)

Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Riachuelo, SE
Reference: 16,17,63,73,235,313

Plate and Size: 43(17),180mm

1100 *Douvilleiceras offarinatum* (White, 1887)

Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Bom Jardim, Pacatuba & Maruim, SE
Reference: 67,73,235,246,249,313,445,456

Plate and Size: 44(445),77mm

1101 *Douvilleiceras sergipensis* Beurlen, 1968

Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 16,17
Plate and Size: 44(16),103mm

Family ENGONOCERATIDAE

Genus *Metengonoceras* Hyatt, 1903

1102 *Metengonoceras oliveirai* Brito, 1967
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Rio Fundo, SE
Reference: 13,56,73
Plate and Size: 44(56),74mm

Family HOPLITIDAE
Subfamily HOPLITINAE

Genus *Euhoplites* Spath, 1925

1103 *Euhoplites reesidei* Maury, 1937
Age: Cretaceous, Cenomanian-Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Sanhara, SE
Reference: 13,235,249,313
Plate and Size: 44(249),26mm
N.B.: *Mitonia*: 13

Genus *Anahoplites* Hyatt, 1900

1104 *Anahoplites williamsi* Maury, 1937
Age: Cretaceous, Cenomanian-Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Sanhara, SE
Reference: 13,235,249,313
Plate and Size: 44(249),40mm

Family FORBESICERATIDAE

Genus *Forbesiceras* Kossmat, 1897

1105 *Forbesiceras brundrettei* (Young, 1958)
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13,450
Plate and Size: 44(450),63mm

Superfamily ACANTHOCERATOIDEA
Family BRANOCERATIDAE
Subfamily MOJSISOVICZIINAE

Genus *Oxytropidoceras* Stieler, 1920

1106 *Oxytropidoceras aroeirium* Maury, 1937
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim & Aroeira, SE
Reference: 73,235,249,313
Plate and Size: 44(249),36mm

1107 *Oxytropidoceras buarquianum* (White, 1887)
Age: Cretaceous, Albian-Cenomanian

Stratigraphy: Riachuelo Formation
Occurrence: Maruim & Aroeira, SE
Reference: 16,17,19,63,67,73,98,224,235,246,
249,316,445
Plate and Size: 44(249),250mm

1108 *Oxytropidoceras howei* Maury, 1937
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Riachuelo, SE
Reference: 73,235,249,313
Plate and Size: 44(249),24mm

1109 *Oxytropidoceras sergipensis* (White, 1887)
Age: Cretaceous, Albian to Coniacian
Stratigraphy: Cotinguiba & Riachuelo Formations
Occurrence: Laranjeiras & Maruim, SE
Reference: 16,17,59,63,98,235,246,249,313,445
Plate and Size: 44(445),95mm

Subgenus *Androiavitae* Collignon, 1936

1110 *Oxytropidoceras (Androiavitae) mauryae*
Beurlen, 1952
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 16,17,19,59,73,98
Plate and Size: 44(19+17),65mm

Subgenus *Manuaniceras* Spáth, 1925

1111 *Oxytropidoceras (Manuaniceras) involvutum*
Beurlen, 1952
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim & Rosário, SE
Reference: 16,17,19,59,73,98
Plate and Size: 44(19+17),140mm

Subfamily MORTONICERATINAE

Genus *Mortoniceras* Meek, 1876
Synonymy: *Pervinquieria* Böhm, 1910

1112 *Mortoniceras aroeiria* (Maury, 1937)
comb.n.
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 235,249,313
Plate and Size: 44(249),77mm

1113 *Mortoniceras lastroensis* (Maury, 1937)

comb.n.

Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 235,249
Plate and Size: 45(249),65mm

1114 *Mortoniceras maroiensis* (White, 1887)

comb.n.

Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 235,246,249,313,445
Plate and Size: 45(445),135mm

1115 *Mortoniceras marrecasia* (Maury, 1937)

comb.n.

Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Rosário, SE
Reference: 235,249
Plate and Size: 45(249),18mm

Genus *Neokentroceras* Spath, 1921

1116 *Neokentroceras tectoria* (White, 1887)

Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 16,17,235,246,249,313,445
Plate and Size: 45(445),24mm

Genus *Elobiceras* Spath, 1922

1117 *Elobiceras bahiaense* (Maury, 1925)

Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Algodões Formation
Occurrence: Marau, BA
Reference: 54,57,73,235,246
Plate and Size: 45(54),62mm
N.B.: *Schloenbachia* Neumayr, 1875?: 73

1118 *Elobiceras brasiliensis* Brito, 1970

Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim & Pedra Branca, SE
Reference: 59,63
Plate and Size: 45(63),40mm

Family LYELLICERATIDAE

Genus *Stoliczkaia* Neumayr, 1875

1119 *Stoliczkaia africana* Pervinquière, 1931

Age: Cretaceous, Cenomanian

Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga, SE
Reference: 13,378
Plate and Size: 45(378),45mm

Family ACANTHOCERATIDAE

Subfamily MANTELLICERATINAE

Genus *Eucalycoceras* Spath, 1923

1120 *Eucalycoceras pentagonum* (Jukes-Browne, 1896)

Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Jardim, SE
Reference: 13,287,457
Plate and Size: 45(287),104mm

Genus *Sharpeiceras* Hyatt, 1903

1121 *Sharpeiceras florenceae* Spath, 1925

Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13,177
Plate and Size: 45(177),207mm

1122 *Sharpeiceras laticlavius* (Sharpe, 1855)

Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13,287
Plate and Size: 45(287),130mm

1123 *Sharpeiceras* cf *vohipalense* Collignon

Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaperoa, SE
Reference: 12,73
Plate and Size: 46(12),140mm

Genus *Pseudocalycoceras* Thomel, 1969

1124 *Pseudocalycoceras* cf *harpax* (Stoliczka, 1864)

Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Tapera, AL
Reference: 14
Plate and Size: 45(14),33mm

Genus *Acompsoceras* Hyatt, 1903

1125 *Acompsoceras renevieri* (Sharpe, 1857)

Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Cruzes, SE
Reference: 12,13,457
Plate and Size: 45(12),100mm

1126 *Acompsoceras spathi* Basse
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13

Subfamily ACANTHOCERATINAE

Genus *Acanthoceras* Neumayr, 1875

1127 *Acanthoceras folleatum* (White, 1887)
Age: Cretaceous, Albian-Cenomanian
Stratigraphy: Riachuelo Formation
Occurrence: Maruim, SE
Reference: 235,246,249,313,445
Plate and Size: 46(445),122mm

1128 *Acanthoceras aff jukesbrownei* (Spath)
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13

1129 *Acanthoceras cf quadratum* Crick, 1907
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13,61,380,402,
Plate and Size: 51(380),83mm

Genus *Kanabiceras* Reeside & Weymouth, 1931

1130 *Kanabiceras septemseriatum* (Cragin, 1893)
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Cruzes, SE
Reference: 12,13,287,386
Plate and Size: 45(287),86mm

Genus *Romaniceras* Spath, 1923

1131 *Romaniceras deverianus* (Orbigny, 1841)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13,287,378
Plate and Size: 45(287),115mm

Genus *Euomphaloceras* Spath, 1923

1132 *Euomphaloceras cunningtoni meridionale* (Stoloczka, 1864)
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13,177,451
Plate and Size: 46(177),140mm

Subfamily MAMMITINAE

Genus *Mammites* Laube & Bruber, 1886

1133 *Mammites chouberti* Collignon
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13,384

1134 *Mammites dixeyi* Reyment, 1955
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13,378
Plate and Size: 46(378),45mm

1135 *Mammites jacobi* Beurlen, 1964
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Aracati, SE
Reference: 35
Plate and Size: 46(35),85mm

1136 *Mammites nodosoides* (Schlotheim, 1829)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Rita Cacete, SE
Reference: 13,18,287
Plate and Size: 46(18),47mm
Synonymy: *M.beurleni* G.Beurlen,1969

1137 *Mammites sergipensis* Oliveira & Brito, 1969
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Cotinguiba, SE
Reference: 13,60,73,332
Plate and Size: 46(332),34mm

Genus *Watinoceras* Warren, 1930

1138 *Watinoceras amudariense* (Arkhanguelskey, 1916)
Age: Cretaceous, Turonian

Occurrence: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13,378
Plate and Size: 46(378),38mm

1139 *Watinoceras coloradoense* (Henderson, 1908)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13,189
Plate and Size: 46(189),90mm

1140 *Watinoceras guentheri* Reymont, 1957
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13,380
Plate and Size: 51(380),22mm

1141 *Watinoceras jaekeli* (Solger, 1904)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13

Genus *Benueites* Reymont, 1954

1142 *Benueites benuensis* Reymont, 1954
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13,287,381,385
Plate and Size: 46(287),45mm

1143 *Benueites spinosus* Reymont, 1954
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13,378,385
Plate and Size: 46(378),45mm

Genus *Pseudaspidoceras* Hyatt, 1903

1144 *Pseudaspidoceras pedroanum* (White, 1887)
Age: Cretaceous, EoTuronian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras & Japaratuba, SE
Reference: 13,27,73,232,235,246,249,313,332,445
Plate and Size: 46(332),290mm
N.B.: maybe a *P.footeanum* (Stoliczka)
synonymy:13

1145 *Pseudaspidoceras pseudonodosoides* (Choffat, 1898)

Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13,95
Plate and Size: 46(95),76mm

Genus *Kamerunoceras* Reymont, 1954

1146 *Kamerunoceras aff eschii* (Solger, 1904)
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13,287,452
Plate and Size: 46(287),80mm
Synonymy: *K. seitzii* (Riedel, 1932)

1147 *Kamerunoceras jacobsoni* Reymont, 1955
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13,378,384,385
Plate and Size: 46(378),120mm

1148 *Kamerunoceras tenuistriata* G.Beurlen, 1969
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Rosário do Catete & Carmópolis, SE
Reference: 13,18
Plate and Size: 47(18),32mm

1149 *Kamerunoceras turoniense* (Orbigny, 1850)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13,206,424
Plate and Size: 47(206),11mm

Subfamily METOICOCERATINAE

Genus *Metoicoceras* Hyatt, 1903

1150 *Metoicoceras geslinianus* (Orbigny, 1842)
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13,97,186
Plate and Size: 47(97),141mm

1151 *Metoicoceras aff ornatum* Moreman, 1942
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13,378,389
Plate and Size: 47(378),12mm

Genus *Thomelites* Juignet, Kennedy & Wright,
1973

1152 *Thomelites sornayi* (Thomel, 1966)
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SP
Reference: 13,186
Plate and Size: 47(186),55mm

Family VASCOCERATIDAE

Genus *Vascoceras* Choffat, 1898

1153 *Vascoceras gamai* Choffat, 1898
Age: Cretaceous, Cenomanian
Stratigraphy: Cotinguiba Formation
Occurrence: Itaporanga & Japaratuba, SE
Reference: 13,287
Plate and Size: 47(287),144mm

Genus *Pachyvascoceras* Furon, 1935

1154 *Pachyvascoceras* aff *globosum* (Reymont,
1954)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 6,13,378,385
Plate and Size: 47(6),70mm
Synonymy: *Fagesia bomba* Eck, 1909 (?)
N.B.1: *Fagesia*? 13
N.B.2: also related a subspecies *P.g. compressum*
Barder

1155 *Pachyvascoceras hartti* (Hyatt, 1870)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Maruim & Laranjeiras, SE
Reference: 13,27,73,178,232,235,246,249,313,
332,384,385,445
Plate and Size: 48(445),145mm

Genus *Gomeoceras* Reymont, 1954

1156 *Gomeoceras gongilense* (Woods, 1911)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13,287,384,385
Plate and Size: 47(385),42mm
N.B.: also related a subspecies *G.g. compressum*
Barder

Genus *Fagesia* Pervinquiére, 1907

1157 *Fagesia involuta* Barber, 1957
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Muçuca, SE
Bibliography: 6,13,457
Plate and Size: 47(6),120mm

1158 *Fagesia multiplex* Brito, 1971
Age: Cretaceous, EoTuronian
Stratigraphy: Cotinguiba Formation
Occurrence: Rosário do Catete, SE
Reference: 13,60
Plate and Size: 47(60),70mm

Genus *Neptychites* Kossmat, 1895

1159 *Neptychites cephalotus* (Courtiller, 1860)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Muçuca, SE
Reference: 13,384,385,387,457
Plate and Size: 47(387),25mm
Synonymy: *N.telingaeformis* Solter

Family TISSOTIIDAE

Subfamily PSEUDOTISSOTIINAE

Genus *Pseudotissotia* Peron, 1897

1160 *Pseudotissotia benderi* (Oliveira & Brito,
1969)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Rita Cacete, SE
Reference: 13,73,332
Plate and Size: 47(332),270mm

1161 *Pseudotissotia simplex* (Oliveira & Brito,
1969)
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras, SE
Reference: 13,73,332
Plate and Size: 47(332),108mm

Subgenus *Bauchioceras* Reymont, 1954

1162 *Pseudotissotia (Bauchioceras) gabonensis*
Lombard, 1930
Age: Cretaceous, EoTuronian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras, SE

- ence: 13,27,60,227
 Plate and Size: 48(60),65mm
- 1163 *Pseudotissotia (Bauchioceras) cf nigeriensis*
 (Woods, 1911)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Japaratuba & Laranjeiras, SE
 Reference: 6,13,287,384,385
 Plate and Size: 47(287),71mm
- 1164 *Pseudotissotia (Bauchioceras) planum*
 (Barber, 1957)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Japaratuba & Laranjeiras, SE
 Reference: 6,13
 Plate and Size: 48(6),85mm
- Subgenus *Wrightoceras* Reymont, 1954
- 1165 *Pseudotissotia (Wrightoceras) wallsi*
 (Reymont, 1954)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Japaratuba & Laranjeiras, SE
 Reference: 13,287,384,385
 Plate and Size: 48(287),50mm
- Genus *Choffaticeras* Hyatt, 1903
- 1166 *Choffaticeras koeneri* (Riedel, 1932)
 Age: Cretaceous, Turonian
 Stratigraphy: Beberibe Formation
 Occurrence: Beberibe, PE
 Reference: 27
- Family COILOPOCERATIDAE
- Genus *Hoplitooides* von Koenen, 1898
- 1167 *Hoplitooides benderi* (G.Beurlen, 1970)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Rita Cacete, SE
 Reference: 13,18
 Plate and Size: 48(18),41mm
- 1168 *Hoplitooides brasiliensis* (Oliveira & Brito, 1969)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Japaratuba, SE
 Reference: 13,73,332
- Plate and Size: 48(332),360mm
- 1169 *Hoplitooides duartei* (Oliveira & Brito, 1969)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Laranjeiras, SE
 Reference: 13,73,332
 Plate and Size: 48(332),240mm
- 1170 *Hoplitooides cf gibbosulus* von Koenen, 1898
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Laranjeiras, SE
 Reference: 13,27,378
 Plate and Size: 48(378),30mm
- 1171 *Hoplitooides hasselmanni* Magalhães, 1952
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Japaratuba, SE
 Reference: 13,73,232,332
 Plate and Size: 48(332),255mm
- 1172 *Hoplitooides ingens* (von Koenen, 1897)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Rita Cacete, SE
 Reference: 12,13,383,384,385
 Plate and Size: 48(383),40mm
- 1173 *Hoplitooides japaratubensis* (Magalhães, 1952)
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Japaratuba, SE
 Reference: 13,73,232,332
 Plate and Size: 49(332),336mm
- 1174 *Hoplitooides thomasi* Magalhães, 1953
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Japaratuba, SE
 Reference: 13,73,234,332,457
 Plate and Size: 49(332),240mm
- Genus *Coilopoceras* Hyatt, 1903
- 1175 *Coilopoceras aff colleti* Hyatt, 1903
 Age: Cretaceous, Turonian
 Stratigraphy: Cotinguiba Formation
 Occurrence: Pedro Gonçalves, SE
 Reference: 12,13,233
 Plate and Size: 49(233),200mm

1176 *Coilopoceras discoidum* Barbor, 1957
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 6,13
Plate and Size: 49(6),95mm

1177 *Coilopoceras lucianoi* Oliveira, 1969
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Aracati, SE
Reference: 331
Plate and Size: 49(331),100mm

1178 *Coilopoceras mauryae* Oliveira & Brito, 1969
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Cotinguiba, SE
Reference: 13,73,332
Plate and Size: 49(332),260mm

1179 *Coilopoceras sergipensis* Oliveira & Brito, 1969
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Maruim, SE
Reference: 13,73,332
Plate and Size: 49(332),360mm

Genus *Glebosoceras* Reymont, 1954

1180 *Glebosoceras glebosum* Reymont, 1954
Age: Cretaceous, Turonian
Stratigraphy: Cotinguiba Formation
Occurrence: Japaratuba & Laranjeiras, SE
Reference: 13,287,384
Plate and Size: 49(287),136mm

Family COLLIGNOCERATIDAE Subfamily COLLIGNOCERATINAE

Gênero *Prionocyclus* Meek, 1876

1181 *Prionocyclus* aff *guayabanus* Steinmann, 1897
Age: Cretaceous, Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras, SE
Reference: 13,428
Plate and Size: 49(428),55mm

Subfamily PERONICERATINAE

Genus *Prionocycloceras* Spath, 1926

1182 *Prionocycloceras gaudryi* (Boulé, Lemoine & Thevenin, 1907)
Age: Cretaceous, Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras, SE
Reference: 13,49
Plate and Size: 50(49),222mm

1183 *Prionocycloceras cf hazzardi* Young, 1963
Age: Cretaceous, Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Quiçamã, SE
Reference: 13,18
Plate and Size: 49(18),72mm

1184 *Prionocycloceras cf lenti* (Gerhardt, 1958)
Age: Cretaceous, Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Quiçamã, SE
Reference: 13,18
Plate and Size: 49(18),52mm

1185 *Prionocycloceras troelseni* (G.Beurlen, 1969)
Age: Cretaceous, Coniacian
Stratigraphy: Cotinguiba Formation
Occurrence: Quicamã, SE
Reference: 13,18
Plate and Size: 49(18),57mm

Subfamily TEXANITINAE

Genus *Protexanites* Matsumoto, 1955

1186 *Protexanites cf bourgeoisianus* (Orbigny, 1840)
Age: Cretaceous, Turonian-Maastrichtian
Stratigraphy: Jandaira Formation
Occurrence: Mossoró, RN
Reference: 307
Plate and Size: 49(307),148mm

Subfamily BARROISICERATINAE

Genus *Barroisiceras* de Grossouvre, 1894

1187 *Barroisiceras onilahyense* Basse, 1947
Age: Cretaceous, EoConiacian
Stratigraphy: Cotinguiba Formation
Occurrence: Laranjeiras, SE
Reference: 10,12,13
Plate and Size: 50(10),90mm

Genus *Forresteria* Reeside, 1932

Synonymy: *Solgerites* Reeside, 1932 (205)

1188 *Forresteria armata* (Solger)

Age: Cretaceous, EoConiacian

Stratigraphy: Cotinguiba Formation

Occurrence: Mucuri, SE

Reference: 12,13

Plate and Size: 51(12),20mm

1189 *Forresteria brancoi* (Solger, 1904)

Age: Cretaceous, Coniacian

Stratigraphy: Cotinguiba Formation

Occurrence: Laranjeiras, SE

Reference: 13,205,287

Plate and Size: 50(287),90mm

1190 *Forresteria (?) tabuaense* G.Beurlen, 1969

Age: Cretaceous, Coniacian

Stratigraphy: Cotinguiba Formation

Occurrence: Cotinguiba, SE

Reference: 13,18

Plate and Size: 50(18),44mm

Subfamily LENTICERATINAE

Genus *Eulophoceras* Hyatt, 1903

1191 *Eulophoceras natalense* Hyatt, 1903

Age: Cretaceous, Turonian

Stratigraphy: Cotinguiba Formation

Occurrence: Japaratuba & Laranjeiras, SE

Reference: 13,402

Plate and Size: 50(402),148mm

Family SPHENODISCIDAE

Genus *Sphenodiscus* Meek, 1871

1192 *Sphenodiscus brasiliensis* Maury, 1930

Age: Cretaceous, Campanian-Maastrichtian

Stratigraphy: Gramame Formation

Occurrence: Gramame River, João Pessoa, PB

Reference: 73,235,246

Plate and Size: 50(246),108mm

1193 *Sphenodiscus parahybensis* Maury, 1930

Age: Cretaceous, Campanian-Maastrichtian

Stratigraphy: Gramame Formation

Occurrence: Gramame River, João Pessoa, PB

Reference: 73,235,246

Plate and Size: 50(246),112mm

INCERTAE SEDIS

1194 "Ammonites" *gibbonianus* Lea, 1840

Age: Cretaceous, Albian-Cenomanian

Stratigraphy: Riachuelo Formation

Occurrence: Maruim, SE

Reference: 178,235

1195 "Ammonites" *halli* Meek & Hayden

Age: Cretaceous, Albian-Cenomanian

Stratigraphy: Riachuelo Formation

Occurrence: Maruim, SE

Reference: 178,235

1196 *Graysonites cf. lozoi* Young

Age: Cretaceous, EoCenomanian

Stratigraphy: Cotinguiba Formation

Occurrence: Itaporanga, SE

Reference: 12,13

Plate and Size: 51(M.H.R.Hessel's picture),240mm

2.6 Class TENTACULITOIDEA

Order TENTACULITIDA

Family TENTACULITIDAE

Genus *Tentaculites* Schlotheim, 1828

1197 *Tentaculites bellulus* Hall, 1876

Age: Devonian, Eifelian-Frasnian

Stratigraphy: Ponta Grossa Formation

Occurrence: Ponta Grossa, PR

Reference: 88,428

Plate and Size: 52(88),8mm

1198 *Tentaculites crotalinus* Salter, 1856

Age: Devonian, Emsian-Frasnian

Stratigraphy: Ponta Grossa & Maecuru Formations

Occurrence: Maecuru, PA; Chapada do

Guimarães, MT; Jaguariaiva & Ponta Grossa, PR

Reference: 73,81,82,84,86,88,192,194,211,

217,224,235,336,367,435

Plate and Size: 52(88),17mm

1199 *Tentaculites eldredgianus* Hartt & Rathbun, 1875

Age: Devonian, Emsian to Givetian

Stratigraphy: Maecuru & Ererê Formations

Occurrence: Maecuru & Ererê, PA

Reference: 172,192,193,194,235,435

Plate and Size: 52(193),10mm

1200 *Tentaculites jaculus* Clarke, 1913

Age: Devonian, Frasnian

Stratigraphy: Ponta Grossa Formation

Occurrence: Ponta Grossa & Caniu River, PR
Reference: 73,81,82,84,88,217,235
Plate and Size: 52(81),18mm

1201 *Tentaculites oseryi* Clarke, 1899
Age: Devonian, Frasnian-Fammenian
Stratigraphy: Curuá Formation
Occurrence: Curuá, PA
Reference: 86,235,435
N.B.: never figured (9mm)

1202 *Tentaculites stubeli* Clarke, 1899
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru, PA
Reference: 192,193,194,198,235,435
Plate and Size: 52(193),11mm

1203 *Tentaculites tenellus* Katzer, 1897
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru, PA

Reference: 192,193,194,235,435
Plate and Size: 52(193),9mm

1204 *Tentaculites trombetensis* Clarke, 1899
Age: Silurian, Ludlovian
Stratigraphy: Trombetas Formation
Occurrence: Cachoeira Vira Mundo & Trombetas River, PA
Reference: 81,193,194,235
Plate and Size: 52(81),8mm

Order DACRYONARIDA
Family STYLIOLINIDAE

Genus *Styliolina* Karpinsky, 1884

1205 *Styliolina clavula* (Barrande, 1867)
Age: Devonian, Emsian
Stratigraphy: Maecuru Formation
Occurrence: Maecuru, PA
Reference: 192,193,194,235,435
Plate and Size: 52(193),10mm

3 BIBLIOGRAPHY

- 1 ABBOTT, R.T., 1974. American Sea Shells. II edition. Van Nostrand Reinhold Company. New York:1-663+24pls.
- 2 ACEÑOLAZA, F.G., 1976. Consideraciones Bioestratigraficas Sobre el Terciario Marino de Paraguay y Arredores. *Acta Geologica Lilloana* 13(2):91-108+3maps.
- 3 ALMEIDA, F.F.M., 1938. A serie Passa Dois e a Região de Guarei. *Revista Politécnica*. Ser.16. 34(126):173-180.
- 4 AMMON, L.v., 1893. Devonische Verteinerungen von Lagoinha in Matto Grosso (Brasilien). *Zeitschrift der Gesellschaft fur Erdkunde zu Berlin* 28:1-15.
- 5 ARID, F.M.; VIZOTTO, L.P. & LANDIN, P.M.P., 1962. A Ocorrencia de um Jazigo Fossilifero nos Arredores de São José do Rio Preto. *Ciência e Cultura* 14(3):172.
- 6 BARBER, W., 1957. Lower Turonian Ammonites from North-Eastern Nigeria. *Bulletin of the Geological Survey of Nigeria* 26:1- 87.
- 7 BARBER, W., 1958. Upper Cretaceous Mollusca from North-Eastern Nigeria. *Records of the Geological Survey of Nigeria*, 10:14-37.
- 8 BARBOSA, M.M., 1958 Moluscos Miocenicos de Gerônico, Rio Urindeau e Farol de Atálaia (Estado do Pará). *Boletim do Museu Nacional (Geologia)* 28:1-27.
- 9 BASSE, E., 1932. Peléontologie de Madagascar XVIII- Faune Malacologique du Crétacé Supérieur du Suid-Ouest de Madagascar. *Annales de Paléontologie* 21:1-18+9pls.
- 10 BASSE, E., 1947, Paléontologie de Madagascar. N.XXVI-Les Peuplements Malgaches de *Barroisiceras*. *Annales de Paléontologie* 33:100-190+18pls.
- 11 BASSLER, R.S. et al., 1913. Systematic Paleontology of the Lower Devonian Deposits of Maryland. *Maryland Geological Survey* 5:191-542+pls 17-73.
- 12 BENGTSON, P., 1977. Cretaceous of Sergipe-Alagoas Basin. Doutoral Thesis of Uppsala Paleontological Institut. Uppsala University:1-189+4pls.
- 13 BENGTSON, P., 1983. The Cenomanian-Coniacian of the Sergipe Basin-Brazil. *Fossil and Strata* 12:1-78.
- 14 BENGTSON, P. & NORDLUND, U., 1987. The Ammonite Fauna and Genesis of a Mid Cretaceous Siliceous Oolite from the Alagoas Basin, Brasil. *Cretaceous Research* 8:305-333.
- 15 BEQUAERT, J.C., 1948. Monograph of Strophocheilidae, a Neotropical Family of Terrestrial Mollusks. *Bulletin of the Museum of Comparative Zoology* 100(1):1-210+32pls.
- 16 BEURLEN, G., 1967. Ammonoidea do Complexo Riachuelo-Maruim, Sergipe. *Boletim da Sociedade Brasileira de Geologia* 16(2):79-106.
- 17 BEURLEN, G., 1968. A Fauna do Complexo Riachuelo-Maruim I- Ammonoidea. *Boletim Técnico da Petrobrás* 11(4):437-482.
- 18 BEURLEN, G., 1969 Uma nova Fauna de Ammonóides da Formação Sapucai/Laranjeiras (Cretaceo de Sergipe)- Considerações sobre sua Bioestratigrafia. *Boletim Técnico da Petrobrás* 12(2):147-169.
- 19 BEURLEN, K., 1952. A Linha de Sutura de *Oxytropidoceras*. Contribuição ao Conhecimento da Família Diploceratidae. *Anais da Academia Brasileira de Ciências* 24(2):159-169.
- 20 BEURLEN, K., 1953. Considerações sobre alguns Lamelibrânquios das Camadas Terezina no Paraná. *Boletim da Divisão de Geologia e Mineralogia*, DNPM 142:1-41+3pls.
- 21 BEURLEN, K., 1954. As Faunas de Lamelibrânquios do Sistema Gondwânicno no Paraná. IN Lange, F.W. [ed], *Paleontologia do Paraná*. Volume Comemorativo do I Centenário do Estado do Paraná. Curitiba: 107-136+pls 1-7.
- 22 BEURLEN, K., 1954. Horizontes Fossilíferos das Camadas Serra Alta do Paraná. *Boletim da Divisão de Geologia e Mineralogia*, DNPM 152:1-30.
- 23 BEURLEN, K., 1957. Um Lamelibrânquio do folhelho Irati de São Mateus do Sul, Estado do Paraná. Notas Preliminares e Estudos da Divisão de Geologia e Mineralogia, DNPM 98:1-5.
- 24 BEURLEN, K., 1957. Faunas Salobras Fósseis e o Tipo Ecológico-Paleogeográfico das Faunas Gondwânicas

- no Brasil. Anais da Academia Brasileira de Ciências 29(2):229-241.
- 25 BEURLEN, K., 1959. Observações sobre a Formação Maria Farinha, Estado de Pernambuco. Arquivos de Geologia da Universidade de Recife 1:5-13.
- 26 BEURLEN, K., 1961. Observações Geo-Paleontológicas no Cretáceo do Rio Grande do Norte e Ceará com Descrições de Amonóides. Coleção Mossoroense série B 58:197-206.
- 27 BEURLEN, K., 1961. O Turoniano Marinho do Nordeste do Brasil. Boletim da Sociedade Brasileira de Geologia 10(2):39-52.
- 28 BEURLEN, K., 1961. Einige Beobachtungen über die Verbretung Gekammerter Cephalopoden-Gehäuse. Neues Jahrbuch für Geologie und Paläontologie 1:6-10.
- 29 BEURLEN, K., 1961. Die Kreide im Küstenbereich von Sergipe bis Paraíba do Norte (Brasilien). Zeitschrift der Deutschen Geologischen Gesellschaft 112(3):378-384.
- 30 BEURLEN, K., 1961. Die Palaeogeographische Entwicklung des Südatlantischen Ozeans. Nova Acta Leopoldina 24(154):1-36.
- 31 BEURLEN, K., 1962. A Geologia da Chapada do Araripe. Anais da Academia Brasileira de Ciências 34(3):365-370.
- 32 BEURLEN, K., 1963. O Termo Formação na Terminologia Estratigráfica, Ilustrado pelas Formações Maruim e Gramame (Cretáceo do Nordeste do Brasil). Anais da Academia Brasileira de Ciências 35(3):327-338.
- 33 BEURLEN, K., 1963. Is do XVII Congresso Brasileiro de Geologia. Sociedade Brasileira de Geologia. Recife:1-47.
- 34 BEURLEN, K., 1964. Novas Observações sobre o Cretáceo do Rio Grande do Norte. Boletim Paranaense de Geografia: 10-15.
- 35 BEURLEN, K., 1964. A Fauna do Calcário Jandaira da Região de Mossoró (RN). Coleção Mossoroense, Ed.Pongetti. Rio de Janeiro: 1-215.
- 36 BEURLEN, K., 1964. Notas Preliminares sobre a Fauna da Formação Riachuelo, I Gastrópodes. Boletim de Geologia da Universidade de Recife 4:29-30.
- 37 BEURLEN, K., 1964. Notas Preliminares sobre a Fauna da Formação Riachuelo II. Lamellibrânquios A-Anisomyaria. Boletim de Geologia da Universidade de Recife 4:31-32.
- 38 BEURLEN, K., 1964. Notas Preliminares sobre a Fauna da Formação Riachuelo III-Lamellibrânquios B-Eulamellibranchiata. Boletim de Geologia da Universidade de Recife 4:33-35.
- 39 BEURLEN, K. 1964. As Espécies dos Cassiopinae, nova Subfamília dos Turritellidae no Cretáceo do Brasil. Arquivos de Geologia da Universidade de Recife 5:1-44.
- 40 BEURLEN, K., 1967. Geologia da Região de Mossoró. Coleção Mossoroense Ed. Pongetti, Rio de Janeiro, ser.C (18):1- 173.
- 41 BEURLEN, K., 1967. Paleontologia da Faixa Costeira Recife-João Pessoa. Boletim da Sociedade Brasileira de Geologia 16(1):73-79.
- 42 BEURLEN, K. 1970. Geologie von Brasilien. Gebruder Borntraeger, Berlin:1-444.
- 43 BEURLEN, K., 1971. A Paleontologia na Geologia do Cretáceo no Nordeste do Brasil. Anais da Academia Brasileira de Ciências 43(suplemento):89-101.
- 44 BEURLEN, K., 1971. As Condições Ecológicas e Faciológicas da Formação Santana na Chapada do Araripe (Nordeste do Brasil). Anais Academia Brasileira de Ciências 43(suplemento):411-415.
- 45 BIGARELLA, J.J., 1952. Nota sobre os Depósitos Conchíferos da Pedra de Guaratiba, Distrito Federal. Arquivos de Biologia e Tecnologia, Curitiba 7:195-200.
- 46 BOMBIM, M., 1976. Modelo Paleoecológico Evolutivo para o Neoquaternário da Região da Campanha-Oeste do Rio Grande do Sul (Brasil) A. Formação Touro Passo, Seu Conteúdo Fossilífero e a Pedogênese Pós-Deposicional. Comunicações do Museu de Ciências da PUCRS 15:1-90.
- 47 BORCHERT, A. 1901. Die Molluskenfauna und das Alter der Paraná- Stufe. IN Steinmann, G. Beiträge zur Geologie und Palaeontologie von Sudamerica. Neues Jahrbuch für Mineralogie, Geologie und Palaeontologie 14:171-245+taf6- 10.
- 48 BOSS, K.J., 1982. Mollusca. IN Parker, S.P.[ed]. Synopsis and Classification of Living Organisms. Mac Graw Hill, New York 2vols:945-1166+1092-1096.
- 49 BOULE, M.; LEMOINE, P.& THÉVENIN, A., 1907. Paléontologie de Madagascar III-Céphalopodes Crétacés des Environs de Diègo-Suarez. Annales de Paléontologie 2:1-56+8pls.
- 50 BRANISSA, L., 1965. Los Fósiles Guias de Bolivia I-Paleozoico. Boletín del Servicio Geológico de

Bolivia 6:1-282.

- 51 BRASIL, Ministério das Minas e Energia, Departamento Nacional da Produção Mineral, 1984. Léxico Estratigráfico do Brasil. Brasília: 1-560.
- 52 BREURE, A.S.H., 1978. Notes on and Descriptions of Bulimulidae (Mollusca Gastropoda). Zoologische Verhandelingen 164:1- 255+22pls.
- 53 BREURE, A.S.H., 1979. Systematics, Phylogeny and Zoogeography of Bulimulidae (Mollusca). Zoologische Verhandelingen 168:1-215+3pls.
- 54 BRITO, I.M., 1967. Novas Ocorrências de Lamelibrânquios no Cretáceo da Bahia. Notas Preliminares e Estudos da Divisão de Geologia e Mineralogia, DNPM 139:1-10+1est.
- 55 BRITO, I.M., 1967. Gastrópodos Continentais do Paleoceno do Estado do Rio de Janeiro, Brasil. Boletim de Geologia do Instituto de Geociências da UFRJ 1:7-28.
- 56 BRITO, I.M., 1967. Sobre a Ocorrência de Um Cefalópodo no Cretáceo da Área de Estância, Estado de Sergipe, Brasil. Boletim de Geologia do Instituto de Geociências da UFRJ 1:71-73+2ests.
- 57 BRITO, I.M., 1967. Novas Ocorrências de Lamelibrânquios no Cretáceo da Bahia. Notas Preliminares e Estudos da Divisão de Geologia e Mineralogia, DNPM 139:1-10+1est.
- 58 BRITO, I.M., 1970. A Distribuição dos Amonitas no Cretáceo do Nordeste Brasileiro. Boletim do Geologia do Instituto de Geociências da UFRJ 5: 35-39.
- 59 BRITO, I.M., 1970. Novas Contribuições ao Conhecimento dos Amonitas Albianos (Cretáceo) de Sergipe. Boletim de Geologia do Instituto de Geociências da UFRJ 5: 47-51.
- 60 BRITO, I.M., 1971. Contribuição ao Conhecimento dos Cefalópodos Cretáceos do Estado de Sergipe. Anais da Academia Brasileira de Ciências 43(suplemento):423-432.
- 61 BRITO, I.M., 1976. História Geológica das Bacias Sedimentares do Nordeste do Brasil. Anais da Academia Brasileira de Ciências 48(3):463-474.
- 62 BRITO, I.M., 1979. Bacias Sedimentares e Formações Pós-Paleozóicas do Brasil. Editora Interciência. Rio de Janeiro: 1-179.
- 63 BRITO, I.M., 1984. The Upper Lower Cretaceous in Brazil, Its Divisions and Boundaries. Anais da Academia Brasileira de Ciências 56(3):287-293.
- 64 BRITO, I.M., 1990. O Cretáceo e sua Importância na Geologia do Brasil. Editora da Universidade Federal do Rio de Janeiro, Série Didática. Rio de Janeiro 3:1-99.
- 65 BRITO, I.M. & CAMPOS, D.A., 1971. A Bacia Geológica Costeira de Pernambuco-Paraíba. Parte I-O Grupo Paraíba. Boletim de Geologia do Instituto de Geociências da Universidade Federal do Rio de Janeiro 6:3-12.
- 66 BRITO, I.M. & CAMPOS, D.A., 1982. O Cretáceo no Brasil. Anais da Academia Brasileira de Ciências 54(1):197-218.
- 67 BRITO, I.M. & RODRIGUES, M.A., 1967. Contribuição ao Conhecimento dos Amonitas Albianos (Cretáceo) de Sergipe. Boletim de Geologia do Instituto de Geociências da UFRJ 1:53-69.
- 68 BRÜGGEN, H., 1910. Die Fauna des Unteren Senons von Nord-Perú. Neues Jahrbuch für Mineralogie, Geologie und Paläontologie 30:717-788+29pls.
- 69 CAMPANHA, V.A. & MABESOONE, J.M., 1974. Paleoambientes e Paleoecologia do Membro Picos, Formação Pimenteiras (Devoniano do Piauí). Anais do XXVIII Congresso Brasileiro de Geologia. Sociedade Brasileira de Geologia. Porto Alegre 2:221-235.
- 70 CAMPOS, D.A.; FERREIRA, C.S.; BRITO, I.M. & Viana, C.F., 1985 Coletânea de Trabalhos Paleontológicos Apresentados no VIII Congresso Brasileiro de Paleontologia de 1983. DNPM. Brasília: 1-656.
- 71 CAMPOS, D.R.B., 1974. Contribuição a Paleontologia do Estado do Pará. Revisão da Família Arcidae, na Formação Pirabas (Mioceno Inferior)(Mollusca-Bivalvia). Boletim do Museu Paraense Emílio Goeldi (geologia) 19:1-34+4pls.
- 72 CAMPOS, D.R.B., 1980. Novos Fósseis da Formação Pirabas, no Baixo Parnaíba, Piauí (Mollusca, Bivalvia). Anais da Academia Brasileira de Ciências 52(4):807-810.
- 73 CAMPOS, D.R.B., 1985. Catálogo de Fósseis-Tipo e Figurados das Coleções Paleontológicas do DNPM. I-Invertebrados. Série Geologia do Departamento Nacional de Produção Mineral 26(1):1-99.
- 74 CARVALHO, P.F., 1941. O Devoniano do Paraná e Geografia e suas Relações com a Geologia. Boletim da Divisão de Geologia e Mineralogia, DNPM 109:1-39.
- 75 CASSAB, R.C.T., 1978. Revisão da Família Cerithiidae (Mollusca-Gastropoda), da Formação Maria

- Farinha, Paleoceno de Pernambuco. Anais do XXX Congresso Brasileiro de Geologia. Sociedade Brasileira de Geologia. Recife 2:929-936.
- 76 CASSAB, R.C.T., 1982. Sobre a Ocorrência de *Peruviella Olson*, 1944 no Cretáceo do Brasil (Mol. Gastropoda). Anais da Academia Brasileira de Ciências 54(3):575-577.
- 77 CASSAB, R.C.T., 1983. Moluscos Fósseis da Formação Marinha Farinha, Paleoceno de Pernambuco (Gastropoda). Anais da Academia Brasileira de Ciências 55(4):385-393.
- 78 CASSAB, R.C.T., 1984. Sobre a Ocorrência de *Periglypta multicostata* na Formação Pirabas, Oligo-Mioceno do Brasil. Anais da Academia Brasileira de Ciências 56(3):283-286.
- 79 CASTER, K.E., 1939. A Devonian Fauna from Colombia. Bulletins of American Paleontology 24(83):101-190.
- 80 CECIONI, S.G. & FLOWER, S.R.H., 1985. Bathmoceratidae (Nautiloidea, Ordovicico) de Sud America. Neues Jahrbuch für Geologie und Paläontologie Abhagen 170(3):343-357.
- 81 CIGUEL, J.H.G., 1989. Bioestratigrafia dos Tentaculitoidea no Flanco Oriental da Bacia do Paraná e sua Ocorrência na América do Sul (Ordoviciano-Devoniano). Dissertação de Mestrado do Instituto de Geociências da USP: 1-237.
- 82 CIGUEL, J.H.G. & RÖSLER, O., 1986. Tentaculitoidea da Formação Ponta Grossa no Estado do Paraná. Resumos do XXXIII Congresso Brasileiro de Geologia. Rio de Janeiro:40.
- 83 CIGUEL, J.H.G. & RÖSLER, O., 1989. Tentaculitoideos. Anais do XI Congresso Brasileiro de Paleontologia, Curitiba 5:50-54.
- 84 CIGUEL, J.H.G.; RÖSLER, O. & CAMINEIRO, D., 1984. Tentaculitoidea da Formação Ponta Grossa no Estado do Paraná. Anais do XXXIII Congresso Brasileiro de Geologia. Sociedade Brasileira de Geologia. Rio de Janeiro 2: 655- 669.
- 85 CIGUEL, J.H.G.; RÖSLER, O. & HOFMEISTER, R.M., 1987. Preservação Parcial da Concha de Tentaculites crotalinus, da Formação Ponta Grossa (Devoniano). Boletim do Instituto de Geociências da USP (ser.científica) 18:17-26.
- 86 CLARKE, J.M., 1899. Molluscos Devonianos do Estado do Pará, Brasil. Arquivos do Museu Nacional 10:49-174+8pls.
- 87 CLARKE, J.M., 1899. A Fauna Siluriana Superior do Rio Trombetas, Estado do Pará, Brasil. Arquivos do Museu Nacional 10:1-48.
- 88 CLARKE, J.M., 1913. Fósseis Devonianos do Paraná. Monografia do Serviço Geológico e Mineralógico, DNPM 1:1-353+27pls.
- 89 CLARKE, J.M. & Ruedemann, R., 1903. Catalogue of Type Specimens of Paleozoic Fossils in New York State Museum. Bulletin of New York State Museum 65(8):1-847.
- 90 CLOSS, D., 1960. Os Primeiros *Aptychi* (Cephalopoda-Ammonoidea) do Brasil. Boletim da Escola de Geologia de Porto Alegre 4:1-25+1pl.
- 91 CLOSS, D., 1970. Estratigrafia da Bacia de Pelotas, RS. Iheringia (Geologia) 3:3-76.
- 92 CLOSS, D. & Kullmann, J., 1972. Late Paleozoic Cephalopods from South America. Anais da Academia Brasileira de Ciências 44(suplemento):95-98.
- 93 COBBAN, W.A., 1984. Molluscan Records From a Mid-Cretaceous Borehole in Weston County, Wyoming. Professional Paper of United States Geological Survey 1271:1-24+5pls.
- 94 COELHO, A.C.S.; CAMPOS, D.R.B. & FERREIRA, C.S., 1977. Moluscos Marinhos Recentes Registrados como Fósseis no Brasil. Anais do V Encontro dos Malacologistas Brasileiros, Mossoró, RN. Publicações Avulsas da Fundação Zoobotânica do Rio Grande do Sul 4:141-154.
- 95 COLLIGNON, M., 1957. Céphalopodes Néocrétacés du Tinrhert (Fezzan). Annales de Paléontologie 43:113-136+3pls.
- 96 CONRAD, T.A., 1874. Remarks on the Tertiary clay of the Upper Amazon with Description of New Shells. Proceedings of the Academy of Natural Sciences of Philadelphia 26:25-32.
- 97 COOPER, M.R., 1978. Uppermost Cenomanian-Basal Turonian Ammonites from Salinas, Angola. Annals of the South African Museum 75(5):51-152.
- 98 COOPER, M.R., 1982. Lower Cretaceous (Middle Albian) Ammonites from Dombe Grande, Angola. Annals of the South African Museum 89(5):265-314.
- 99 COOPER, M.R. & KENSLEY, B., 1984. Endemic South American Permian Bivalve Mollusks from the Ecca of South Africa. Journal of Paleontology 58(6):1360-1363.
- 100 COPPER, P., 1977. Paleolatitudes in the Devonian of Brazil and the Frasnian-Famennian Mass

- Extinction. *Palaeogeography, Palaeoclimatology, Palaeoecology* 21(3):165-207.
- 101 COSSMANN, M., 1899. Description de quelques Conquilles de la Formation Santacruzienne en Patagonie. *Journal de Conchyliologie* 47:223-242+pl X-XI.
- 102 COSTA, E.V., 1980. Gastrópodos Cenozoicos do Alto Amazonas (Estado do Amazonas), Brasil. Anais da Academia Brasileira de Ciências 52(4):867-891.
- 103 COSTA, E.V., 1981. Revisão de Gastrópodos Fósseis da Localidade de Três Unidos, Formação Pebas, Plioceno do Alto Amazonas, Brasil. Anais do II Congresso Latino- Americano de Paleontologia 2(2):635-649.
- 104 COSTA, E.V., 1982. O Gênero *Ptychopteria* (Mollusca-Bivalvia) no Devoniano da Amazônia. Anais Annales de Paleontologie 11:1-83+9pls.
- 106 COX, L.R., 1934. Lamelibrânicos Triássicos do Uruguai. *Annals & Magasine of Natural History* 10(13):264-273+est X.
- 107 CRAME, J.A., 1981. Upper Cretaceous Inoceramids (Bivalvia) from the James Ross Island Group and their Stratigraphical Significance. *Bulletin of British Antarctic Survey* 53:29-61.
- 108 CUNHA, F.L.S.; FRANCISCO, B.H.R. & ANDRADE, A.B., 1984. Aspectos Geológicos de uma Associação de Gastrópodos e Vertebrados na Bacia de São José de Itaborai, Rio de Janeiro. Anais do XXXIII Congresso Brasileiro de Geologia. Sociedade Brasileira de Geologia, Rio de Janeiro 2:645-650.
- 109 CUNHA, F.L.S.; MELLO, M.G.S. & BERGQUIST, L.P., 1984. Ocorrência Simultânea de Mamíferos e Moluscos na Bacia Calcária de São José de Itaborai, Rio de Janeiro. IDIB:651-654.
- 110 CUNHA, M.C.L., 1976. Contribuição a Paleontologia Estratigráfica do Grupo Passa Dois no Rio Grande do Sul. *Acta Geológica Leopoldensia* 1(1):3-49.
- 111 DALL, W.H., 1890. Contributions to the Tertiary Fauna of Florida. *Transactions of the Wagner Free Institute of Sciences of Philadelphia* 3(1):1-200.
- 112 DALPONTE, J.C. & GONÇALVES, N.M.M., 1979. Contribuição ao Estudo da Formação Estrada Nova (P) na Região de Tambau, São Paulo. *Ciência e Cultura* 31(7):759-771.
- 113 DANA, J.D., 1847. Descriptions of Fossil shells of the Collections of the exploring Expediton Under the Commandin Australia. *American Journal of Science and Arts* 4:151-160.
- 114 DENIZOT, G., 1952. Atlas des Fossiles II. Fossiles Jurassiques et Crétaciques. N. Boubée et Cie [ed]. Paris:1-95+23pls.
- 115 DERBY, O.A., 1878. A Geologia da Região Diamantifera da Província do Paraná. *Arquivos do Museu Nacional* 3:89-98.
- 116 DERBY, O.A., 1878. A Bacia Cretacea da Bahia de Todos os Santos. *Arquivos do Museu Nacional* 3:135-158.
- 117 DERBY, O.A., 1879. Contribuição para o Estudo da Geologia do Valle do Rio S.Francisco. *Arquivos do Museu Nacional* 4:87-119.
- 118 DERBY, O.A., 1884 Fósseis de São Paulo. *Revista Engenharia, RJ* 6:233-234.
- 119 DERBY, O.A., 1894. The Amazonian Upper Carboniferous Fauna. *The Journal of Geology* 2(5):480-501.
- 120 DERBY, O.A., 1898. O Rio Trombetas. Trabalhos Restantes Inéditos da Comissão Geológica do Brasil. *Boletim do Museu Paranaense* 2(1-4):366-382.
- 121 DUARTE, A., 1936. Fósseis da Sondagem de Therezinha, Estado do Piauhy. Notas Preliminares e Estudos do Serviço Geológico e Mineralógico, DNPM 2:1-3.
- 122 DUARTE, A., 1938. Fósseis Carboníferos do Rio Jatapu. *Boletim do Serviço Geológico e Mineralógico, DNPM* 74:1-18+3ests.
- 123 DUARTE, L. & SANTOS, R.S., 1962. Fósseis do Arenito Açu. Anais da Academia Brasileira de Ciências 34(1):57-68+3ests.
- 124 DUARTE, L. et al., 1970. Catálogo de Fósseis tipos do Brasil. Sociedade Brasileira de Paleontologia, DNPM: 322 cards.
- 125 ERICHSEN, A.I., 1940. Nota sobre os Fósseis de Santo Antonio da Platina, Estado do Paraná. *Boletim do Serviço Geológico e Mineralógico, DNPM* 98:1-31.
- 126 ETHERIDGE, R., 1879. Notes on the Mollusca Collected by C. Barrington Brown, A.R.S.M. from the Tertiary Deposits of Solimões and Javary Rivers, Brazil. *Quartely Journal of the Geological Society of London* 35:82-88+88+pl7.

- 127 ETHERIDGE, R., 1924. Notícia sobre os Molluscos Colligidos por C. Barrington Brown, A.R.S.M. nas Formações Terciárias dos Rios Solimões e Javary no Brasil (Tradução de M.G.O.Roxo do Original de 1879). Boletim do Serviço Geológico e Mineralógico, DNPM 11:11-23+1est.
- 128 FAST, S.J., 1978. First Supplement to the Catalogue of the Type and Figured Specimens in the Paleontological ResearchInstitution. Bulletins of American Paleontology 74(302): 1-251.
- 129 FERREIRA, C.S., 1960. Contribuição a Paleontologia do Estado do Pará. Revisão da Família Pectinidae da Formação Pirabas (Mioceno Inferior), com a Descrição de novas Espécies. VI-Mollusca, Pelecypoda. Arquivos do Museu Nacional 50:135- 166.
- 130 FERREIRA, C.S., 1964. Contribuição a Paleontologia do Estado do Pará. Um Novo *Xancus* da Formação Pirabas (Mollusca- Gastropoda). Boletim do Museu Paraense Emílio Goeldi (geologia) 10:1-8+2pls.
- 131 FERREIRA, C.S., 1964. Contribuição a Geologia e Paleontologia do Baixo Parnaíba, no Estado do Piauí, Formação Pirabas,Mioceno Inferior. Boletim do Museu Paraense Emílio Goeldi(geologia) 9:1- 51+6pls+1map.
- 132 FERREIRA, C.S., 1965. Contribuição a Paleontologia do Estado do Pará. Sobre a Taxonomia e Sistemática de Alguns Moluscos da Formação Pirabas VII (Mollusca-Pelecypoda). Boletim do Museu Paraense Emílio Goeldi (geologia) 11: 1-22+2pls.
- 133 FERREIRA, C.S., 1965. Contribuição a Paleontologia do Estado do Pará. A presença da Espécie Atual *Miltha childreni* (Gray, 1824) na Formação Pirabas (Mioceno Inferior) XII (Mollusca-Pelecypoda). Anais do XX Congresso Brasileiro de Geologia, Sociedade Brasileira de Geologia, Rio de Janeiro 1:79.
- 134 FERREIRA, C.S., 1966. Características Lito-Paleontológicas da Formação Pirabas, Estado do Pará. Anais da VI ConferênciaGeológica das Guianas, DGM-Avulso 41:101-111.
- 135 FERREIRA, C.S., 1967. Contribuição a Paleontologia do Estado do Pará. O Gênero *Orthaulax* Gabb, 1872 na Formação Pirabas, X (Mollusca-Gastropoda). Atas do Simpósio sobre a Biota Amazônica (geociências) 1:169-185.
- 136 FERREIRA, C.S., 1968. Terciário Médio Marinho, na Baía de São Marcos, Município de Alcântara, Maranhão. Anais da Academia Brasileira de Ciências 40(2):253-254.
- 137 FERREIRA, C.S., 1969. O Gênero *Crassinella* Guppy, 1874 na Formação Pirabas do Estado do Maranhão. Boletim de Geologia do Instituto de Geociências da UFRJ 4:15-18.
- 138 FERREIRA, C.S., 1969. *Alabina asperoides* (Gabb, 1873), uma espécie polimórfica do Neogênio Caribeano (Mollusca- Gastropoda).Boletim do Museu Nacional, nova série (geologia) 33:1-9.
- 139 FERREIRA, C.S., 1970. Moluscos do Terciário Marinho na Baía de São Marcos, Maranhão. Formação Pirabas, Mioceno Inferior. Boletim do Museu Paraense Emílio Goeldi (geologia) 15:1-30+4pls.
- 140 FERREIRA, C.S., 1974. Gastrópodes Pulmonados de Água Doce da Formação Tremembé, São Paulo. Anais da Academia Brasileira de Ciências 46(3/4):663-666.
- 141 FERREIRA, C.S. & CASSAB, R.C.T., 1985. Implicações Faciológicas da Família Pectinidae (Molusca-Bivalvia) da Formação Pirabas, Oligo-Mioceno do Norte e Nordeste do Brasil. IN CAMPOS, D.A. et al. Coletânea de Trabalhos Paleontológicos, DNPM, Brasília :205-209.
- 142 FERREIRA, C.S. & COELHO, A.C.S., 1971. Novos Gastrópodos Pulmonados da Bacia Calcária de São José de Itaborai, RJ,Brasil, Geocronologia. Anais da Academia Brasileira de Ciências 43:463-472.
- 143 FERREIRA, C.S. & COELHO, A.C.S., 1987. Novos Gastrópodes Pulmonados da Bacia Calcária de São José de Itaborai, RJII (Mollusca-Gastropoda).Anais da Academia Brasileira de Ciências 59(4):444.
- 144 FERREIRA, C.S. & COELHO, A.C.S., 1989. Novo Gastrópode Fóssil da Bacia de São José de Itaborai, Estado do Rio de Janeiro, Brasil (Mollusca, Gastropoda, Pulmonata, Endodontidae). Memórias do Instituto Oswaldo Cruz 84(supl.4):193-195.
- 145 FERREIRA, C.S. & CUNHA, O.R., 1957. Contribuição a Paleontologia do Estado do Pará. Notas sobre a Formação Pirabas, com Descrições de novos Invertebrados Fósseis (Mollusca-Gastrópoda). Boletim do Museu Paraense Emílio Goeldi (geologia) 2:1-61+5pls+4maps.
- 146 FERREIRA, C.S. & CUNHA, O.R., 1957. Contribuição a Paleontologia do Estado do Pará. Redescrição e Novas Ocorrências do *Dentalium paulini* MAURY, 1924 na Área da Formação Pirabas. Boletim do Museu Paraense Emílio Goeldi (geologia) 3:1-11+2pls.
- 147 FERREIRA, C.S. & CUNHA, O.R., 1957. Contribuição a Paleontologia do Estado do Pará. Novos Invertebrados Fósseis e Redescrições de Mais duas Espécies das Formação Pirabas III (Mollusca-Gastropoda). Boletim do Museu Paraense Emílio Goeldi (geologia) 4:1-33+2pls.

- 148 FERREIRA, C.S. & CUNHA, O.R., 1959. Contribuição a Paleontologia do Estado do Pará. Novas Considerações sobre a Formação Pirabas e Descrições de Novos Invertebrados Fósseis V (Mollusca-Pelecypoda). Boletim do Museu Paraense Emílio Goeldi (geologia) 8:1-76+4pls.
- 149 FERREIRA, C.S.; GONÇALVES, B.B. & FRANCISCO, B.H.R., 1973. Ocorrência da Formação Pirabas (Mioceno Inferior) na Bacia de Barreirinhas, Maranhão. Revista Brasileira de Geologia 3(1):60-67.
- 150 FERREIRA, C.S. & KLEIN, V.C., 1971. Sobre a Validade da "Formação Turiaçu" e um novo Litótopo da Formação Pirabas da Baía de Turiaçu, Maranhão. Anais da Academia Brasileira de Ciências 43(3/4):639-645.
- 151 FERREIRA, C.S. & Xavier, S.Z., 1981. Notas sobre a Ontogenia da Família Chamidae (Mollusca-Bivalvia). Boletim do Museu Nacional (nov.ser.) 38:1-6+1pl.
- 152 FIGUEIRAS, A. & BROGGI, J., 1967. Estado Actual de Nuestros Conocimientos sobre los Moluscos Fósiles del Uruguay. Comunicaciones de la Sociedad Malacológica de Uruguay 2(13):147-187.
- 153 FIGUEIRAS, A. & BROGGI, J., 1972. Estado Actual de Nuestros Conocimientos sobre los Moluscos Fósiles del Uruguay. Comunicaciones de la Sociedad Malacológica del Uruguay 3(23-24):203-240.
- 154 FIGUEIRAS, A. & BROGGI, J., 1985. Nuevas Especies de Gastrópodes Marinos de la Formación Camacho (Mioceno Superior de Uruguay). I (Transcripción Actualizada) Con una Reseña Geo-Paleontológica de la Transgresión Paranense (=Entrerriana). Comunicaciones de la Sociedad Malacológica del Uruguay 6(48):257-285.
- 155 FIGUEIRAS, A. & SICARDI, O.E., 1969. Catalogo de los Moluscos Marinos del Uruguay. Parte III. Comunicaciones de la Sociedad Malacológica del Uruguay 2(16-17):355-378.
- 156 FISHER, D.W., 1962. Small Conoidal Shells of Uncertain Affinities. IN Moore, R.C. Treatise on Invertebrate Paleontology. Part W-Miscelanea:99-130.
- 157 FRANCISCO, B.H.R. & LOEWENSTEIN, P., 1968. Lexico Estratigráfico da Região Norte do Brasil. Publicações Avulsas do Museu Paraense Emílio Goeldi 9:1-93.
- 158 FULFARO, V.J., 1964. A Formação Corumbatai nos Arredores de Conchas, São Paulo. Boletim da Sociedade Brasileira de Geologia 13(1/2):43-53.
- 159 FULFARO, V.J., 1970. Contribuição a Geologia da Região de Angatuba, São Paulo. Boletim do Departamento Nacional de Produção Mineral 253:1-83+34pls.
- 160 FURON, R., 1933. Faunes et Extension du Crétacé au Sud de l'Ahaggar (Cénomanien, Turonien et Sénonien). Bulletin de la Société Géologique de France 5(3):259-280+3pls.
- 161 GABB, W.M., 1924. Descrição de Fósseis Encontrados em Rochas Argilosas no Alto Amazonas (Tradução de O.Roxo). Boletim do Serviço Geológico e Mineralógico, DNPM 11:1-10+1est.
- 162 GARDNER, J., 1928. The Molluscan Fauna of the Alum Bluff Group of Florida. Professional Paper of the United States Geological Survey 142(E):185-249.
- 163 GARDNER, J., 1937. The Molluscan Fauna of the Alum Bluff Group of Florida. Part VI-Pteropoda, Opistobranchia and Ctenobranchia. Professional Paper of the United States Geological Survey 142(F):251-435.
- 164 GIRTY, G.H., 1903. The Carboniferous Formations and Faunas of Colorado. Professional Paper of United States Geological Survey 16:1-546.
- 165 GIRTY, G.H., 1908. The Guadalupian Fauna. Professional Paper of United States Geological Survey 58:1-651.
- 166 GIRTY, G.H., 1915. Fauna of the Wewoka Formation of Oklahoma. Bulletin of the United States Geological Survey 544:1-353+35pls.
- 167 GHIGNONE, J.I., 1972. Ensaio de Paleontologia do Nordeste e as Sequências Sedimentares. Anais do XXVI Congresso Brasileiro de Geologia. Sociedade Brasileira de Geologia. 3:21-28.
- 168 GLASER, I., 1969. A Formação Furnas do SW de Goiás. Anais do XXIII Congresso Brasileiro de Geologia. Sociedade Brasileira de Geologia. Salvador:135-144.
- 169 GONSALVES, A.D., 1952. Orville A. Derby's Studies on the Paleontology of Brazil. Rio de Janeiro:1-162.
- 170 GRABAU, A.W., 1906. Guide to the Geology and Paleontology of the Schoharie Valley in Eastern New York. Bulletin of the New York State Museum 92(13):74-386.
- 171 GUIMARÃES, D., 1964. Geologia do Brasil. Memória I, MME, DNPM & DFPM, Rio de Janeiro:1-674.
- 172 HARTT, C.F. & RATHBUN, R., 1875. Morgan Expeditions, 1870-71: On the Devonian Trilobites and Mollusks of Erere, Province of Pará, Brazil. Annals of New York Lyceum of Natural History 11:110-127.

- 173 HESSEL, M.H.R., 1984. Inoceramídeos Brasileiros: Passado, Presente e Futuro. Anais do XXXIII Congresso Brasileiro de Geologia. Sociedade Brasileira de Geologia. Rio de Janeiro:2:606-614.
- 174 HESSEL, M.H.R., 1985. Alguns Inoceramídeos (Bivalvia) Radialmente Ondulados do Turoniano Inferior de Sergipe. IN Campos, D.A. et all. Coletânea de Trabalhos Paleontológicos, DNPM, Brasília:227-237.
- 175 HESSEL, M.H.R., 1988. Lower Turonian Inoceramids from Sergipe, Brasil: Systematics, Stratigraphy and Palaeontology. Fossils and Strata 22:1-49.
- 176 HOLDHAUS, K., 1918. Sobre Alguns Lamellibranchios Fosseis do Sul do Brasil. Monografia do Sergiço Geológico e Mineralógico 2:1-32+2pls+1map.
- 177 HOWARTH, M.K., 1985. Cenomanian and Turonian Ammonites from the Novo Redondo Area, Angola. Bulletin of the British Museum of Natural History (Geology) 39(2):73-105.
- 178 HYATT, A. 1941. Relatório dos Fósseis Cretáceos de Maroim, Província de Sergipe, Brasil, da Coleção do Professor Hartt. Translaction by E.S.Mendonça & E.Dolianti of 1870. IN Hartt, C.F. Geologia e Geografia Física do Brasil. Companhia Editora Nacional, São Paulo:419-429.
- 179 IHERING, H., 1894. Ueber Binnen-Conchylein der Küstenzone von Rio Grande do Sul. Archiv fur Naturg. 60(1):37-40.
- 180 IHERING, H., 1897. Os Molluscos dos Terrenos Terciários da Patagônia. Revista do Museu Paulista 2:217-382+pls3-9.
- 181 IHERING, H., 1907. Historia da Fauna Marinha do Brasil e das Regiões Visinhas da América Meridional. Revista do Museu Paulista 7:337-430.
- 182 IHERING, H., 1907. Les Mollusques Fossiles du Tertiaire et du Crétacé Supérieur de l' Argentine. Anales del Museu Argentino de Ciencias Naturales B. Rivadavia ser.3-14(3):1-611+18pls.
- 183 IHERING, H., 1913. *Pleiodon priscus* sp.n. IN Comissão Geográfica e Geológica. Exploração do Rio Grande e seus Afluentes: São José dos Dourados, São Paulo:39+1est.
- 184 INTERNATIONAL COMMISSION ON ZOOLOGICAL NOMENCLATURE, 1985. International Code of Zoological Nomenclature 3th ed. International Trust for Zoological Nomenclature, London:1-338.
- 185 JENKINS, O.P., 1913. Geology of the Region about Natal, RN, Brasil. Proceedings of the American Philosophical Society 52(211):431-466.
- 186 JUIGNET, P.; KENNEDY, W.J. & WRIGHT, C.W., 1973. La Limite Cénomanien-Turonien dans la Region du Mans (Sarthe): Stratigraphie et Paléontologie. Annales de Paléontologie 59(1):209-242+3pls.
- 187 JUNG, P., 1971. Fossil Mollusks from Carriacou, West Indies. Bulletins of American Paleontology 61(269):1-262.
- 188 KADOLSKY, D., 1980. On the Taxonomic Position, the Species and the Paleoecological Significance of the Genera *Eubora*, *Toxosoma* and *Littoridina*(?) in the Pliocene Pebas Formation of the Upper Amazon Region. The Veliger 22(4):364-375.
- 189 KATZER, F., 1896. As Camadas Fossiliferas mais Antigas da Região Amazonica. Boletim do Museu Paraense Emílio Goeldi 1(4):436-438.
- 190 KATZER, F., 1896. Beitrag zur Kenntnis des Alteren Palaeozoicum im Amazonasgebiete. Sitzungsberichte der kgl. Bohmischen Gesellschaft der Naturissenschaften Wissenschaften 29.
- 191 KATZER, F. 1897. Das Amazonas-Devon und Seine Beziehungen zu den Anderen Devongebieten der Erde .idib 46.
- 192 KATZER, F., 1898. A Fauna Devonica do Rio Maecuru. Boletim do Museu Paraense Emílio Goeldi 2(3):204-207.
- 193 KATZER, F., 1903. Grundzüge der Geologie des unteren Amazonasgebietes (des Staates Pará in Brasilien). Leipzig:1-296.
- 194 KATZER, F., 1933. Geologia do Estado do Pará (Tradução de Mense, F.H.). Boletim do Museu Paraense Emílio Goeldi (geologia) 9:1-269.
- 195 KAUFFMAN, E.G. & BENGTSON, P., 1985. Mid-Cretaceous Inoceramids from Sergipe, Brasil: a Progress Report. Cretaceous Research 6:311-315.
- 196 KAYSER, E., 1900. Alguns Fósseis Paleozóicos do Estado do Paraná. Revista do Museu Paulista 4:301-311.
- 197 KEGEL, W., 1953. Sobre "Aviculopecten" mitchelli Etheridge & Dun. Notas Preliminares e Estudos da

- Divisão de Geologia e Mineralogia, DNPM 66:1-6+1est.
- 198 KEGEL, W., 1953. Contribuição para o Estudo do Devoniano da Bacia do Parnaíba. Boletim da Divisão de Geologia e Mineralogia, DNPM 141:1-48.
- 199 KEGEL, W., 1954. Lamelibrânquios da Formação Poti (Carbonífero Inferior) do Piauí. Notas Preliminares e Estudos da Divisão de Geologia e Mineralogia, DNPM 88:1-14+2est.
- 200 KEGEL, W. 1957. Contribuição ao Estudo da Bacia Costeira do Rio Grande do Norte. Boletim da Divisão de Geologia e Mineralogia, DNPM 170:1-52.
- 201 KEGEL, W., 1957. Novo Membro Fossilífero da Formação Itamaracá (Cretáceo Superior) de Pernambuco. Anais da Academia Brasileira de Ciências 29(3):373-375.
- 202 KEGEL, W. & COSTA, M.T., 1951. Espécies Neopaleozóicas do Brasil, da Família Aviculopectinidae, Ornamentadas com Costelas Fasciculadas. Boletim da Divisão de Geologia e Mineralogia, DNPM 137:1-48.
- 203 KEGEL, W. & COSTA, M.T., 1952. Nota Preliminar sobre a Fauna da Série Itararé, em Rio d'Areia, Estado do Paraná. Anais da Academia Brasileira de Ciências 24(2):171-173.
- 204 KELLER, S., 1982. Die Oberkreide der Sack-Mulde bei Alfred (Cenoman-Unter-Coniac) Lithologie, Biostratigraphie und Inoceramen. Geologisches Jahrbuch A64:1-171.
- 205 KENNEDY, W.J., 1985 *Solgerites* Reeside, 1932 (Cretaceous Ammonoidea); a Synonym of *Forresteria* Reeside, 1932, with a Revision of *Solgerites brancoi* (Solger, 1904) (Cretaceous Ammonoidea) from Cameroon. Palaeontologische Zeitschrift 59(3-4):211-222.
- 206 KENNEDY, W.J. & WRIGHT, C.W., 1979. On *Kamerunoceras* Reyment, 1954 (Cretaceous: Ammonoidea). Journal of Paleontology 53(5):1165-1178.
- 207 KLAPPENBACH, M.A. & OLAZARRI, J., 1966. Notas sobre Strophocheilidae (Mollusca-Gastropoda) II. Aclaración del Status de *Strophocheilus charruanus* (Frenguelli, 1930). Revista de la Facultad Humanidad Y Ciencias, Montevideo 22:233-238.
- 208 KLAPPENBACH, M.A. & OLAZARRI, J., 1970. Notas sobre Strophocheilidae (Mollusca-Gastropoda). *Eoborus*, Nuevo Genero para Especies Fósiles de esta Familia Sudamericana. Archiv Moll. 100(3/4):179-182.
- 209 KLEIN, V.C. & FERREIRA, C.S., 1979. Paleontologia e Estratigrafia de uma Facies Estuarina da Formação Itapecuru, Estado do Maranhão. Anais da Academia Brasileira de Ciências 51(3):523-533.
- 210 KLINGER, H.C., 1976. Cretaceous Heteromorph Ammonites from Zululand. Memoir of Department of Mines, Republic of South Africa 69:1-142 +43pls.
- 211 KOZLOWSKI, R., 1913. Fossiles Dévoniens de l'Etat de Paraná (Brésil). Annales de Paléontologie 8:105-123+3pls.
- 212 LAMARCK, M.C., 1819. Historie Naturelle des Animaux Sans Vertèbres. Suite des Conchifères 6(1):1-343.
- 213 LANDIN, P.M.B., 1970. O Grupo Passa Dois (P) na Bacia do Rio Corumbataí (SP). Boletim do Departamento Nacional de Produção Mineral 252:1-103.
- 214 LANGE, F.W., 1943. Novos Fósseis Devonianos do Estado do Paraná. Arquivos do Museu Paranaense 3:215-231+1pl.
- 215 LANGE, F.W., 1944. Novas Localidades Fossilíferas da Série Itararé, Estado do Paraná. Anais da Academia Brasileira de Ciências 16(4):279-280.
- 216 LANGE, F.W., 1952. Revisão da Fauna Marinha do Folhelho Passinho. Dusenia 3(1):81-91+1pl.
- 217 LANGE, F.W., 1954. Paleontologia do Paraná. Volume Comemorativo do I Centenário do Estado do Paraná, Curitiba:1-105.
- 218 LEAL, A.S., 1963. Geologia da Região Meridional de Serra Branca -IPUBI- Pernambuco. Boletim de Geologia da Escola de Geologia de Pernambuco 3:40-42.
- 219 LEANZA, A.F., 1948. El Lamado Triassico Marino de Brazil, Paraguay, Uruguay y la Argentina. Revista de la Asociación Geológica Argentina 3(3):219-244.
- 220 LEE, W.T. & GIRTY, G.H., 1909. The Manzano Group of the Rio Grande Valley, New Mexico. Bulletin of the United States Geological Survey 389:1-141+12pls.
- 221 LIMA, L.C., 1987. Ocorrência de Planorbídeos Pleistocênicos no Município de Jacobina, BA. Memórias do Instituto Oswaldo Cruz 82(1):71-72.
- 222 LIMA, L.O. & MABESOONE, J.M., 1984. Levantamento Bibliográfico dos Fósseis Encontrados no

- Nordeste. Atas do XI Simpósio de Geologia do Nordeste. Sociedade Brasileira de Geologia. Natal 9:370-379.
- 223 LIMA, M.R., 1979. Paleontologia da Formação Santana (Cretáceo do Nordeste do Brasil): Estágio Atual de Conhecimentos. Anais da Academia Brasileira de Ciências 51(3):545-556.
- 224 LIMA, M.R., 1989. Fósseis do Brasil. T. A. Queiroz [ed], Editora da Universidade de São Paulo. Biblioteca de Ciências Naturais 14. São Paulo:1-118.
- 225 LOCZY, L., 1966. Contribuição a Paleogeografia e História do Desenvolvimento Geológico da Bacia do Amazonas. Boletim da Divisão de Geologia e Mineralogia, DNPM 223:1-96+1map.
- 226 LÖFGREN, A. & OLIVEIRA, P.E., 1943. Fósseis Cretáceos de Aracaju, Sergipe. Boletim da Divisão de Geologia e Mineralogia, DNPM 106:1-54+5ests.
- 227 LOMBARD, J. 1930. Céphalopodes et Lamellibranches Crétacés du Congo Français. Bulletin de la Société Géologique de France 4(30):277-322+pls29-33.
- 228 MAAK, R., 1951. Vestígios Pré-Devonianos e a Seqüência de Camadas Devonianas no Estado do Paraná. Arquivos de Biologia e Tecnologia, Curitiba. 5/6:197-230.
- 229 MABESOONE, J.M. & COUTINHO, P.N., 1970. Littoral and Shallow Marine Geology of Northern and Northeastern Brazil. Trabalhos Oceanográficos do Laboratório de Ciências do Mar, Recife 12:1-214.
- 230 MABESOONE, J.M. & TINOCO I.M., 1973. Palaeoecology of the Aptian Santana Formation (Northeastern Brazil). Palaeogeography, Palaeoclimatology, Palaeoecology 14(2): 97-118.
- 231 MACHADO, D.M.C., 1990. Algumas considerações Estratigráficas e Biogeográficas acerca dos Bivalvios Devonianos da Bacia do Amazonas. Anais do XXXVI Congresso Brasileiro de Geologia. Sociedade Brasileira de Geologia, Natal 1:425- 435.
- 232 MAGALHÃES, J., 1952. Contribuição ao Conhecimento do Cretácico de Sergipe (Calcário Laranjeiras), com Descrição de duas Formas Novas de Cefalópodos Engonoceratidae- Mollusca. Revista Científica 3(1/2):7-23+1pl+1map.
- 233 MAGALHÃES, J., 1953. Sobre a Posição Taxonomica de *Coilopoceras* Hyatt (Ammonoidea- Engneceratidae). Revista Científica 4(1/2):1-8.
- 234 MAGALHÃES, J., 1953. Nova Espécie de *Hoplitoïdes* do Cretáceo de Sergipe, Calcário Laranjeiras (Ammonoidea- Engneceratidae). Revista Científica 4(3/4):47-55+1pl.
- 235 MAGALHÃES J. & MEZZALIRA, S., 1953. Moluscos Fósseis do Brasil. Departamento de Imprensa Nacional, Rio de Janeiro:1-283.
- 236 MARANHÃO, M.S.A.S., 1986. Contribuição ao Conhecimento da Malacofauna das Camadas Basais da Formação Corumbataí (Permiano) do Estado de São Paulo. Dissertação de Mestrado do Instituto de Geociências da USP:1-89+10pls.
- 237 MARSHALL, W.B., 1927. New Land and Fresh-Water Mollusks from Central and South America. Proceedings of the United States National Museum 69(12):1-12+3pls.
- 238 MARSHALL, W.B. & BOWLES, E.O., 1934. New Fossil Fresh-Water Mollusks from Ecuador. Proceedings of the United States National Museum 82(5):1-7+1pl.
- 239 MARTINS, E.A., 1945. *Pitar cf circinata* Born, fóssil do Maranhão, Sinônimo de *Anomalocardia brasiliiana* (Gmelin, 1972). Boletim do Museu Nacional (geologia) 4:1-5.
- 240 MARTINS, E.A., 1951. *Aviculopecten cambahensis* n.sp. do Permocarbonífero do Rio Grande do Sul. Boletim do Museu Nacional (geologia) 13:1-5+1est.
- 241 MARTINS, E.A., 1952. Fósseis da Sondagem de 1862 em Pelotas, Estado do Rio Grande do Sul. Boletim do Museu Nacional (geologia) 17:1-8.
- 242 MATSUMOTO, T. 1973. Late Cretaceous Ammonoidea. IN Hallan, A.[ed]: Atlas of Palaeobiogeography. Elsevier, Amsterdam:421-429.
- 243 MAURY, C.J., 1925. Fósseis Terciários do Brasil, com Descrição de novas Formas Cretáceas. Monografia do Serviço Geológico e Mineralógico, DNPM 4:1-665+24pls.
- 244 MAURY, C.J., 1925. A Further Contribution to the Paleontology of Trinidad. Bulletins of American Paleontology 10(42):1- 250+54pls.
- 245 MAURY, C.J., 1929. Novas Collecções Paleontológicas do Serviço Geológico do Brasil. Boletim do Serviço Geológico e Mineralógico, DNPM 33:1-23.
- 246 MAURY, C.J., 1930. O Cretáceo da Parahyba do Norte. Monografia do Serviço Geológico e Mineralógico, DNPM 8:1- 305+35ests+1map.
- 247 MAURY, C.J., 1934. Fossil Invertebrates From Brasil. Bulletin of American Museum of Natural History

- 67(4):123-179+est9-19.
- 248 MAURY, C.J., 1935. New Genera and New Species of Fossil Terrestrial Mollusca from Brasil. American Museum Novitates 764:1-15+1pl.
- 249 MAURY, C.J., 1937. O Cretáceo de Sergipe. Monografia do Serviço Geológico e Mineralógico, DNPM 11:1-283+28pls.
- 250 MAURY, C.J., 1937. Argillas Fossilíferas do Plioceno do Territorio do Acre. Boletim do Serviço Geológico e Mineralógico, DNPM 77:1-29+2ests.
- 251 MEDINA, N.P., 1962. Notas Sobre Moluscos de Edad Entrerriana Procedentes de una Perforacion en el Chuy. Revista del Museo Argentino de Ciencias Naturales "Bernardino Rivadavia", C. Zoológicas 8(16):201-213+1pl.
- 252 MEEK, F.B., 1863. Remarks on the Family Actaeonidae, with Descriptions of Some New Genera and Sub-Genera. American Journal of Science 35(103):84-94.
- 253 MEEK, F.B., 1871. Descriptions of New Species of Invertebrate Fossils from the Carboniferous and Devonian Rocks of Ohio. Proceedings of the Academy of Natural Sciences of Philadelphia 23:57-93.
- 254 MEEK, F.B. & WORTHEN, A.H., 1860. Descriptions of New Carboniferous Fossils from Illinois and Other Western States. Proceedings of the Academy of Natural Sciences of Philadelphia 12:447-472.
- 255 MEEK, F.B. & WORTHEN, A.H., 1866. Contributions to the Palaeontology of Illinois and Other Western States. Proceedings of the Academy of Natural Sciences of Philadelphia 18:251-275.
- 256 MELO JUNIOR, J.L. & OLIVEIRA, P.E., 1939. Novas Localidades Fossilíferas do Nordeste da Bahia. Boletim da Divisão de Geologia e Mineralogia, DNPM 103:1-85.
- 257 MENDES, J.C., 1944. Lamelibrânquios Triássicos de Rio Claro (Estado de São Paulo). Boletim da Faculdade de Filosofia, Ciencias e Letras da USP 1:41-75.
- 258 MENDES, J.C., 1945. Considerações sobre a Estratigrafia e Idade da Formação Estrada Nova. Boletim da Faculdade de Filosofia, Ciencias e Letras da USP 2:27-34.
- 259 MENDES, J.C., 1949. Novos Lamelibrânquios Fosseis da Serie Passa Dois, Sul do Brasil. Boletim da Divisão de Geologia e Mineralogia, DNPM 133:1-40+5pls+1map.
- 260 MENDES, J.C., 1952. A Formação Corumbatai na Região do Rio Corumbatai (Estratigrafia e Descrição dos Lamelibrânquios). Boletim da Faculdade de Filosofia, Ciências e Letras da USP (Geologia) 8(145):1-120+4pls.
- 261 MENDES, J.C., 1952. Faunula Permocarbonifera Marinha de Capivari. Boletim da Faculdade de Filosofia, Ciências e Letras da USP (geologia) 7(137):1-17+1est.
- 262 MENDES, J.C., 1953. A Margem de "Considerações sobre alguns Lamelibrânquios das Camadas Terezina" de K. Beurlen. Notas Preliminares e Estudos da Divisão de Geologia e Mineralogia, DNPM 77:1-5.
- 263 MENDES, J.C. 1954. Contribuição a Estratigrafia da Série Passa Dois do Estado do Paraná. Boletim da Faculdade de Filosofia, Ciências e Letras da USP 175:1-119+3ests.
- 264 MENDES, J.C., 1962. Lamelibrânquios Permianos do Ólito de Angatuba, Estado de São Paulo (Formação Corumbatai). Boletim da Sociedade Brasileira de Geologia 11(1):37-56.
- 265 MENDES, J.C., 1962. Introdução ao Conhecimento da Sutura dos Amonóides. Paleontologia-Instituto de Geologia da Universidade de Recife 1:11-16.
- 266 MENDES, J.C., 1963. Lamelibrânquios Permianos do Estado de Mato Grosso (Formação Estrada Nova). Boletim da Sociedade Brasileira de Geologia 12(1/2):57-64.
- 267 MENDES, J.C., 1966. Moluscos da Formação Itaituba (Neocarbonífero) Estado do Pará, Brasil. Cadernos da Amazônia. Instituto Nacional de Pesquisas da Amazônia, Manaus :1-56+5ests.
- 268 MENDES, J.C., 1969. Notas Sobre o Grupo Passa Dois em Santa Catarina. Boletim Peranaense de Geociências 27:81- 104+14pls.
- 269 MENDES, J.C., 1972. Braquiópodos e Moluscos Neocarboníferos da Amazônia (Formação Itaituba). Anais da Academia Brasileira de Ciências 44(suplemento):243-246.
- 270 MENDES, J.C., 1984. Sobre os Paleoambientes Deposicionais do Grupo Passa Dois. Revista do Instituto de Geociências 5(1/2):15-24.
- 271 MENDES, J.C. & PETRI, S., 1950. Estudos Biométricos de Certas Espécies de *Pinzonella* e *Pinzonellopsis*. Anais da Academia Brasileira de Ciências 22(1):99-106.
- 272 METZ, K., 1936. Eine Fauna aus den Unteren Schichten des Obescarbon der Kanischen Alpen (Waideggerfauna). Neues Jahrbuch für Mineralogie, Geologie und Palaontologie 75:163-189+taf 57.

- 273 MEZZALIRA, S., 1946. *Australorbis itaboraiensis* n.sp. Revista do Instituto Geográfico e Geológico 4(2):158-160.
- 274 MEZZALIRA, S., 1948. Distribuição dos Fósseis do Estado de São Paulo. Mineração e Metalurgia 8(76):249-255.
- 275 MEZZALIRA, S., 1952. Alguns Dados sobre Água Subterrânea no Estado de São Paulo. Revista do Instituto Geográfico e Geológico 10(3/4):233-244.
- 276 MEZZALIRA, S., 1956. Novas Ocorrências de Camadas Marinhas Permo-Carboníferas do Estado de São Paulo. Boletim da Sociedade Brasileira de Geologia 5(1):61-69.
- 277 MEZZALIRA, S., 1957. Ocorrências Fossilíferas novas da Série Passa Dois na Região Limeira-Rio Claro-Piracicaba. Boletim da Sociedade Brasileira de Geologia 6(2):37-59.
- 278 MEZZALIRA, S., 1959. Nota Preliminar sobre as Recentes Descobertas Paleontológicas no Estado de São Paulo no Período 1958-1959. Notas Prévias do Instituto Geográfico e Geológico 2:1-9.
- 279 MEZZALIRA, S. 1966. Considerações sobre novas Ocorrências Fossilíferas no Estado de São Paulo. Anais da Academia Brasileira de Ciências 38(1):65-72+1est.
- 280 MEZZALIRA, S., 1966. Os Fósseis do Estado de São Paulo. Boletim do Instituto Geográfico e Geológico 45:1-128+1pls+1map.
- 281 MEZZALIRA, S., 1974. Contribuição ao Conhecimento da Estratigrafia e Paleontologia do Arenito Bauru. Boletim do Instituto Geográfico e Geológico 51:1-163+1map.
- 282 MEZZALIRA, S., 1980. Bioestratigrafia do Grupo Passa Dois no Estado de São Paulo. Revista do Instituto Geológico 1(1):15-34.
- 283 MEZZALIRA, S., 1989. Os Fósseis de Estado de São Paulo, Edição Revisada e Atualizada. Série Pesquisa do Instituto Geológico, São Paulo:1-141+13pls+1map.
- 284 MEZZALIRA, S. et al, 1981. Léxico Estratigráfico do Estado de São Paulo. Boletim do Instituto Geológico 5:1-161.
- 285 MEZZALIRA, S.; MARANHÃO, M.S.A.S. & VIEIRA, P.C., 1989. Bibliografia Analítica da Paleontologia do Estado de São Paulo. Boletim do Instituto Geológico 8:1-235.
- 286 MEZZALIRA, S.; MENDES,J.C. & MARANHÃO, M.S.A.S., 1990. *Anhembia*: novo Gênero de Bivalves do Grupo Passa Dois, Permiano. Revista do Instituto Geológico 8-11(1):51-54.
- 287 MOORE, R.C., 1957. Treatise on Invertebrate Paleontology. Part L, Mollusca 4-Cephalopoda-Ammonoidea. Geological Society of America and University of Kansas:1-490.
- 288 MOORE, R.C., 1960. Treatise on Invertebrate Paleontology. Part I, Mollusca 1. Geological Society of America Inc and University of Kansas: 1-351.
- 289 MOORE, R.C., 1964. Treatise on Invertebrate Paleontology. Part K, Mollusca 3-Cephalopoda. The Geological Society of America and The University of Kansas Press:1-519.
- 290 MOORE, R.C., 1969. Treatise on Invertebrate Paleontology. Part N, Mollusca 6-Bivalvia, vol 1. The Geological Society of America and The University of Kansas:1-489.
- 291 MOORE, R.C., 1969. Treatise on Invertebrate Paleontology. Part N, Mollusca 6-Bivalvia, vol 2. The Geological Society of America Inc and The University of Kansas:491-952.
- 292 MOORE, R.C., 1971. Treatise on Invertebrate Paleontology. Part N, Mollusca 6-Bivalvia, vol 3. The Geological Society of America Inc and The University of Kansas: 953-1224.
- 293 MORAES, L.J., 1928. Estudos Geológicos no Estado de Pernambuco. Boletim do Serviço Geológico e Mineralógico, DNPM 32:1-101.
- 294 MORAES REGO, L.F., 1936. Contribuição ao Estudo das Camadas Superiores da Série Passa Dois. Anais da Academia Brasileira de Ciências 8(1):41-52.
- 295 MOREMAN, W.L., 1942. Paleontology of the Eagle Ford Group of North and Central Texas. Journal of Paleontology 16(2):192-220.
- 296 MORNINGSTAR, H., 1922. Pottsville Fauna of Ohio. Bulletin of Geological Survey of Ohio 25:1 312.
- 297 MÖRSCH, S.M., 1983. Revista Técnica de Yacimientos Petrolíferos e Fiscales Bolivianos 9(1-4):93-114.
- 298 MÖRSCH, S.M., 1984. Nova Ocorrência de Moluscos (Bivalvia) no Devoniano da Bacia do Paraná. Memória do Congresso Latinoamericano de Paleontologia, Mexico 3:96-102.
- 299 MÖRSCH, S.M., 1985. Revisão Sistemática de Bivalves (Mollusca) Procedentes de Estratos da Formação Ponta Grossa (Devoniano) no Estado do Paraná. Revista Brasileira de Geociências 15(3):269-270.
- 300 MÖRSCH, S.M., 1986. Bivalves (Mollusca) na Formação Ponta Grossa (Baciado Paraná - Devoniano). Revisão Sistemática. Anais da Academia Brasileira de Ciências 58(3):403-431.

- 301 MÖRSCH, S.M., 1987. *Pholadella* (?) *jaguariavensis* sp.n. e *Pholadella* (?) *epops* n. comb. Anales del IV Congresso Latinoamericano de Paleontologia. Santa Cruz de la Sierra 1:193-199.
- 302 MUNIZ, G.C.B., 1968. Estratigrafia e Paleontologia sobre a presença no Brasil do Gênero Cretáceo "*Legumen*". Anais do XXII Congresso Brasileiro de Geologia. Sociedade Brasileira de Geologia. Belo Horizonte:213-217.
- 303 MUNIZ, G.C.B., 1969. Sobre a Presença no Brasil do Gênero Cretáceo *Legumen*. Cadernos de Geociências da Universidade Católica de Pernambuco 1:1-9.
- 304 MUNIZ, G.C.B., 1979. Moluscos Devonianos da Formação Inajá no Estado de Pernambuco. Anais da Academia Brasileira de Ciências 51(4):651-675.
- 305 MUNIZ, G.C.B., 1984. Um novo Macrofóssil da Formação Piaçabuçu (Bacia Sergipe/Alagoas) e Respectivas Especulações Paleontológicas. Anais do XXXIII Congresso Brasileiro de Geologia. Sociedade Brasileira de Geologia. Rio de Janeiro 2:517-521.
- 306 MUNIZ, G.C.B. & ALMEIDA, J.A.C., 1988. Contribuição ao Conhecimento da Idade do Calcário de Pojuca, Formação Estiva, Bacia do Cabo, Pernambuco. Anais do XXXV Congresso Brasileiro de Geologia. Sociedade Brasileira de Geologia. Belém 6:2371-2375.
- 307 MUNIZ, G.C.B. & BENGTSON, P., 1986. Amonóides Coniacianos da Bacia Portiguar, Brasil. Anais da Academia Brasileira de Ciências 58(3):445-455.
- 308 MUNIZ, G.C.B. & RAMIREZ, L.V.O., 1971. Tufo Calcário (Tufa) Quaternário com Moluscos, nos Estados da Paraíba e Pernambuco. Anais da Academia Brasileira de Ciências 43(suplemento):611-618.
- 309 MUNIZ, G.C.B.; ROCHA, F. & RAMIRES, L.V.O., 1975. Ocorrência de Sedimentos Meso-Cretáceos Tipicamente Marinhos no Estado de Alagoas. Revista Brasileira de Geociências 5(4):252-256.
- 310 MURRAY, J.W., 1985. Atlas of Invertebrate Macrofossils. Longman, Palaeontological Association. London:1-241.
- 311 NEWELL, N.D.; CHRONIC, J. & ROBERTS, T.G., 1953. Upper Paleozoic of Peru. Memoir of the Geological Society of America 58:1-276.
- 312 NEWELL, N.D. & RUNNEGAR, B., 1970. Endemic Permian Molluscan Fauna in the Paraná Basin of South America. Second Gondwana Symposium, South Africa, Proceedings and Papers: 613-614.
- 313 OLIVEIRA, A.I., 1943. Geologia de Sergipe. Mineração e Metalurgia 135(3):1-16+15ests+1map.
- 314 OLIVEIRA, A.I. & Leonardos, O.H., 1978. Geologia do Brasil, III edição. Coleção Mossoroense vol LXXII. Mossoró :1-813.
- 315 OLIVEIRA, E.P., 1912. O Terreno Devoniano do Sul do Brasil. Anais da Escola de Minas de Ouro Preto 14:31-41.
- 316 OLIVEIRAE.P., 1929. Lamellibrânquios Triássicos do Estado do Paraná. Anais da Academia Brasileira de Ciências 1(3):158-162.
- 317 OLIVEIRAE.P., 1929. O que Realizou o Serviço Geológico e Mineralógico do Brasil. Rio de Janeiro:1-20.
- 318 OLIVEIRA, E.P., 1930. Fósseis Marinhos na Série Itararé no Estado de Santa Catharina. Anais da Academia Brasileira de Ciências 2(1):17-21+1pl.
- 319 OLIVEIRA, E.P., 1936. Molluscos Fósseis de Iporanga e Itaborahy. Notas Preliminares e Estudos do Serviço Geológico e Mineralógico, DNPM 2:4-6.
- 320 OLIVEIRA, P.E., 1937. Fósseis do Rio Carapebas. Notas Preliminares e Estudos do Serviço Geológico e Mineralógico, DNPM 15:1-2.
- 321 OLIVEIRA, P.E., 1937. Fósseis de Propriá e Jaboatão, Estado de Sergipe. Notas Preliminares e Estudos do Serviço Geológico e Mineralógico, DNPM 15:11-16.
- 322 OLIVEIRA, P.E., 1940. Idade do Calcáreo de Calumbi (Sergipe) Notas Preliminares e Estudos da Divisão de Geologia e Mineralogia, DNPM 19:1-12+2ests.
- 323 OLIVEIRA, P.E., 1951. "Anchura Roxoi", Um Novo Molusco Cretáceo do Estado de Pernambuco. Anais da Academia Brasileira de Ciências 23(2):159-162.
- 324 OLIVEIRA, P.E., 1953. Invertebrados Fósseis da Formação Maria Farinha I- Cephalopoda. Boletim da Divisão de Geologia e Mineralogia 146:1-33+4ests.
- 325 OLIVEIRA, P.E., 1954. Fósseis da Camada de Fosfatos de Olinda, Estado de Pernambuco. Anais da Academia Brasileira de Ciências 26(2)resumo das comunicações:XII-XIII.
- 326 OLIVEIRA, P.E., 1957. Ocorrência de Cefalópodos no Cretáceo do Estado do Rio Grande do Norte.

- Anais da Academia Brasileira de Ciências 22:243-248.
- 327 OLIVEIRA, P.E., 1957. Invertebrados Cretácicos do Fosfato de Pernambuco. Boletim da Divisão de Geologia e Mineralogia, DNPM 172:1-29+2ests.
- 328 OLIVEIRA, P.E., 1958. Contribuição a Paleontologia do Estado do Pará. Um novo Nautilóide da Formação Pirabas (Mol.Cephalopoda). Boletim do Museu Paraense Emílio Goeldi (geologia) 7:1-7+2ests.
- 329 OLIVEIRA, P.E., 1958. Sobre a Idade do Calcário de Ponta Grossa, Estado do Maranhão. Notas Preliminares e Estudos da Divisão de Geologia e Mineralogia, DNPM 107:1-5+1est.
- 330 OLIVEIRA, P.E., 1958. Relatório da Secção de Paleontologia. Relatório Anual do Diretor, DNPM, DGM, Rio de Janeiro: 129-132.
- 331 OLIVEIRA, P.E., 1969. Novo Amonóide do Cretáceo do Ceará. Boletim de Geologia do Instituto de Geociências da UFRJ 4:285-289.
- 332 OLIVEIRA, P.E. & BRITO, I.M., 1969. Amonitas Turonianos do Estado de Sergipe. Anais da Academia Brasileira de Ciências 41(2):215-233.
- 333 OLIVEIRA, P.E. & SANTOS, R.S., 1950. Fósseis Cretáceos da Ilha de Itamaracá. Anais da Academia Brasileira de Ciências 22(1):107-112+1est.
- 334 OLSSON, A.A., 1922. The Miocene of Northern Costa Rica. Bulletins of American Paleontology 9(39):179-481.
- 335 OLSSON, A.A. & HARBISON, A. 1953. Pliocene Mollusca of Southern Florida. Monographs of the Academy of Natural Sciences of Philadelphia 8:1-457+65pls.
- 336 OPPENHEIM, V. 1935. Fósseis do Devoniano do Paraná. Anais da Academia Brasileira de Ciências 7(4):345-349+1est.
- 337 ORTMANN, A.E., 1900. Synopsis of the Collections of Invertebrate Fossil made by the Princeton Expedition to Southern Patagonia. American Journal of Science 10(37):368-381.
- 338 ORTMANN, A.E., 1902. Tertiary Invertebrates. Reports of the Princeton University Expeditions to Patagonia (Paleontology) 4(1):47-332+pls11-39.
- 339 ORTMANN, A.E., 1921. South American Naiades; A Contribution to the Knowledge of the Freshwater Mussels of South America. Memoirs of the Carnegie Museum 8(3):451-684.
- 340 PAIVA, G., 1940. Considerações sobre a Transgressão Cárnea na América do Sul. Boletim do Serviço Geológico e Mineralógico 98:23-30+1map.
- 341 PALMA, J.M.C. & BRITO, I.M., 1974. Paleontologia e Estratigrafia da Bacia de São José de Itaborai, Estado do Rio de Janeiro. Anais da Academia Brasileira de Ciências 46(3/4):383-406.
- 342 PARODIZ, J.J., 1969. The Tertiary Non-Marine Mollusca of South America. Annals of Carnegie Museum 40:1-242+9pls.
- 343 PAUL, H., 1941. Lamellibranchiata Infracarbonica. IN Quenstedt, W., Fossilium Catalogus I: Animalia. Verlag Gustav Feller 91:1-138.
- 344 PAULA COUTO, C., 1949. Novas Observações sobre a Paleontologia e Geologia do Depósito Calcáreo de São José de Itaborai. Notas Preliminares e Estudos do Serviço Geológico e Mineralógico, DNPM 49:1-13+6ests+1map.
- 345 PAULA COUTO, C., 1958. Idade Geológica das Bacias Cenozóicas do Vale do Parnaíba e de Itaborai. Boletim do Museu Nacional (geologia) 25:1-17.
- 346 PAULCKE, W., 1903. Beiträge zur Geologie und Palaeontologie von Südamerika. Neues Jahrbuch für Mineralogie, Geologie und Palaeontologie 17:252-312+pls 15-17.
- 347 PENNA, L., 1964. Contribuição ao Estudo da Malacofauna do Calcário Jandaira, Cretáceo Superior do Estado do Rio Grande do Norte, Brasil. Papéis Avulsos de Zoologia 16(8):73-87.
- 348 PENNA, L., 1965. Formação Maria Farinha (Paleoceno), Estado de Pernambuco, Brasil: Malacofauna e Considerações Paleontológicas. Papéis Avulsos de Zoologia 17(21):259-276.
- 349 PENNA-NEME, L. & MUNIZ, G.C.B., 1976, Um Novo *Dentalium* (Mollusca-Scaphopoda), da Formação Maria Farinha, Paleoceno de Pernambuco. Anais da Academia Brasileira de Ciências 48(3):523-525.
- 350 PEREZ, E. & REYES, R., 1986. Presencia de *Buchotrigonia (Syrotrigonia)* Cox, 1952 (Bivalvia, Trigoniidae) en Sudamerica y Descripción de dos Especies Nuevas. Revista Geológica de Chile 28/29:77-93.
- 351 PETRI, S., 1948. Contribuição ao Estudo do Devoniano Paranaense. Boletim da Divisão de Geologia

- e Mineralogia, DNPM 129:1-125+1map.
- 352 PETRI, S., 1967. Sobre a Ocorrência de Lamelibrânquios Pteróides no Devoniano do Paraná. Boletim da Sociedade Brasileira de Geologia 16(2):13-22.
- 353 PETRI, S. & FULFARO, V.J., 1966. Sobre a Geologia da Área Balizada pelas Cidades de Barra do Garças e Guiratinga, Mato Grosso e Jataí e Amorinópolis, Goiás. Boletim da Sociedade Brasileira de Geologia 15(3):59-80.
- 354 PETRI, S. & FULFARO, V.J., 1988. Geologia do Brasil. T.A.Queiroz Editor. Editora da USP. São Paulo: 1-631.
- 355 PETRI, S. & MENDES, J.C., 1983. Brazil. IN The Phanerozoic Geology of the World, II The Mesozoic B. Elsevier Science Publisch B.V.: 151-179.
- 356 PILSBRY, H.A., 1921. Revision of W.M.Gabb's Tertiary Mollusca of Santo Domingo. Proceedings of the Academy of Natural Sciences of Philadelphia 73:305-427+pls16-47.
- 357 PINTO, I.D. & CLOSS, D., 1967. Índice Remissivo dos Fósseis do Rio Grande do Sul. Iheringia (geologia) 1:3-76.
- 358 PONDER, W.F. & COOPER, J., 1983. Appendix: a List of the Tertiary and Cretaceous Species Taxa Assigned to the Xenophoridae. IN PONDER, W.F. A Revision of the Recent Xenophoridae of the World and of the Australian Fossil Species (Mollusca, Gastropoda). Memoir of the Australian Museum 17:67-74.
- 359 RAGONHA, E.W., 1974. Estudo Sedimentológico da Biozona *Pinzonella illusa - Plesiocyprinella carinata* na Região de Rio Claro, São Paulo. Ciência e Cultura 26(7):191.
- 360 RAGONHA, E.W., 1978. Investigações Paleontológicas da Biozona *Pinzonella illusa - Plesiocyprinella carinata*; Formação Estrada Nova (P). Estado de São Paulo. Anais do XXX Congresso Brasileiro de Geologia. Sociedade Brasileira de Geologia, Recife 1:185-186.
- 361 RAGONHA, E.W., 1980. Características Físicas da Zona *Pinzonella illusa - Plesiocyprinella carinata* da Formação Corumbatai, Grupo Passa Dois, na Região de Rio Claro (SP). Anais do XXXI Congresso Brasileiro de Geologia, Sociedade Brasileira de Geologia, Camboriú 5:3106-3117.
- 362 RAGONHA, E.W. & MEZZALIRA, S., 1985. Nova Malacofauna Dulciaquícola do Grupo Bauru (K Superior) de Monte Alto (SP) Brasil. Anais do IX Congresso Brasileiro de Paleontologia, Sociedade Brasileira de Paleontologia, Recife:70.
- 363 RAGONHA, E.W. & SANTOS, R.S., 1987. Nova Classificação de *Dentalium florencei* Rego, 1936 (Mollusca-Scaphopoda) para *Hybopus* (Chondrycties-Elasmobranchii). Anais do X Congresso Brasileiro de Paleontologia, Rio de Janeiro 1:1-6.
- 364 RAMOS, J.R.A., 1959. Os *Pachydiscus* Brasileiros. Notas Preliminares e Estudos da Divisão de Geologia e Mineralogia, DNPM 110:1-25.
- 365 RATHBUN, R., 1874. Preliminary Report on the Cretaceous Lamellibranchs Collected in the Vicinity of Pernambuco, Brasil, on the Morgan Expedition of 1870. Proceedings of the Boston Society of Natural History 17:241-256.
- 366 REED, F.R.C., 1904. Mollusca from the Bokkeveld Beds. Annals of South African Museum 4:239-272+pls30-32.
- 367 REED, F.R.C., 1908. New Fossils from the Bokkeveld Beds. Annals of the South African Museum 4:381-406+2pls.
- 368 REED, F.R.C., 1925. Revision of the Fauna of the Bokkeveld Beds. Annals of the South African Museum 22:27-225+pls4-11.
- 369 REED, F.R.C., 1928. Fósseis Triássicos do Brasil. Annals & Magasine of Natural History 10(2):39-48+est1.
- 370 REED, F.R.C., 1929. Faunas Triássicas do Brasil. Monografia do Serviço Geológico e Mineralógico 9:1-97+ests.
- 371 REED, F.R.C., 1930. Uma Nova Fauna Permo-Carbonífera do Brasil. Monografia do Serviço Geológico e Mineralógico, DNPM, 10:1-45+8ests.
- 372 REED, F.R.C., 1932. Sobre alguns novos Fósseis Triássicos do Brasil. Annals & Magasine of Natural History 10(10):479-487-estXIX.
- 373 REED, F.R.C., 1935. Some Triassic Lamellibranchs from Brazil and Paraguay. Geological Magazine 72(847):33-42+1pl.
- 374 REED, F.R.C., 1940. Alguns Lamelibrânquios Triássicos do Brasil e do Paraguai. Boletim do Serviço

- Geológico e Mineralógico, DNPM 98:1-20+1est.
- 375 REED, F.R.C. & Cox, L.R., 1943. Fósseis Triássicos do Brasil e Uruguai. Boletim da Divisão de Geologia e Mineralogia, DNPM 107:1-47.
- 376 REEVE, L.A., 1869. Conchologia Iconica. London. vol 7.
- 377 RENNIE, J.V.L., 1929. New Lamellibranchia and Gastropoda from the Upper Cretaceous of Pondoland. Annals of the South African Museum 28:159-260+pls 16-31.
- 378 REYMENT, R.A., 1955. The Cretaceous Ammonoidea of Southern Nigeria and the Southern Cameroons. Bulletin of Geological Survey of Nigeria 25:1-112.
- 379 REYMENT, R.A., 1955. Upper Cretaceous Mollusca (Lamellibranchia and Gastropoda) from Nigeria. Colonial Geology and Mineral Resources 5(2):127-155.
- 380 REYMENT, R.A., 1957. über Einige Wirbellose Fossilien Aus Nigerien und Kamerun, Westafrika. Palaeontographica Abteilung A 109:41-70.
- 381 REYMENT, R.A., 1965. Upper Cretaceous Fossil Mollusks in South America and West Africa. Nature 207(5004):1384.
- 382 REYMENT, R.A., 1969. Ammonite Biostratigraphy, Continental Drift and Oscillatory Transgressions. Nature 224(5215):137-140.
- 383 REYMENT, R.A., 1970. Note sur le Genere *Hoplitooides* dans l'Atlantique du Sud. Bulletin de la Société Géologique de France 7(12):913-915+pl.35.
- 384 REYMENT, R.A., 1971. Experimental Studies of Cretaceous Transgressions for Africa. Bulletin of Geological Society of America 82(4):1063-1072.
- 385 REYMENT, R.A., 1971. Vermuteter Dimorphismus bei der Ammonitengattung *Benueites*. Bulletin of Geological Institut of University of Uppsala (new series) 3(1):1-18.
- 386 REYMENT, R.A., 1977. Las Transgresiones del Cretacico Medio en el Atlantico Sur. Revista de la Asociacion Geologica Argentina 32(4):291-299.
- 387 REYMENT, R.A. & BENGTSON, P., 1981. Aspects of Mid-Cretaceous Regional Geology. Academic Press, London:1-327.
- 388 REYMENT, R.A. & BENGTSON, P., 1985. Physics and Chemistry of the Earth. Events of the Mid-Cretaceous 16:1-213.
- 389 REYMENT, R.A.; BENGTSON, P. & TAIT, E.A., 1976. Cretaceous Transgressions in Nigeria and Sergipe-Alagoas (Brazil). Anais da Academia Brasileira de Ciências 48 (suplemento):253-264.
- 390 REYMENT, R.A. & TAIT, E.A., 1972. Biostratigraphical Dating of the Early History of the South Atlantic Ocean. Philosophical Transactions of the Royal Society of London B. Biological Sciences 264(858):55-95+pls3-5.
- 391 RICCARDI, A.C., 1988. The Cretaceous System of Southern South America. Memoir of the Geological Society of America 168:1-161.
- 392 RIOS, E.C., 1985. Sea Shells of Brazil. Fundação Universidade de Rio Grande, Fundação Cidade do Rio Grande, Museu Oceanográfico. Rio Grande:1-329+102pls.
- 393 ROCHA CAMPOS, A.C., 1961. Ocorrência de Novos Fósseis Marinhos em Taió, SC. Anais da Academia Brasileira de Ciências 33(3/4) resumo das comunicações:XXVII.
- 394 ROCHA CAMPOS, A.C., 1964. Contribuição a Estratigrafia da Região de Taió, SC. Tese de Doutoramento da Faculdade de Filosofia, Ciências e Letras da USP:1-64+5pls.
- 395 ROCHACAMPOS, A.C., 1966. Implicação em Sistemática do Tipo de Fossilização dos Lamelibrâquios Fósseis de Taió, SC. Boletim da Sociedade Brasileira de Geologia 15(2):55-60.
- 396 ROCHA CAMPOS, A.C., 1966. Novas Ocorrências de Fósseis Marinhos no Grupo Tubarão em São Paulo e Santa Catarina. Boletim da Sociedade Brasileira de Geologia 15(4):5-13.
- 397 ROCHA CAMPOS, A.C., 1969. Moluscos e Brachiópodes Eogondvânicos do Brasil e Argentina. Tese de Livre-Docência da Faculdade de Filosofia, Ciências e Letras da USP:1-132+11pls.
- 398 ROCHA CAMPOS, A.C., 1970. Moluscos Permianos da Formação Rio Bonito (Subgrupo Guatá) SC. Boletim da Divisão de Geologia e Mineralogia, DNPM 251:7-89.
- 399 ROCHA CAMPOS, A.C.; FARJALLAT, J.E.S. & YOSHIDA, R., 1969. Fácies e Paleogeografia do Subgrupo Itararé na Bacia do Paraná. Anais da Academia Brasileira de Ciências 41(2):211-213.
- 400 ROCHA CAMPOS, A.C. & ROSLER, O., 1978. Late Paleozoic Faunal and Floral Successions in the Paraná Basin, Southeastern Brasil. Boletim do Instituto de Geociências, USP 9:1-16.
- 401 ROHN, R., 1988. Bivalves da Formação Rio do Rastro (Permiano Superior) no Estado do Paraná. Inedited.

- 402 ROMAN, F., 1938. Les Ammonites Jurassiques et Crétacées. Masson et Cie [ed]. Paris:1-554.
- 403 ROXO, M.G.O., 1924. Breve Notícia sobre os Fósseis Terciários do Alto Amazonas. Boletim do Serviço Geológico e Mineralógico 11:41-52+1est.
- 404 ROXO, M.G.O., 1935. Considerações sobre a Geologia e a Paleontologia do Alto Amazonas. Anais da Academia Brasileira de Ciências 7(1):63-67.
- 405 ROXO, M.G.O., 1937. Fósseis Pliocénicos do Rio Juruá, Estado do Amazonas. Notas Preliminares e Estudos do Serviço Geológico e Mineralógico, DNPM 9:4-10+1pl.
- 406 ROXO, M.G.O., 1940. Note on a New Species of Fossil Gasteropoda from Bahia, Brazil, *Artemon andradai* sp.nov. Anais da Academia Brasileira de Ciências 12(4):277-278.
- 407 RUNNEGAR, B., 1972. Late Palaeozoic Bivalvia from South America: Provincial Affinities and Age. Anais da Academia Brasileira de Ciências 44(suplemento 2):295-312.
- 408 RUNNEGAR, B. & NEWELL, N.D., 1971. Caspian-Like Relict Molluscan Fauna in the South American Permian. Bulletin of the American Museum of Natural History 146(1):1-66.
- 409 RUTSCH, R.F. & SALVADOR, A., 1954. Mollusks from the Cogollo and la Luna Formations (Cretaceous) of the Chejendé Area, Western Venezuela. Journal of Paleontology 28(4):417-426+pl40.
- 410 SANTOS, L.D.R.S., 1962. Fósseis do Arenito Açu. Coleção Mossoroense. Mossoró 167:207-226
- 411 SANTOS, L.D.R.S., 1962. Fósseis do Arenito Açu. Anais da Academia Brasileira de Ciências 34(1):57-68.
- 412 SANTOS, M.E.C.M., 1962. Novos Lamelibrâquios do Calcário Sapucaí, Estado de Sergipe. Anais da Academia Brasileira de Ciências 34(4) resumo das comunicações:32-33.
- 413 SANTOS, M.E.C.M., 1963. *Inoceramus* do Calcário Sapucaí, Estado de Sergipe. Anais da Academia Brasileira de Ciências 35(3):357-359.
- 414 SANTOS, M.E.C.M. & CASTRO, J.S., 1967. Moluscos Cenozóicos de Água Doce do Alto Amazonas. Atas do Simpósio sobre a Biota Amazônica (geociências) 1:411-423.
- 415 SANTOS, M.E.C.M. & CASTRO, J.S., 1970. O Gênero *Roudairia* Munier-Chalmas, no Brasil. Anais da Academia Brasileira de Ciências 42(4):731-738.
- 416 SANTOS, M.E.C.M. & FERREIRA, C.S., 1966. Contribuição à Paleontologia do Estado do Pará, Família Ostreidae na Formação Pirabas -IX-(Mollusca-Pelecypoda). Notas Preliminares e Estudos da Divisão de Geologia e Mineralogia, DNPM 131:1-23+5ests.
- 417 SANTOS, M.E.C.M. & GUZZO, M.T., 1967. Moluscos Devonianos da Formação Pimenteiras, Estado do Piauí. Boletim Paranaense de Geociências 26:47-48.
- 418 SHIMER, H.W. & SHROCK, R.R., 1944. Index Fossils of North America. The Technology Press, Massachussets Institute of Technology, New York:1-837.
- 419 SILVA, A.C., 1959. Nota Preliminar sobre a Paleofauna de Gangorinha no Cretáceo do Rio Grande do Norte. Coleção Mossoroense. Mossoró 167:105-116.
- 420 SIMÕES, M.G. & FITTIPALDI, F.C., 1987. Bivalves do Grupo Passa Dois, Permiano da Bacia do Paraná: Sinópsise das Pesquisas. Atas do VI Simpósio Regional de Geologia. Sociedade Brasileira de Geologia, Rio Claro 1:281-295.
- 421 SIMÕES, M.G. & FITTIPALDI, F.C., 1988. As Conchas Fósseis da Região de Rio Claro, SP. Arquivo do Município de Rio Claro:1-75.
- 422 SIMÕES, M.G. & FITTIPALDI, F.C., 1989. Bivalves. Anais do XI Congresso Brasileiro de Paleontologia. Sociedade Brasileira de Paleontologia, Curitiba 5:55-65.
- 423 SIMPSON, G.G., 1961. The Supposed Pliocene Pebas Beds of the Upper Juruá River, Brasil. Journal of Paleontology 35(3):620-624.
- 424 SORNAY, J., 1951. Sur deux Espèces d'Ammonites inédites de d'Orbigny et sur Une Espèce Nouvelle du Tuffeau de Touraine. Bulletin de la Société Géologique de France 6(1):627-631+1pl.
- 425 SPIX, J.B., 1827. Testacea Fluviatila. J.A. Wagner Ediderunt. Monachii (Munique):1-36+29pls.
- 426 SPRECHMANN, P., 1978. Die Litoralen Palaeozoogeographischen Provinzen entlang der Ostküste Südamerikas während des Miozans. Neues Jahrbuch für Geologie und Paläontologie 157(1/2):247-251.
- 427 STANTON, T.W., 1893. The Colorado Formation and its Invertebrate Fauna. Bulletin of the United States Geological Survey 106:1-288.
- 428 STEINMANN, G., 1897. Beiträge zur Geologie und Palaeontologie von Sudamerika VI Beitrag zur

- Kenntniss der Kreideformation in Columbien von K. Gerhardt. Neues Jahrbuch für Mineralogie, Geologie und Palaeontologie 9:118-208+taf3-4.
- 429 STEPHENSON, L.W., 1952. Larger Invertebrate Fossils of the Woodbine Formation (Cenomanian) of Texas. Professional Papers of the United States Geological Survey 242:1-226+51pls.
- 430 STOLICZKA, F., 1867. The Gastropoda of the Cretaceous Rocks of Southern India. Palaeontologia Indica 5(2):1-498+28pls.
- 431 STOLICZKA, F., 1870. Cretaceous Fauna of Southern India, ser VI-The Pelecypoda. Palaeontologia Indica 3(1-4):1-409+28pls.
- 432 STOLICZKA, F., 1871. Cretaceous Fauna of Southern India, ser VI-The Pelecypoda. Palaeontologia Indica 3(9-13):409- 537+pls24-50.
- 433 SUAREZ, J.M. & ARRUDA, M.R., 1968. Jazigo Fossilífero no Grupo Bauru, Contendo Lamelibrânquios. Anais do XXII Congresso Brasileiro de Geologia. Sociedade Brasileira de Geologia, Belo Horizonte: 209-212.
- 434 THIELE, J., 1931. Handbuch der Systematischen Weichtierkunde. Jena, Verlag von Gustav Fisher. Berlin:1-778.
- 435 THOMAS, I., 1905. Neue Beiträger zur Kenntniss der Devonischen Fauna Argentiniens. Zeitschrift der Deutschen Geologischen Gesellschaft 57:233-291.
- 436 TOIT, A.L.D., 1952. Comparação Geológica entre a América do Sul e a África do Sul. Translaction of CASTER, K.E. & MENDES, J.C.. Instituto Brasileiro de Geografia e Estatística. Rio de Janeiro:1-179+12pls+1map.
- 437 TRINDADE, N.M., 1953. Contribuição a Paleontologia de São José de Itaborai, Estado do Rio de Janeiro. Revista Científica 4(3/4):37-46+1pl.
- 438 TRINDADE, N.M., 1956. Contribuição ao Estudo da Malacofauna de São José de Itaborai, Estado do Rio de Janeiro. Notas Preliminares e Estudos da Divisão de Geologia e Mineralogia, DNPM 96:1-22+5pls.
- 439 TRINDADE, N.M., 1956. Invertebrados Fósseis da Bacia Calcária de São José de Itaborai, Estado do Rio de Janeiro. Engenharia, Mineração e Metalurgia 24(143):293.
- 440 ULRICH, A., 1893. Beiträge zur Geologie und Palaeontologie von Sudamerika (G.Steinmann): 1.Palaeozoische Versteinerungen aus Bolivien. Neues Jahrbuch für Mineralogie, Geologie und Palaeontologie 8:1-116.
- 441 VAUGHT, K.C., 1989. A Classification of the Living Mollusca. Abbott & Boss edited. American Malacologists Inc. Florida, USA :1-189.
- 442 VIEIRA, P.C. & SIMONE, L.R.L., 1990. Malacofauna na Gruta da Pescaria, Iporanga, SP. Revista do Instituto Geológico 8- 11(1):57.
- 443 WADE, B. 1926. The Fauna of the Ripley Formation on Coon Creek, Tennessee. Professional Paper of United States Geological Survey 137:1-272.
- 444 WENZ, W., 1938. Gastropoda. Teil I: Allgemeiner Teil und Prosobranchia. IN Schindewolf, O.H., Handbuch der Palaeozoologie. Berlin :1-1639.
- 445 WHITE, C.A., 1887. Contribuições a Paleontologia do Brasil. Arquivos do Museu Nacional 7:1-273+28 ests.
- 446 WOODRING, W.P., 1928. Miocene Mollusks from Bowden, Jamaica. Part II-Gastropods and discussion of results. Publication of Carnegie Institution of Washington 385:1-564.
- 447 WOODRING, W.P., 1971. Zoogeographic Affinities of Tertiary Marine Molluscan Faunas of Northeastern Brasil. Anais da Academia Brasileira de Ciências 43(suplemento):119-124.
- 448 WOODWARD, H., 1924. Conchas Terciárias do Vale do Amazonas (Tranlaction by O.Roxo of Original of 1871). Boletim do Serviço Geológico e Mineralógico, DNPM 11:27-38+1est.
- 449 XAVIER, S.Z., 1974. Contribuição a Paleontologia do Estado do Pará. Revisão do Gênero *Glycymeris* da Costa, 1778 da Formação Pirabas (Mioceno Inferior)(Mollusca-Bivalvia).Boletim do Museu Paraense Emílio Goeldi (geologia) 20:1-24+2pls.
- 450 YOUNG, K., 1958. Cenomanian (Cretaceous) Ammonites from Trans-Pecos Texas. Journal of Paleontology 32(2):286-294.
- 451 ZABORSKI, P.M.P., 1985. Upper Cretaceous Ammonites from the Calabar Region, South-East Nigeria. Bulletin of the British Museum of Natural History (Geology) 39(1):1-72.
- 452 ZABORSKI, P.M.P., 1987. Lower Turonian (Cretaceous) Ammonites from South-East Nigeria. Bulletin

of the British Museum of Natural History (Geology) 41(2):31-66.

- 453 ZINGANO, A.G. & CAUDURO, A.D., 1959. Afloramentos Fossilíferos do Rio Grande do Sul. Boletim do Instituto de Ciências Naturais da Universidade do Rio Grande do Sul 8:1-48.

LATE ADDITION

- 454 VIANA, M.S.S., & MAMEDE, V.M., 1990. Localidades e Conteúdo Fossilífero da Bacia do Araripe, Nordeste do Brasil. Anais do XXXVI Congresso Brasileiro de Geologia, Sociedade Brasileira de Geologia, Natal 1:476-489.

PLATES

PLATE 1

Species 1 to 27: Belleromphontidae (1 to 8), Sinuitidae (9 to 15), Bucaniidae (16 to 18), Eotomariidae (19 to 23), Pleurotomariidae (24 to 29).

PLATE 2

Species 30 to 65: Pleurotomariidae (30), Euomphalidae (31 to 33), Fissurellidae (34 to 37), Platyceratidae (38 to 57), Trochidae (59 to 64), Turbinidae (65).

PLATE 3

Species 66 to 89: Turbinidae (66 to 68), Neritidae (69 to 78), Neritopsidae (79 to 80), Itieriidae (81), Viviparidae (82 to 84), Littorinidae (85 to 87), Hydrobiidae (88 to 89).

PLATE 4

Species 90 to 119: Hydrobiidae (90 to 96), Thiariidae (97 to 104), Cerithiidae (105 to 115, 117 to 119).

PLATE 5

Species 116 to 158: Cerithiidae (116, 120 to 128), Campanilidae (129 to 130), Diastomatidae (131 to 132), Potamididae (133 to 137), Pleuroceridae (139), Turritellidae (140 to 144, 148 to 153, 155 to 158).

PLATE 6

Species 145 to 195: Turritellidae (145, 146, 154, 159 to 179), Vermetidae (180 to 182), Nerineidae (183 to 195).

PLATE 7

Species 196 to 220: Strombidae (196 to 206), Aporrhaidae (207 to 212), Crepidulidae (213 to 218), Xenophoridae (219 to 220).

PLATE 8

Species 221 to 240: Cypraeidae (221 to 225), Ovulidae (227), Naticidae (228 to 240).

PLATE 9

Species 241 to 269: Naticidae (241 to 256), Cassidae (257 to 258), Cymatiidae (260 to 262), Cerithiopsidae (263), Epitonidae (264 to 268), Eulimidae (269).

PLATE 10

Species (259) 270 to 296: Ficidae (259), Muricidae (270 to 278), Thaididae (279), Buccinidae (280 to 284), Nassariidae (285 to 287), Melongenidae (288), Fasciolariidae (289 to 296).

PLATE 11

Species 297 to 317 (323): Fasciolariidae (297 to 301), Volutidae (302 to 309), Harpidae (310 to 312), Vasidae (313 to 317, 323).

PLATE 12

Species 318 to 358: Vasidae (318, 320, 322), Olividae (324 to 333), Marginellidae (334 to 344), Mitridae (345), Volutomitridae (346), Costellariidae (347), Cancellariidae (349 to 355), Conidae (356 to 358, 362).

PLATE 13

Species 359 to 386: Conidae (359 to 361), Turridae (363 to 371), Terebridae (372 to 382), Architectonicidae (383 to 386).

PLATE 14

Species 387 to 418: Pyramidellidae (387 to 390), Acteonidae (391 to 398), Retusidae (399), Aceridae (400), Scaphandridae (401 to 403), Umbraculidae (404), Carichiidae (405), Physidae (406), Planorbidae (408 to 411),

Vertiginidae (412), Strobilosidae (413), Clausilidae (414), Megalobulimidae (415 to 416), Bulimulidae (418).

PLATE 15

Species 417 to 431: Endodontidae (417), Bulimulidae (419 to 425), Urocoptidae (426), Subulinidae (427), Streptaxidae (428 to 431).

PLATE 16

Species 432 to 468: Solemyidae (432 to 433), Ctenodontidae (434 to 435), Nuculidae (436 to 439), Nuculanidae (441 to 451), Malletiidae (452 to 468).

PLATE 17

Species 469 to 497: Malletiidae (469 to 473), Arcidae (474 to 491), Noetiidae (492), Parallelodontidae (493), Cucullaeidae (494 to 495, 497).

PLATE 18

Species 496 to 507: Cucullaeidae (496, 498 to 499), Glycymeridae (500 to 507).

PLATE 19

Species 509 to 540: Glycymeridae (509), Mytilidae (511 to 529), Myalinidae (530 to 536), Pteriidae (539 to 540, 543).

PLATE 20

Species 541 to 567: Pteriidae (541 to 542, 544 to 546), Isognomonidae (547 to 548), Bakevelliidae (549 to 550), Pterineidae (552 to 563), Inoceramidae (565 to 567).

PLATE 21

Species 568 to 587: Inoceramidae.

PLATE 22

Species 588 to 604: Inoceramidae (588 to 600), Pinnidae (601 to 604).

PLATE 23

Species 605 to 629: Pinnidae (605 to 606), Limidae (607 to 620), Ostreidae (621 to 626, 628 to 629).

PLATE 24

Species (627) 630 to 696: Ostreidae (627, 630 to 642), Gryphaeidae (643 to 646).

PLATE 25

Species 647 to 670: Gryphaeidae (647 to 658), Plicatulidae (659 to 666), Pectinidae (667 to 668, 670).

PLATE 26

Species (669) 671 to 686: Pectinidae.

PLATE 27

Species 687 to 707: Pectinidae (687 to 694), Aviculopectinidae (695 to 707).

PLATE 28

Species 708 to 745: Aviculopectinidae (708 to 709), Posidoniidae (711), Propeamussidae (712), Pseudomonotidae (713), Entoliidae (714), Spondylidae (715), Anomiidae (716 to 724), Trigoniidae (725), Myophoriidae (726 to 732), Modiomorphidae (733 to 743), Allodesmatidae (744 to 745).

PLATE 29

Species 746 to 777: Hyriidae (746 to 753), Sancticarolitidae (754), Mutelidae (755 to 756), Myctopodidae (757 to 766), Palaeomutelidae (767), Pachycardiidae (768 to 771), Lucinidae (772 to 777).

PLATE 30

Species 778 to 812: Lucinidae (778 to 783), Fimbriidae (785 to 786), Carditidae (787 to 803), Permophoridae (804

to 808), Crassatellidae (811 to 812).

PLATE 31

Species (810) 813 to 840: Permophoridae (810), Crassatellidae (813 to 821), Family Uncertain (822 to 826), Astartidae (829 to 836), Cardiidae (837 to 840).

PLATE 32

Species 841 to 872: Cardiidae (841 to 868), Mactridae (869 to 872).

PLATE 33

Species 873 to 903: Solenidae (873 to 874), Tellinidae (875 to 881), Semelidae (882), Psammobiidae (883 to 884), Tancrediidae (885), Donacidae (886), Doubtful Tellinoidea (887 to 896), Dreissenidae (897), Arcticidae (898 to 899), Trapeziidae (900), Pisidiidae (901), Veneridae (902 to 903).

PLATE 34

Species 904 to 932: Veneridae (904 to 930), Petricolidae (931), Chamidae (932).

PLATE 35

Species 933 to 970: Chamidae (933 to 937), Corbulidae (938 to 962), Edmondiidae (963 to 970).

PLATE 36

Species 972 to 1007: Edmondiidae (972 to 977), Grammysiidae (978 to 1002), Megadesmidae (1003 to 1007).

PLATE 37

Species 1008 to 1042: Megadesmidae (1008 to 1019), Pholadomyidae (1020 to 1027), Pleuromyidae (1028 to 1030), Laternulidae (1031), Poromyidae (1033 to 1037), Cuspidariidae (1038), Clavagellidae (1039), Incertae Sedis (1042).

PLATE 38

Species 1040 to 1058: Bivalvia Incertae Sedis (1040), Scaphopoda (1051 to 1053), Calyptoptomatida (1054), Ortoceratidae (1055 to 1056), Aturiidae (1057), Hercoglossidae (1058).

PLATE 39

Species 1959 to 1072: Hercoglossidae (1059), Tetragonitidae (1061 to 1062), Hamitidae (1064), Baculitidae (1065), Nostoceratidae (1066), Diplomoceratidae (1067 to 1068), Scaphitidae (1069), Desmoceratidae (1070 to 1072).

PLATE 40

Species 1071 to 1083: Desmoceratidae (1071 to 1074), Pachydiscidae (1076 to 1079, 1082 to 1083).

PLATE 41

Species 1080 to 1086: Pachidiscidae.

PLATE 42

Species 1087 to 1093: Pachidiscidae.

PLATE 43

Species 1094 to 1099: Pachidiscidae (1094 to 1098), Douvilleiceratidae (1099).

PLATE 44

Species 1100 to 1112: Douvilleiceratidae (1100 to 1101), Engonoceratidae (1102), Hoplitidae (1103 to 1104), Forbesiceratidae (1105), Brancoceratidae (1106 to 1112).

PLATE 45

Species 1113 to 1131: Brancoceratidae (1113 to 1118), Lyelliceratidae (1119), Achanthoceratidae (1120 to 1122, 1124 to 1131).

PLATE 46

Species 1123 to 1147: Achanthoceratidae.

PLATE 47

Species 1148 to 1163: Achanthoceratidae (1148 to 1152), Vascoceratidae (1153 to 1154, 1156 to 1159), Tissotiidae (1160 to 1161, 1163).

PLATE 48

Species 1155 to 1172: Vascoceratidae (1155), Tissotiidae (1162, 1164 to 1165), Coilopoceratidae (1167 to 1172).

PLATE 49

Species 1173 to 1186: Coilopoceratidae (1173 to 1180), Collignoceratidae (1181, 1183, 1186).


PLATE 50

Species 1182 to 1193: Collignoceratidae (1182, 1187, 1189 to 1191), Sphenodiscidae (1192 to 1193).

PLATE 51

Species 1129 to 1205: Achanthoceratidae (1129, 1140), Collignoceratidae (1188), Cephalopoda Incertae Sedis (1196), Tentaculitida (1197 to 1205).

PLATE 1







PLATE 3











PLATE 5













































































PLATE 31











PLATE 35








PLATE 37





1055





1058




1051



1053












PLATE 41







PLATE 43









PLATE 45













PLATE 49







SUBJECT INDEX

The numbers are referred to the pages, except those in parenthesis, which are referred to the number of the species.

- abreviata*, *Goniophora*(741)....75
Acanthocardia....84
Acanthoceras....107
Acanthoceratidae....107
Acanthoceratinae....107
Acanthoceratoidea....107
acarinata, *Nothoterraia*(827)....82
acclina, *Edmondia*(963)....93
Acera....48
Aceridae....48
Acesta....65
Achatinoidea....51
ackermannii, *Aturia*(1057)....101
Acompsoceras....106
acreanus, *Pachydon*(956)....93
Actaeonella....47
Acteocina....48
Acteon....47
Acteonidae....47
Actinopteria....61
*Açu Formation**....11
Acus....46
acuta, *Dreissena*(897)....88
acuta, *Marginella*(334)....43
acuta, *Nuculana*(441)....52
acuticarinata, *Turritella*(140)....27
acuticostata, *Glycymeris*(500)....57
acutispira, *Leucozonia*(300)....40
Adrana....53
aegra, *Lucina*(1016)....98
aequilateralis, *Terraia*(887)....87
affinis, *Schizodus*(726)....74
africana, *Exogyra*(647)....68
africana, *Stoliczkaia*(1119)....106
agassizi, *Platyostoma*(52)....20
aglaiae, *Rhinoclavis*(126)....26
agraria, *Anadara*(483)....55
agraria, *Chione*(908)....89
agricolae, *Corbula*(945)....92
agriculturae, *Venericardia*(788)....79
agronomica, *Adrana*(450)....53
agronomica, *Anadara*(484)....55
agronomica, *Chama*(932)....91
agronomica, *Chlamys*(688)....71
agronomica, *Turritella*(141)....27
Alabina....26
alatus, *Rhyssomytiloides*(594)....64
albertolafrenesi, *Exogyra*(648)....68
albida, *Polystira*(365)....45
albuquerquei, *Pachydiscus*(1078)....103
aldrichi, *Strombus*(196)....31
Alectriion....39
algodoense, *Pholadomya*(1022)....98
algodoensis, *Anomia*(716)....73
algodoensis, *Cardium*(837)....83
algodoensis, *Lima*(607)....65
*Algodoês Formation**....12
alliliroides, *Turritella*(142)....27
Allodesmatidae....75
Allogastropoda....47
Allorisma....93
alporti, *Anodontides*(757)....76
almeidai, *Holdhausiella*(1014)....97
alminoaffonsicum, *Artemon*(428)....51
alta, *Craginia a.*(174)....29
alternaeus, *Prosopecion*(1043)....100
alticostata, *Volutospina*(302)....40
altiliroides, *Turritella*(142)....27
altissima, *Terraia*(888)....87
Amalda....43
Amaurellina....35
Amauropsis....36
amazoniana, *Turbanella*(313)....41
amazoniana, *Venericardia*(789)....79
amazoniana, *Ventricolaria*(902)....88
amazonianus, *Sepulorbis*(181)....30
amazonica, *Myalina*(530)....59
amazonica, *Pisania*(281)....38
amazonicus, *Bellerophon*(4)....16
amazonicus, *Schizodus*(727)....74
Amberleyidae....20
ambigua, *Castalia*(750)....76
Ambonychioidea....59
americana, *Pteronites*(605)....64
Ammonites....112
Ammonitina....102
Ammonoidea....101
amotapensis, *Sanguinolites*(990)....95
amphitrites, *Pseudophyllites*(1061)....101
amphitrites, *Trachycardium*(858)....84
Ampullina....35
Ampullospira....35
Ampullospirinae....36
anudariense, *Watrinoceras*(1138)....107
Amusium....73
Anadara....55
Anadarinae....55
Anagaudryceras....101
Anahoplites....105
Anapuzosia....102
Anatina....85
anceps, *Pyramus*(1016)....97
Anchura....32
Ancilla....43
Ancillinae....43
andradae, *Artemon*(429)....51
Androiavitae....105
andromeda, *Canadoceras*(1076)....103
Angatubia....97
angulata, *Barbosaiia*(562)....61
Angulus....86
angusta, *Jacquesia*(1009)....97
angusta, *Terraia*(835)....83
Anhembia....82
Anisothyris....93
Anodontia....76
Anodontites....76
Anodontopsis....75
Anomalodesmata....93
Anomia....73
Anomiidae....73
Anomioidea....73
Anoplophora....97
Anthraconaiia....59
Anthracosioidea....77
antigona, *Turritella*(143)....27
antiqua, *Streblopteria*(709)....72
antiquum, *Hauericeras*(1075)....103
Antillophos....38
aperta, *Calyptraea*(215)....32
Aphanoptixis....30
apicalis, *Inoceramus*(565)....62
*Apodi Formation**....12
apoidensis, *Acesta*(614)....65
Apolymetis....86
Aporrhaidae....32
Aporrhais....32
aracajuensis, *Anomia*(717)....73
aracajuensis, *Lopha*(635)....67
aracatiensis, *Liopista*(1034)....99
araguaiana, *Othonella*(1018)....98
araneosus, *Limipecten*(707)....72
arariensis, *Craginia*(174)....29
Arca....54
arcana, *Acteocina*(402)....48
arcana, *Pisania*(282)....38
Archaeogastropoda....16
Archaeopulmonata....49
Archicypraea....33
Architectonica....47
Architectonicidae....47
Architectonicae....47
Arcidae....54
Arcinae....54
Arcinella....91
Arcoida....54
Arcoidea....54
Arcticidae....88
Arcticoidea....88
arcuata, *Jacquesia*(1008)....97
arenaria, *Actinopteria t.*(555)....61
areneosus, *Sanguinolites*(991)....95
areithusa, *Turritella*(144)....27
areithusae, *Brasilennea*(430)....51
Argopecten....71
aridi, *Physa*(406)....49
arionis, *Pachydiscus*(1079)....103
ariquindai, *Craginia*(175)....29
arkosiae, *Pseudocorbula*(1011, 1016)....97
armata, *Forresteria*(1188)....111
areoerria, *Mortoniceras*(1112)....105
areoerium, *Oxytropidoceras*(1106)....105
arrecta, *Corbula*(946)....92
arrudai, *Diplodon*(748)....76
Artemon....51
avoredensis, *Isognomon*(547)....60
avoredensis, *Modiolus*(517)....58

- Asperiscala*....37
asperoides, *Alabina*(131)....26
assuana, *Caestocorbula*(954)....93
assuana, *Otostoma*(76)....22
Astarte....82
Astartella....82
Astartellopsis....82
Astartidae....82
astartiformis, *Gonodon*(1011)....97
Astartinae....82
Astartoidea....82
Astele....21
Astraea....21
Astraeinae....21
athena, *Pachydiscus*(1080)....103
Athletinae....40
ativum, *Sphaerium*(901)....88
Atrina....64
Aturia....101
Aturiidae....101
aulakoessa, *Terebra*(372)....46
Aulica....40
auressensis, *Plicatula*(659)....69
austinense, *Cerithium*(105)....24
Australorbis....49
austrina, *Anodontopsis*(744)....75
Austrodiscus....50
austronotica, *Modiomorpha*(733)....74
aviculatum, *Entolium*(714)....73
Aviculopecten....71
Aviculopectinidae....71
Aviculopectininae....71
Aviculopina....64
axistriatus, *Brachidontes*(513)....58
Aylacostoma....24
azevedoi, *Cypraea*(221)....33
Baculites....102
Baculitidae....102
*Bahia Group**....12
bahiaense, *Elobiceras*(1117)....106
bahiaensis, *Corbula*(938)....91
bahiaensis, *Neitheia*(673)....70
baini, *Platyostoma*(53)....20
baitacensis, *Sanguinolites*(992)....95
baixadoleitensis, *Nerinea*(192)....31
baixaleitensis, *Drepanocheilus*(212)....32
baixaleitensis, *Pholadomya*(1020)....98
baivaverdensis, *Inoceramus*(577)....62
Bakevelliidae....60
bakewellia, *Pteria*(538)....60
barbadinhica, *Anomia*(718)....73
Barbatia....55
Barbosai....61
barringtoni, *Edmondia*(964)....93
Barroisiceratas....111
Barroisiceratiniae....111
Basommatophora....49
bastosi, *Heteroplecten*(706)....72
batesi, *Anodontites*(758)....76
batistai, *Euomphalus*(31)....18
Bauchioceras....109
baumani, *Fusinus*(292)....39
baumanni, *Glycymeris*(506)....57
baumanni, *Pitar*(914)....89
*Bauru Group**....12
*Beberibe Formation**....12
bella, *Lacuna*(85)....23
Bellerophon....16
Bellerophontidae....16
Bellerophontoidea....16
bellistriata p., *Nucula*(436)....52
bellulus, *Tentaculites*(1197)....112
benderi, *Hoplitooides*(1167)....110
benderi, *Pseudotissotia*(1160)....109
bengtoni, *Rhyssomytiloides*(595)....64
benueensis, *Benueites*(1142)....108
Benueites....108
beurleni, *Mummites*(1136)....107
beurleni, *Rhyssomytiloides*(596)....64
bibiana, *Ecuadoria*(751)....76
bibiana, *Sheppardiconcha*(104)....24
bicarinata, *Aylacostoma*(97)....24
bineminis, *Glycymeris*(501)....57
Biomphalaria....49
bipleura, *Leinzia*(822)....81
biplicata, *Nerinea*(183)....30
bisinuosa, *Pleuromya*(1028)....99
bistricta, *Puzosia*(1070)....102
Bittium....26
Bivalvia....51
bleicheri, *Piestochilus*(320)....42
bodenberderi, *Sanguinolites*(993)....95
bokkeveldensis, *Janeia*(432)....51
bomba, *Fagesia*(1154)....109
Boreotrophon....38
bostrychites, *Spondylus*(715)....73
Bostrychoceras....102
Botula....59
bourgeoisianus, *Protexanites*(1186)....111
bourguyi, *Biomphalaria*(408)....49
Brachidontes....58
Brachypodella....51
Brachypodellinae....51
Brancoceratidae....105
brancoi, *Forresteria*(1189)....112
branneri, *Amalda*(333)....43
branneri, *Cerithium*(106)....24
branneri, *Fragum*(850)....84
branneri, *Nuculites*(452)....53
Brasilennea....51
brasiliiana, *Anadara*(491)....56
brasiliiana, *Clementia*(926)....90
brasiliiana, *Nerinea*(188)....30
brasiliiana, *Puzosia*(1073)....102
brasiliiana, *Turbinella*(314)....41
brasiliatum, *Tylostoma*(235)....34
brasilianus, *Nuculites*(453)....53
brasiliense, *Campanile*(129)....26
brasiliense, *Glyptoxoceras*(1067)....102
brasiliense, *Nemocardium*(866)....85
brasiliense, *Tylostoma*(235)....34
brasiliensis, *Astrea*(68)....21
brasiliensis, *Dosinia*(928)....91
brasiliensis, *Elobiceras*(1118)....106
brasiliensis, *Euconospira*(21)....17
brasiliensis, *Fragum*(851)....84
brasiliensis, *Glycymeris*(502)....57
brasiliensis, *Hoplitooides*(1168)....110
brasiliensis, *Janeia*(433)....51
brasiliensis, *Jacquesia*(1009)....97
brasiliensis, *Orthaulax*(201)....31
brasiliensis, *Pachydiscus*(1081)....103
brasiliensis, *Perinophorus*(804)....80
brasiliensis, *Sphenodiscus*(1192)....112
brasiliensis, *Stuchburia*(810)....80
brasiliensis, *Turbo*(66)....21
brasiliensis, *Veniella*(898)....88
brasiliensis, *Volutomorpha*(308)....41
brasiliensis, *Xenophora c.*(219)....33
braziliensis, *Inoceramus*(566)....62
braziliensis, *Nuculana*(442)....52
brevifrons, *Chicoreus*(276)....38
brevis, *Spathella*(738)....75
britoí, *Brachypodella*(426)....51
browni, *Acera*(400)....48
browni, *Aylacostoma*(101)....24
browni, *Leptodesma*(558)....61
browni, *Nuculana*(443)....52
brundretlei, *Forbesiceras*(1105)....105
brunetti, *Pachydiscus*(1082)....103
brunetti, *Astarte*(828)....82
brunnhilda, *Turritella*(145)....27
buarquianum, *Oxytropidocera*(1107)....105
buarquianum, *Serratocerithi*(130)....26
buddha, *Anagaudiceras*(1063)....101
Bucanella....16
Bucania....17
Bucaniidae....17
Buccinidae....38
Buccininae....38
bulbiformis, *Ampullina*(243)....35
bulbulus, *Natica*(228)....34
Bulinulinae....50
Bulinulus....50
bullula, *Olivella*(326)....42
bummeisteri, *Grammysia*(978)....94
caesarina, *Cytherea*(903)....88
Caestocorbula....93
Caestocorbulinae....93
calcis, *Olivella*(327)....42
calcivelatum, *Cerithium*(107)....24
calligona, *Lyria*(305)....40
callimorphus, *Chlamys*(680)....70
Calliostoma....20
Calliostomatinae....20
callipona, *Chama*(933)....91
Callista....90

- callizona*, *Turritella*(146)....27
Callucina....78
calumbiensis, *Inoceramus*(567)....62
calypso, *Cancellaria*(349)....44
Calyptoptomatida....100
Calyptraea....32
Calyptrophorus....31
camaguensis, *Pseudocorbula*(1016)....98
camargoi, *Casterella*(1006)....96
camaronensis, *Venericardia*(790)....79
cambahensis, *Aviculopecten*(695)....71
Campanile....26
Campanilidae....26
camposi, *Aviculopecten*(696)....71
camposi, *Cowperesia*(1016)....98
camposi, *Turridula*(371)....46
Camptonectes....70
camurupimensis, *Barbatia*(479)....55
camurupimica, *Pteria*(539)....60
camurupiniclus, *Modiolus*(518)....58
Canadoceras....103
canamaensis, *Corbula*(939)....92
canaliculata, *Alabina*(132)....26
Cancellaria....44
Cancellariidae....44
Cancellariinae....44
Cancellarioidea....44
cancellata, *Chione*(906)....89
candida, *Barbatia*(482)....55
candida, *Pyramidella*(387)....47
cannada, *Venericardia*(791)....79
cannada, *Volvula*(399)....48
canrena, *Natica*(232)....34
capanamensis, *Chlamys*(689)....71
capivariensis, *Limipecten*(708)....72
capricornus, *Grammysioidea*(983)....95
capulus, *Inoceramus*(568)....62
carbonarius, *Euphemites*(5)....16
CARBONIFEROUS*....10
carboniferous, *Aviculopecten*(697)....71
Cardiidae....83
Cardiinae....83
cardinalis, *Ferrazia*(1003)....96
Cardioidea....83
Cardiomorpha....94
Cardita....79
Carditamera....80
Carditamerinae....80
Carditidae....79
Carditinae....79
Carditoidea....79
Cardium....83
carinata, *Itaitubia*(22)....17
carinata, *Jacquesia*(1009)....97
carinata, *Plesiocyprinella*(1005)....96
carinata, *Pteria*, *b.*(538)....60
carinatus, *Pachydon*(957)....93
carlotae, *Cymatium*(260)....36
carregozica, *Anomia*(719)....73
carregozica, *Gymnentome*(171)....29
carvalhoi, *Bulimulus*(418)....50
Carychiidae....49
Carychium....49
Caryocorbula....92
cascudo, *Pycnodonte*(644)....67
Cassidae....36
Cassinae....36
cassilabra, *Ebora*(86)....23
Cassiopinae....29
Castalia....76
castelensis, *Divaricella*(783)....78
castelobrancoi, *Curvostrea*(621)....66
Casterella....96
catandubica, *Aylacostoma*(98)....24
catarinensis, *Warthis*(6)....16
catharinæ, *Heteropecten*(706)....72
caudata, *Leptoterraia*(1010)....97
cedroensis, *Mytiloides* *L.*(585)....63
cedroensis, *Plicatula*(660)....69
CENOZOIC*....13
centralis, *Calyptraea*(216)....33
Cephalaspidea....47
Cephalopoda....101
cephalotus, *Neptychites*(1159)....109
Ceratites....101
Ceratitidae....101
Ceratitinae....101
Ceratoidea....101
cerebris, *Edmondia*(965)....94
cererideditus, *Chlamys*(681)....70
cereris, *Marginella*(335)....43
cereris, *Solecurtus*(883)....86
cerestes, *Tellina*(875)....86
Cerithiidae....24
Cerithiinae....24
Cerithioidea....24
Cerithiopsidae....37
Cerithiopoidea....37
Cerithium....24
cerux, *Natica* *s.*(233)....34
Chaetomya....100
Chama....91
Chamidae....91
Chamoidea....91
chapadensis, *Bucania*(16)....17
charruana, *Mytella*(525)....58
chelonitis, *Calyptrophorus*(200)....31
Chenopus....32
Chicoreus....38
childrenae, *Miltha*(782)....78
childreni, *Miltha*(782)....78
Chione....88
Chioninae....88
Chlamidinae....70
Chlamys....70
chlorostomoides, *Cymatium*(261)....36
Choffaticeras....110
chordata, *Caestocorbula*(955)....93
chouberti, *Mammites*(1133)....107
chronichi, *Sanguinolites*(994)....96
chrysallis, *Volutomitra*(346)....44
Cimitaria....96
Cimonia....101
circinata, *Pitar*(915)....89
circularis, *Lucina*(1011)....97
cirrus, *Calliostoma*(59)....20
clarkei, *Sanguinolites*(996)....96
Clausilia....49
Clausiliidae....49
Clausiliinae....49
Clausiloidea....49
Clava....26
Clavagella....99
Clavagellidae....99
Clavagelloidea....99
clavula, *Styolina*(1205)....113
Cleidophorus....53
Clementia....90
Clementiinae....90
cleithra, *Terebra*(373)....46
coalvillensis, *Craginia*(176)....29
coelhoanus, *Aviculopecten*(698)....71
coelhoi, *Bulimulus*(419)....50
Coilopoceras....110
Coilopoceratidae....110
collapsus, *Pecten*(667)....69
colleti, *Coilopoceras*(1175)....110
Collignoceratidae....111
Collignoceratinæ....111
coloradoense, *Watlinoceras*(1139)....108
coloradoensis, *Pholadomya*(1021)....98
colossea, *Cardiomorpha*(977)....94
Colubraria....40
Colubrariinae....40
columba, *Exogyra*(649)....68
columna, *Halistylus*(64)....21
cominatoi, *Monocondyla*(766)....77
commemorata, *Meekia*(885)....87
compressum, *Gombeoceras*(1156)....109
compressum, *Pachyvascoc*(1154)....109
concentrica, *Dosinia*(928)....91
concentrica, *Isocyprina*(888)....87
conchyliophora, *Xenophora*(219)....33
concinnatus, *Chlamys*(690)....71
conditorius, *Conus*(356)....45
conica, *Exogyra*(650)....68
Conidae....44
Conoidea....44
conoïdes, *Pleurotomaria*(24)....18
Conomitra....44
consors p., *Drillia*(366)....45
contorta, *Terraia*(889)....87
Conus....44
coopericellus, *Chlamys*(691)....71
coppingeri, *Nassarius*(285)....39
coqueiroensis, *Pterotrigona*(725)....74
Corbiculoidæ....88

- Corbis*.....78
Corbula.....91
Corbulidae.....91
Corbulinae.....91
cordeliae, *Chione*(909).....89
cordeliae, *Trigonocardia*(857).....84
Cordiceramus.....62
cornurectus Murex(276).....38
coronata, *Aylacostoma*(102).....24
corpulenta, *Edmondia*(966).....94
corrugata, *Grammysioidea*(984).....95
corrugata, *Prisodon*(746).....75
corticesculpturata, *Serpulorbis*(182).....30
corumbataiensis, *Roxoa*(1026).....98
costata, *Myonia*(1024).....98
costatus, *Trigonus*(835).....82
Costellariidae.....44
*Cotinguiba Formation**.....12
coutinhoana, *Bucanella*(9).....16
coutinhoanum, *Fragum*(852).....84
coutinhoi, *Cardium*(838).....83
coutinhoi, *Neinea*(189).....30
coutoanus, *Platyceras*(38).....19
Cowperesia.....97
cowperesioides, *Pyranus*(1017).....98
coxanus, *Aviculopecten*(699).....71
Coxesia.....58
Craginia.....29
crandalli, *Anadara*(485).....55
crandalli, *Drillia*(367).....45
crandalli, *Tylostoma*(236).....34
crashleyi, *Anadara*(491).....56
crashleyi, *Glycymeris*(502).....57
crassa, *Littoridina*(93).....23
Crassatella.....80
Crassatellidae.....80
Crassatellinae.....80
Crassatellites.....80
Crassatelloidea.....80
crassicostatus, *Heteropecten*(706).....72
Crassinella.....81
crassiplicata, *Marginella*(336).....43
Crassispira.....46
Crassispirinae.....46
crassus, *Bellerophon*(1).....16
crassus, *Pachydon*(961).....93
Cremonoceramus.....64
crenulata, *Ostrea*(622).....66
Crepidula.....32
Crepiduloidea.....32
Crepidulidae.....32
Crenellinae.....59
cretacea, *Cymbiola*(304).....40
CRETACEOUS*.....11
Criocardium.....83
crotalinus, *Tentaculites*(1198).....112
crucialis, *Lucina p.*(774).....78
Crucibulum.....33
Cryptorhytis.....42
Cryptospira.....43
Ctenodonta.....51
Ctenodontidae.....51
Ctenodontoidea.....51
Cucullaea.....56
Cucullaearpa.....56
Cuculaeidae.....56
Cunearca.....56
cuneata, *Myonia*(1025).....98
cuneatus, *Pachydon*(958).....93
cunningtoni m., *Euomphaloc*(1132).....107
curta, *Leinzia*(823).....81
curta, *Lyosoma*(87).....23
*Curuá Formation**.....10
curua, *Platyceras w.*(51).....19
curvata, *Terraia*(890).....87
Curvostrea.....66
Cuspidaria.....99
Cuspidariidae.....99
cuvieri, *Inoceramus*(569).....62
Cyclininae.....91
Cycloconchoidea.....75
Cyllichna.....48
cylindraceus, *Trochacteon*(395).....48
Cymatiidae.....36
Cymatiinae.....36
Cymatium.....36
Cymbiinae.....40
Cymbiola.....40
Cymbophora.....85
Cypraea.....33
Cypraeidae.....33
Cypraeoidea.....33
Cypriocardella.....81
Cyprineria.....91
Cytherea.....88
Dacryonarida.....113
daidelus, *Chlamys*(692).....71
dalli, *Strombiformis*(269).....37
dalliana, *Archicypraea*(226).....33
dallianus, *Strombus*(197).....31
Dallocardia.....85
Damesites.....103
daphne, *Vicarya*(136).....27
dariena, *Clementia*(926).....90
darwini, *Platystoma*(54).....20
decamposi, *Astele*(62).....20
dechordata, *Harpa*(310).....41
declivus, *Modiolus*(519).....58
decussata, *Lambis*(204).....31
decussata, *Pinna*(601).....64
deflexa, *Solenomorpha*(888).....87
defossa, *Macra*(869).....85
deletrei, *Liostrea*(643).....67
delgata, *Corbula*(947).....92
delicata, *Peruvipira*(23).....17
delicata, *Relogicula*(1019).....98
delicia, *Cyllichna*(403).....48
dellicatula, *Rimella*(205).....32
denotans, *Terebra*(374).....46
densicostatus, *Prosopecten*(1044).....100
densiplicata, *Chaenomya*(1045).....100
Dentaliida.....100
Dentaliidae.....100
Dentalium.....100
depressa, *Trepostira*(30).....18
depressus, *Nuculites*(454).....53
dequechi, *Edmondia*(967).....94
derbyi, *Astele*(63).....20
derbyi, *Bucanella*(10).....16
derbyi, *Diodora*(34).....18
derbyi, *Fossula*(765).....77
derbyi, *Plagiostoma*(616).....65
derbyi, *Terebra*(375).....46
derbyi, *Umbraculum*(404).....18
dereimsi, *Bucanella*(11).....17
deshayesi, *Anadara*(486).....55
Desmoceratidae.....102
Desmoceratinæ.....102
Desmoceratoidea.....102
deverianus, *Romaniceras*(1131).....107
DEVONIAN*.....10
Diastomatidae.....26
Didymotis.....72
diglypha, *Heteropecten*(706).....72
dilabida, *Crassatella*(811).....80
diluviana, *Lopha*(636).....67
diminuta, *Pitar*(916).....89
Diodora.....18
Diodorinae.....18
Diplodon.....76
Diplomoceratidae.....102
Dirocerithium.....26
disclusa, *Barbatia*(480).....55
discoidum, *Coilopoceras*(1176).....111
dissita, *Gervillia*(549).....60
distans, *Ostrea*(623).....66
distortus, *Pachydon h.*(961).....93
Divaricella.....78
Divaricellinae.....78
diversa, *Nuculana*(444).....52
dixeyi, *Mammites*(1134).....107
doellojuradoi, *Chione*(904).....88
dolum, *Peruviella*(81).....22
domingosi, *Modiolus*(520).....58
dominguesi, *Inoceramus*(570).....62
Donacidae.....87
doris, *Fusinus*(293).....39
Doryia.....83
Dosinia.....90
Dosinidia.....90
Dosininae.....90
dossantosi, *Pachydiscus*(1083).....103
Douvilleiceras.....104
Douvelliceratidae.....104
Douvilleiceratinae.....104
Drepanocheilus.....32
dredensis, *Mytiloides*(581).....63

- Dreissena*.....88
Dreissenidae.....88
Dreissenoidae.....88
dreysseniiformis, *Modiolus*(521)....58
Drillia.....45
Drilliinae.....45
duartei, *Gryphaeostea*(656)....68
duartei, *Hoplitoïdes*(1169)....110
duartei, *Pteria*(540)....60
dubia, *Hydrobia*(88)....23
dutrae, *Cucullaea*(494)....56
dutiae, *Tellina*(876)....86
Dyris....23
ebenina, *Drillia*(370)....46
eboreum, *Toxosoma*(87)....23
echinata, *Clavagella*(1039)....100
Echinochama....91
echwegii, *Ptychopteria*(552)....61
Ecuadoria....76
Edmondia....93
Edmondiidae....93
Edmondiinae....93
egleri, *Anadara*(487)....55
eldredgianus, *Tentaculites*(1199)....112
electra, *Neritopsis*(79)....22
elegans, *Antillophos*(248)....35
elegans, *Prosopecten*(1046)....100
elicita, *Turritella*(148)....28
ellipticum, *Legumen*(930)....91
Ellobioidea....49
Elobiceras....106
elongata, *Holdhausiella*(1015)....97
elongata, *Pinzonella*(833)....82
elongata, *Volutomorpha*(309)....41
elongatus, *Pleurophorus*(1015)....97
elongatus, *Trochacteon*(396)....48
emerita, *Leptoterra*(1011)....97
Endodontidae....50
endymion, *Pachydiscus*(1084)....103
endymionis, *Cardium*(839)....83
engenholyria, *Natica*(229)....34
Enneinae....51
Entoliidae....73
Entolium....73
entreriana, *Polinices*(246)....35
Eoborus....50
Eocithara....41
eoexustus, *Brachidontes*(514)....58
Eotomiinae....17
Eotomariidae....17
ephippium, *Anomia*(723)....74
Epitonidae....37
Epitoninae....37
Epitonioidae....37
Epitonium....37
epops, *Phthonia*(527)....59
erda, *Cucullaea*(495)....56
erebus, *Modiomorpha*(734)....74
erectus, *Pachydon*(959)....93
*Eterê Formation**....10
ererensis, *Nuculites*(455)....53
Ergonoceratidae....104
erichseni, *Crassinella*(820)....81
erichseni, *Terraia*(891)....87
erichseni, *Venia*(899)....88
Eriphylla....83
Eriphylinae....83
eroessa, *Plicatula*(661)....69
eschii, *Kamerudoceras*(1146)....108
estaciana, *Marginella*(337)....43
estaciana, *Terebra*(376)....46
estacianum, *Fragum*(853)....84
etheridgi, *Neritina*(71)....21
*Etiva Formation**....12
Eubora....23
Eucalycoceras....106
euclethra, *Cancellaria*(350)....44
Euconospira....17
Eucrassatella....81
Eucyclus....20
eudaidalus, *Here*(780)....78
eudaidela, *Architeconica*(383)....47
eudaiela, *Chama*(934)....91
euglypta, *Pitar*(917)....90
Euhoplitidae....105
Eulimidae....37
Eulimoidea....37
Eulophoceras....112
eumila, *Glycymeris*(503)....57
eumita, *Glycymeris*(503)....57
Euomphalidae....18
Euomphaloceras....18
Euomphaloidea....107
Euomphalus....18
Euphemites....16
Euphemus....16
euphydryas, *Turritella*(147)....27
Euptera....60
eurydice, *Natica*(230)....34
eurydice, *Pachydiscus*(1085)....103
Eusebia....56
Euspira....35
Eutrephoceras....101
Eutrochus....20
euzebioi, *Douvilleiceras*(1099)....104
euzebioi, *Gryphaeostrea*(657)....68
euzebioi, *Lopha*(637)....67
euzebioi, *Pachydiscus*(1086)....103
excavata, *Nuculana*(1011)....97
Exogyra....68
Exogyrinae....68
expansa, *Kidodia*(768)....77
exuberata, *Otostoma*(77)....22
Fagesia....109
falcata, *Mytella*(525)....59
falconeri, *Pseudocorbula*(1016)....98
Falsifusus....39
Fasciolaria....39
Fasciolaritidae....39
Fasciolarinæ....39
faustum, *Crucibulum*(218)....33
Favatia....97
fazendaestivica, *Plagiostoma*(617)....65
fazendicus, *Bulimus*(420)....50
felix, *Sconsia*(257)....36
Ferrazia....96
ferreira, *Semele*(882)....86
ferreira, *Bulimus*(421)....50
ferreira, *Iphigenia*(886)....87
ferroviaria, *Terraia*(892)....87
Ficidae....36
fictilis, *Phos*(283)....38
Ficus....36
fiegei, *Mytiloides*(582)....63
Fimbria....78
Fimbriidae....78
fissicostatus, *Pecten*(668)....69
Fissurellidae....18
Fissurelloidea....18
flabellifera, *Plicatula*(661)....69
flicki, *Euptera*(551)....60
florencae, *Sharpeiceras*(1121)....106
florencei, *Dentalium*(1052)....100
Florenceia....76
fluctivagus, *Lucina*(776)....78
fluminensis, *Vorticifex*(411)....49
folleatum, *Acanthoceras*(1127)....107
footeanum, *Pseudaspidocer*(1144)....108
forbesi, *Ptomatis*(7)....16
Forbesiceras....105
Forbesiceratidae....105
formosissima, *Kidodia*(769)....77
Forresteria....112
fortalezensis, *Diodora*(35)....18
Fossula....77
Fraginae....84
Fragum....84
freia, *Cucullaea*(496)....56
freitasi, *Anodontites*....76
freitasi, *Bucania*(17)....17
freitasi, *Cerithium*(108)....24
freitasi, *Toechomya*(731)....74
froesi, *Anhembia*(825)....82
frugalis, *Lucina*(772)....77
furmanianum, *Platyostoma*(55)....20
furonii, *Trigonarca*(508)....57
Fusininae....39
Fusinus....39
gabbi, *Sinum*(256)....36
gabonensis, *Pseudotissotia*(1162)....109
galateae, *Trachycardium*(862)....85
gamai, *Vascoceras*(1153)....109
gankaensis, *Michelinoceras*(1055)....101
ganguararica, *Crassatella*(812)....81
ganhamoroba, *Exogyra*(651)....68
garajuana, *Puzosia*(1071)....102

<i>gardneri</i> , <i>Epitonium</i> (264)....37	<i>Gryphaeinae</i>67	<i>Heteropecten</i>72
<i>gardneri</i> , <i>Grammysia</i> (979)....95	<i>Gryphaeostrea</i>68	<i>Hinia</i>39
<i>gasparini</i> , <i>Mesorhytis</i> (348)....44	<i>guayabanus</i> , <i>Prionocyclus</i> (1181)....111	<i>Hippochrenes</i>32
<i>GASTROPODA</i>16	<i>guentheri</i> , <i>Watinoceras</i> (1140)....108	<i>Hippuritoida</i>91
<i>Gaudryceratidae</i>101	<i>Guerangeria</i>75	<i>holdhausi</i> , <i>Myophoria</i> (893)....87
<i>gaudryi</i> , <i>Prionocyloceras</i> (1182)....111	<i>Guiratingia</i>100	<i>Holdhaesiella</i>97
<i>geminatus</i> , <i>Pecten</i> (668)....69	<i>Gymnentome</i>29	<i>HOLOCENE*</i>14
<i>gemmulata</i> , <i>Terebra</i> (377)....46	<i>haemastoma</i> , <i>Thais</i> (279)....38	<i>Homalopomatinae</i>21
<i>gerthi</i> , <i>Peruviella</i> (81)....22	<i>Haenleinia</i>62	<i>hopkinsi</i> , <i>Ammonites</i> (1071)....102
<i>Gervilleia</i>60	<i>haitense</i> , <i>Vasum</i> (322)....42	<i>Hoplitiidae</i>105
<i>Gervilleia</i>60	<i>haitensis</i> , <i>Pycnodonte</i> (645)....68	<i>Hoplitiinae</i>105
<i>geslinianus</i> , <i>Metoicoceras</i> (1150)....108	<i>halioitoidea</i> , <i>Exogyra</i> (652)....68	<i>Hoplitoidea</i>105
<i>gettyi</i> , <i>Pachydiscus</i> (1087)....103	<i>Halistylinae</i>21	<i>Hoplitooides</i>105, 110
<i>gibber</i> , <i>Tellina</i> (879)....86	<i>halli</i> , <i>Ammonites</i> (1195)....112	<i>hortensium</i> , <i>Cardium</i> (840)....83
<i>gibbonianus</i> , <i>Ammonites</i> (1194)....112	<i>Halystylus</i>20	<i>howei</i> , <i>Oxytrypidoceras</i> (1108)....105
<i>gibbosulus</i> , <i>Hoplitoidea</i> (1170)....110	<i>Hamites</i>101	<i>humboldti</i> , <i>Ptychopteria</i> (553)....61
<i>gibbus</i> , <i>Chlamys</i> (693)....71	<i>Hamitella</i>102	<i>humerosa</i> w., <i>Turritella</i> (148)....27
<i>giga</i> , <i>Corbula</i> (948)....92	<i>Hamitidae</i>101	<i>hussaki</i> , <i>Platyceras</i> (41)....19
<i>gigantea</i> , <i>Anhembia</i> (826)....82	<i>Harpa</i>41	<i>Hydrobia</i>23
<i>gigantea</i> , <i>Physa</i> (407)....49	<i>harpax</i> , <i>Pseudocalycoceras</i> (1124)....106	<i>Hydrobiidae</i>23
<i>gigas</i> , <i>Strombus</i> (198)....31	<i>Harpidae</i>41	<i>Hydrobiinae</i>23
<i>gilletianus</i> , <i>Tropidodiscus</i> (18)....17	<i>Harpiniae</i>41	<i>Hyolites</i>100
<i>gilliana</i> , <i>Simnia</i> (227)....33	<i>harpya</i> , <i>Turris</i> (363)....45	<i>Hyolithida</i>100
<i>Glebosoceras</i>111	<i>harrisi</i> , <i>Morum</i> (312)....41	<i>Hyolithidae</i>100
<i>glebosum</i> , <i>Glebosoceras</i> (1180)....111	<i>harrisi</i> , <i>Siphonalia</i> (280)....38	<i>Hyria</i>75
<i>glendonensis</i> , <i>Chlamys</i> (683)....70	<i>hartti</i> , <i>Anodontites</i> (760)....76	<i>Hyriidae</i>75
<i>globosum</i> , <i>Pachyascoceras</i> (1154)....109	<i>hartti</i> , <i>Cancellaria</i> (351)....44	<i>hystriculum</i> , <i>Hamites</i> (1064)....102
<i>globosum</i> , <i>Tylostoma</i> (235, 253)....34, 36	<i>hartti</i> , <i>Cerithium</i> (110)....25	<i>ibari</i> , <i>Glycymeris</i> (504)....57
<i>Globulariinae</i>34	<i>hartti</i> , <i>Cypriocardella</i> (816)....81	<i>Idonearca</i>56
<i>glomeramen</i> , <i>Linga</i> (781)....78	<i>hartti</i> , <i>Idonearca</i> (499)....56	<i>igarassuense</i> , <i>Cancellaria</i> (352)....44
<i>glucomarides</i> , <i>Ostrea</i> (624)....66	<i>hartti</i> , <i>Pachyascoceras</i> (1155)....109	<i>iguapensis</i> , <i>Megalobulimus o.</i> (415)....50
<i>Glycymeridae</i>57	<i>hartti</i> , <i>Parallelodon</i> (493)....56	<i>illus</i> , <i>Pinzonella</i> (834)....82
<i>Glyptoxoceras</i>102	<i>hartti</i> , <i>Pitar</i> (918)....90	<i>imbrica</i> , <i>Plagiostoma</i> (618)....65
<i>goeldii</i> , <i>Strombus</i> (199)....31	<i>hartti</i> , <i>Platyceras</i> (40)....19	<i>imbricata</i> , <i>Arca</i> (474)....54
<i>goldfussis</i> , <i>Myoconcha</i> (809)....80	<i>hartti</i> , <i>Sergipia</i> (579)....63	<i>immortalis</i> , <i>Diodora</i> (36)....18
<i>goliath</i> , <i>Olivella</i> (328)....42	<i>harttianum</i> , <i>Cerithium</i> (110)....25	<i>inaequilateralis</i> , <i>Anadara</i> (488, 490)....55, 56
<i>Gombeoceras</i>109	<i>hassebmanni</i> , <i>Hoplitoidea</i> (1171)....110	<i>Inajá Formation*</i>10
<i>gongilense</i> , <i>Gombeoceras</i> (1156)....109	<i>Hauriceras</i>103	<i>inaugurata</i> , <i>Nerinea</i> (124)....26
<i>Goniophora</i>75	<i>Hauericeratinae</i>103	<i>increbescens</i> , <i>Tylostoma</i> (237)....34
<i>Gonodon</i>97	<i>hauxelli</i> , <i>Pachydon</i> (961)....93	<i>incurvata</i> , <i>Liopista</i> (1032)....99
<i>gonzagae</i> , <i>Cerithium</i> (109)....25	<i>hawni</i> , <i>Pseudomonotis</i> (713)....73	<i>independenciae</i> , <i>Plicatula</i> (662)....69
<i>Gonzagia</i>30	<i>hazzardi</i> , <i>Prionocyloceras</i> (1183)....111	<i>independenciae</i> , <i>Turritella</i> (149)....28
<i>goppelnensis</i> , <i>Mytiloides</i> (853)....64	<i>hebe</i> , <i>Mesalia</i> (168)....29	<i>index</i> , <i>Edmondia</i> (968)....94
<i>gorceixi</i> , <i>Sanguinolites</i> (996)....96	<i>Helicaulax</i>32	<i>indicum</i> , <i>Bostrychoceras</i> (1066)....102
<i>gordoni</i> , <i>Barbosai</i> (563)....61	<i>Helococeras</i>102	<i>indissolubilis</i> , <i>Chlamys</i> (682)....70
<i>gracilis</i> , <i>Dyris</i> (94)....23	<i>Helisomatinae</i>49	<i>indistinctum</i> , <i>Nemocardium</i> (867)....85
<i>gracilis</i> , <i>Platysercas</i> (39)....19	<i>helmreicheni</i> , <i>Modiomorpha</i> (735)....74	<i>infelix</i> , <i>Cymatium</i> (262)....36
<i>Gramame Formation*</i>12	<i>Hemisinus</i>24	<i>infelix</i> , <i>Pteria</i> (541)....60
<i>gramamensis</i> , <i>Pecten</i> (669)....69	<i>heneckeni</i> , <i>Anadara</i> (490)....56	<i>infortunata</i> , <i>Anchura</i> (210)....32
<i>Grammysia</i>94	<i>hera</i> , <i>Pachydiscus</i> (1088)....104	<i>ingens</i> , <i>Hoplitoidea</i> (1172)....110
<i>Grammysiidae</i>94	<i>Hercoglossa</i>101	<i>Inoceramidae</i>62
<i>Grammysioidea</i>94	<i>Hercoglossidae</i>101	<i>Inoceramus</i>62
<i>Granocardium</i>83	<i>hercynicus</i> , <i>Mytiloides</i> (584)....63	<i>inornata</i> , <i>Nuculana</i> (445)....52
<i>granulata</i> , <i>Architectonica</i> (385)....47	<i>Here</i>78	<i>inornatus</i> , <i>Orthaulax</i> (202)....31
<i>graptera</i> , <i>Lima</i> (608)....65	<i>hermes</i> , <i>Pachydiscus</i> (1089)....104	<i>insepultum</i> , <i>Trapezium</i> (900)....88
<i>grata</i> , <i>Turbanella</i> (315)....41	<i>herzteri</i> , <i>Streblopteria</i> (710)....72	<i>interlineata</i> , <i>Lima</i> (612)....65
<i>gratiosa</i> , <i>Casterella</i> (1007)....96	<i>Heterobranchia</i>47	<i>intermedia</i> , <i>Terraia</i> (893)....87
<i>Graysonites</i>112	<i>Heterodonta</i>77	<i>interplicosa</i> , <i>Pseudolimnea</i> (610)....65
<i>Gryphaeidae</i>67	<i>Heteroglossa</i>37	

- interrupta*, *Turbonilla*(388)....47
intraornata, *Architectonica*(384)....47
intricans, *Roxoa*(1027)....98
invalida, *Ostrea*(625)....66
invalida, *Pteria*(542)....60
involuta, *Fagesia*(1157)....109
involutum, *Oxytropidoceras*(1111)....105
Iphigenia....87
ipubiensis, *Turritella*(150)....28
iratiensis, *Terraia*(894)....87
isabelae, *Cerithium*(115)....25
isaura, *Venericardia*(792)....79
Isocardia....84
Isocyprina....87
Isognomon....60
Isognomonidae....60
isolda, *Cucullaea*(496)....56
itaboraiensis, *Biomphalaria*(409)....49
Itaimbea....76
itajaiensis, *Oriocrassatella*(815)....81
itatigensis, *Turritella*(151)....28
Itaborahia....50
Itaborai Formation*....13
Itaituba Formation*....11
Itaitubia....17
itapassarocanum, *Cardium*(841)....83
Itapecuru Formation*....12
itaporangica, *Nerinoides*(195)....31
Itieriidae....22
jacobi, *Mammites*(1135)....107
jacobi, *Ostrea*(626)....66
jacobsoni, *Kamerunoceras*(1147)....108
jacoquea, *Cerithium*(111)....25
Jacquesia....97
jaculus, *Tentaculites*(1200)....112
jaekeli, *Watinoceras*(1141)....108
jaguariaivensis, *Pholadella*(986)....95
jamaicensis, *Crassispira*(370)....46
jamaicensis, *Nemocardium*(868)....85
Janeia....51
Jandaira Formation*....13
japaratubensis, *Hoplitooides*(1173)....110
japarcensis, *Chlamys*(684)....70
jenkinsi, *Cardium*(842)....83
jessupae, *Trigonarca*(509)....57
jukesbrowni, *Acanthoceras*(1128)....107
*JURASSIC**....11
Kamerunoceras....108
Kanabiceras....107
kansasensis, *Myalina*(531)....59
karsteni, *Cimitaria*(1002)....96
Katzeria....61
kayseri, *Nucula*(437)....52
kayseri, *Pleurotomaria*(25)....18
kegeli, *Baculites*(1065)....102
keokuki, *Myalina*(532)....59
kerux, *Natica* s.(233)....34
Kidodia....77
Kionoceras....101
Kionoceratinae....101
kittli, *Myophoriopsis*(888)....87
knodi, *Prothyris*(989)....95
koeneri, *Choffaticeras*(1166)....110
koeplitzi, *Inoceramus*(578)....62
kraatzii, *Vasum*(323)....42
kruegeri, *Nucula*(438)....52
labiatus, *Mytiloides*(585)....63
lacerdae, *Lioplacoides*(83)....22
Lacuna....22
Lacuninae....22
Laevicardiinae....85
Laevicardium....85
laevigatum, *Laevicardium*(863)....85
laevigata, *Anomia*(722)....73
laevigata, *Turbinella*(316)....41
lagoapiatensis, *Ostrea*(627)....66
lagoensis, *Sanguinolites*(997)....96
Lambis....31
lamegoi, *Bulinulus*(422)....50
lamegoi, *Hercoglossa*(1058)....101
lamegoi, *Terraia*(895)....88
Lamelloconcha....89
lamellosus, *Naiadopsis*(739)....75
langei, *Astartella*(830)....82
langei, *Leptodesma*(556)....61
langei, *Ptychopteria*(554)....61
langei, *Sanguinolites*(998)....96
lapeyrousei, *Eucyclus*(58)....20
laqueata, *Tryonia*(95)....23
lastroensis, *Fasciolaria*(289)....39
lastroensis, *Mortoniceras*(1113)....105
lastroensis, *Neitheia* q.(678)....70
lata, *Cruginia*, a.(174)....29
lateralis, *Exogyra*(658)....68
Laternula....99
Laternulidae....99
latiauratus, *Leptopecten*(671)....69
laticarinata, *Bucanella*(12)....17
laticlavius, *Sharpeiceras*(1122)....106
laticostata, *Atrina*(603)....64
laxus, *Euomphalus*(32)....18
Leda....52
leei, *Cerithium*(112)....25
lefrevrei, *Rioclaroa*(1040)....100
Legumen....91
Leinzia....81
Leiopteria....61
lenti, *Prionocycloceras*(1184)....111
Lenticeratininae....112
lenticularis, *Eriphylla*(836)....83
Leptopecten....69
Leptoterraia....97
Leptothyra....21
lettica, *Anoplophora*(1012)....97
Leucozonia....40
Leukoma....89
Levifusus....39
ligeriensis, *Liopista*(1035)....99
limai, *Nuculana*(446)....52
limata, *Nerita*(69)....21
Lima....65
Limatula....65
Limidae....65
Limipecten....72
Limoida....65
Limoidea....65
limopsis, *Volutocorbis*(307)....41
Limopoidea....57
lineatum, *Myophoricardium*(1009)....97
linda, *Glycymeris*(500)....57
Linga....78
linguiformis, *Pteria*(543)....60
linistrata, *Laternula*(1031)....99
linoi, *Venericardia*(793)....79
lintea, *Hydrobia*(89)....23
Liopista....99
Lioplacoides....22
Liostrea....67
Liris....23
Lirophora....89
lisboae, *Conus*(357)....45
Lithophaga....59
Lithophaginae....59
Littoridina....23
Littoridiinidae....23
Littorinidae....22
Littorinoidea....22
lombardi, *Lopha*(638)....67
longa, *Pteria*(544)....60
Longchaeus....47
longesperatus, *Conus*(358)....45
longior, *Glycymeris*(505)....57
longissima, *Leptoterraia*(1012)....97
longiusculus, *Fusinus*(294)....39
Longiverena....24
Lopatinia....56
lopesi, *Astrodiscus*(417)....50
Lopha....67
Lophinae....67
lozoi, *Graysonites*(1196)....112
lucianoi, *Acteon*(391)....47
lucianoi, *Coilopoceras*(1177)....111
lucianoi, *Diplodon*(749)....76
lucianoi, *Turritella*(152)....28
Lucina....77
Lucinidae....77
Lucininae....77
luciniolae, *Lucina*(777)....78
Lucinisca....78
Lucinoidea....77
Lunatia....35
lundi, *Grammysia*(980)....95
lunula, *Lunatia*(250)....35
lusatiae, *Mytiloides*(586)....63
lyelli, *Aviculopecten*(700)....72
Lyelliceratidae....106
lyoni, *Corbula*(940)....92

- Lyosoma.....22, 23
 lyra, *Corbula*(941).....92
 lyrae, *Cerithium r.*(118).....25
 Lyrica, *Cratinia*(177).....29
 Lyria.....40
 Lyriinae.....40
 Lytoceratidae.....101
 Lytoceratina.....101
 Lytoceratinae.....101
 Lytoceratoidea.....101
maacki, *Edmondia*(969).....94
 Maakia.....87
macedoi, *Anomia*(720).....73
 Macoma.....86
 Macominae.....86
 Macrocallista.....90
 Macrodon.....56
 Macrophragma.....30
macroptera, *Pseudolacuna*(87).....23
macrovoluta, *Cypraea*(222).....33
 Mactra.....85
 Mactridae.....85
 Mactrinae.....85
 Macroidea.....85
macrotrides, *Pleuromya*(1029).....99
maculata, *Callista*(923).....90
 Maecuru Formation*.....10
 Maeonia.....98
magalhaesi, *Clausilia*(414).....50
magnifica, *Palaeoneilo*(465).....54
magnificus o., *Thaumastus*(425).....50
maiae, *Fimbria*(785).....78
majora, *Nuculites n.*(456).....53
malaevissima, *Plagiostoma*(619).....66
 Mallettiidae.....53
 Mammites.....107
 Mammitinae.....107
manteia, *Carditamera*(803).....80
 Mantelliceratinae.....106
 Mantellum.....65
 Manuaniceras.....105
manzairni, *Fimbria*(784).....78
marahuana, *Pholadomya*(1022).....98
marahuana, *Turritella*(153).....28
marahuanus, *Serrifusus*(297).....40
maranhensis, *Acesta*(615).....65
marcouana, *Pleurotomaria*(26).....18
 Marginella.....43
 Marginellidae.....43
 Marginellinae.....43
 Maria Farinha Formation*.....13
nariae, *Nucula*(439).....52
mariae, *Serrifusus*(298).....40
marisaustralis, *Venericardia*(794).....79
maritima, *Obeliscus*(427).....51
maroimensis, *Corbula*(942).....92
maroimensis, *Crassatella*(813).....81
maroimensis, *Modiolus*(522).....58
maroimensis, *Mortoniceras*(1114).....106
maroimensis, *Ostrea*(628).....66
marplatensis, *Mactra*(870).....85
marrecasia, *Mortoniceras*(1115).....106
martialis, *Myophoria*(1009).....97
martini, *Cryptospira*(344).....43
martinicensis, *Crassinella*(821).....81
materinum, *Tylostoma*(238).....34
mauryae, *Aporrhais*(207).....32
mauryae, *Coilopoceras*(1178).....111
mauryae, *Dentalium*(1051).....100
mauryae, *Fimbria*(786).....79
mauryae, *Gymnentome*(172).....29
mauryae, *Nerinea*(190).....30
mauryae, *Oxytropidoceras*(1110).....105
mauryae, *Polinices*(247).....35
mauryae, *Rhissomylloides*(597).....64
mauryae, *Strobilopsis*(413).....49
mauryae, *Turbinella*(317).....41
mauryae, *Tylostoma*(239).....34
mawsoni, *Anodontites*(761).....77
 Mazzalina.....40
mcgrathiana, *Callista*(924).....90
meacuruense, *Platyceras s.*(48).....19
 Meekia.....87
meerwarthi, *Platyceras*(42).....19
 Megadesmidae.....96
 Megalobulimidae.....50
Megalobulimus.....50
 Melanatriinae.....27
Melania.....24
mellingi, *Gonodon*(1011).....97
melloi, *Anadara*(490).....56
 Melongenidae.....39
mendesi, *Guiratingia*(1042).....100
mendesi, *Holdhausiella*(1015).....97
Mendesia.....100
Mercenaria.....89
 Meretricinac.....90
meridionale, *Euomphalocera*(1132).....107
mermelii, *Exogyra*(649).....68
Mesalia.....29
mesenterica, *Ostrea*(629).....66
 MESOGASTROPODA.....22
Mesorhytis.....44
 MESOZOIC*.....11
 Mesurethra.....50
messorius, *Murex*(270).....37
Metengonoceras.....104
Metoicoceras.....108
 Metoicoceratinae.....108
meureri, *Turritella*(154).....28
mezzalirai, *Anthraconaia*(537).....59
mezzalirai, *Coxesia*(516).....58
mezzalirai, *Vertigo*(412).....49
Michelinoceras.....101
 Michelinoceratidae.....101
Microcardium.....85
micromphalus, *Warthis*(6).....16
 Miltha.....78
 Milthidae.....78
mimosa, *Corbula*(949).....92
minima, *Turritella*(155).....28
minimum, *Tylostoma*(240).....34
minor, *Brasilnea*(431).....51
minor, *Ecuadoria*(752).....76
minuscula, *Tryonia*(96).....23
 MIOCENE*.....14
mirimense, *Cerithium*(113).....25
misculus, *Heteropecten*(706).....72
Mitonia.....105
Mitra.....44
 Mitridae.....44
 Mitrinae.....44
modeliaensis, *Mytiloides*(587).....63
modica, *Lunatia*(251).....35
 Modiolinae.....58
modioloides, *Plicatula*(663).....69
Modiolus.....58
Modiomorpha.....74
Modiomorphidae.....74
Modiomorphoidea.....74
Mojisoviczii.....105
Monocondylaea.....77
Monroea.....37
monserratensis, *Biomphalaria*(410).....49
 Monte Alegre Formation*.....11
moreirai, *Ptomatis*(8).....16
morganiana, *Venericardia*(795).....79
morganianus, *Bellerophon* (2).....16
 Mortoniceras.....105
 Mortoniceratinae.....105
Morum.....41
 Moruminae.....41
mossoroensis, *Aporrhais*(209).....32
mossoroensis, *Barbatia*(481).....55
mossoroensis, *Corbula*(943).....92
mossoroensis, *Monroea*(263).....37
mossoroensis, *Nerinea*(191).....30
mossoroensis, *Ostrea*(630).....66
mossoroensis, *Pteria*(545).....60
mossoroensis, *Venericardia*(796).....79
 Nostoceratidae.....102
Mourlonia.....17
mullicaensis, *Plicatula*(664).....69
multicincta, *Pleurodapis*(808).....80
multicostata, *Periglypta*(903).....88
multiplex, *Fagesia*(1158).....109
multiplicata, *Marginella*(338).....43
multiscalptus, *Aviculopecten*(701).....72
Muracypraea.....33
Murex.....37
muricatum, *Trachycardium*(863).....85
 Muricidae.....37
Muricinae.....37
Muricoidea.....37
musicinoides, *Lyria*(306).....40

<i>musteri</i> , <i>Anoplophora</i> (1012)....97	Nerineidae....30	OLIGOCENE*....14
<i>mutabilis</i> , <i>Orvillia</i> (389)....47	Nerinella....31	<i>olindensis</i> , <i>Calyptitraea</i> (215)....32
<i>mutatoria</i> , <i>Lopha</i> (639)....67	<i>nerinexa</i> , <i>Turritella</i> (124)....26	<i>oliveirai</i> , <i>Mourlonia</i> (19)....17
Mutelidae....76	<i>Nerinoides</i>31	<i>Oliva</i>42
Muteloidea....76	<i>Nerita</i>21	<i>oliveirai</i> , <i>Metengonoceras</i> (1102)....105
<i>mutila</i> , <i>Ancilla</i> (332)....43	Neritidae....21	<i>Olivella</i>42
<i>Myalina</i>59	<i>Neritina</i>21	<i>Olivellinae</i>42
Myaliniidae....59	Neritinae....21	<i>Oliveria</i>87
Mycetopodidae....76	Neritoidea....21	<i>Olividae</i>42
<i>Myoconcha</i>80	<i>Neritoma</i>22	<i>olivieria</i> , <i>Cypricardella</i> (817)....81
Myoida....91	Neritomorpha....21	<i>Olivinae</i>42
Myoidea....91	Neritopsidae....22	<i>omilahyense</i> , <i>Barroisiceras</i> (1187)....111
Myoina....91	Neritopsisinae....22	<i>opalensis</i> , <i>Mytiloides</i> (589)....63
Myonia....98	<i>Neritopsis</i>22	Opistobranchia....47
<i>Myophoria</i>87, 97	<i>nettoana</i> , <i>Mesalia</i> (169)....29	<i>orbignyi</i> , <i>Palaeoneilo</i> (466)....54
<i>Myophoricardium</i>97	<i>nicolayana</i> , <i>Pleurocera</i> (138)....27	<i>orestis</i> , <i>Arca</i> (475)....54
Myophoriidae....74	<i>nidulifera</i> , <i>Calyptraea</i> (217)....33	<i>Oriocrassatella</i>81
<i>Myophoriopsis</i>87	<i>nigeriensis</i> , <i>Pseudotissotia</i> (1163)....110	<i>ornatum</i> , <i>Metiococeras</i> (1151)....108
<i>Mytella</i>58	<i>nobilis</i> , <i>Architectonica</i> (385)....47	<i>orpheus</i> , <i>Pachydiscus</i> (1091)....104
Mytilidae....57	<i>nodosa</i> , <i>Turritella</i> (157)....28	Ortalicidae....50
Mytilinae....57	<i>nodosoides</i> , <i>Mammites</i> (1136)....107	Ortalicoidea....50
Mytiloida....57	<i>Noetia</i>56	<i>Orthaulax</i>31
Mytiloides....57	Noetiidae....56	<i>Orthurethra</i>49
<i>mytiloides</i> , <i>Mytiloides</i> (588)....63	Noetiinae....56	<i>ortoni</i> , <i>Guerangeria</i> (740)....75
<i>Mytilus</i>57	<i>nordestensis</i> , <i>Pecten</i> (670)....69	<i>ortoni</i> , <i>Hydrobia</i> (90)....23
<i>naiadis</i> , <i>Glycymeris</i> (500)....57	Nostoceratidae....102	<i>ortoni</i> , <i>Neritina</i> (74)....21
<i>Naiadopsis</i>75	<i>Notaspidea</i>48	<i>Orvillia</i>47
<i>nana</i> , <i>Astartellopsis</i> (831)....82	<i>Nothoterraia</i>82	<i>oseryi</i> , <i>Tentaculites</i> (1201)....113
<i>nana</i> , <i>Neitheal</i> (674)....70	<i>novangliae</i> , <i>Epitonium</i> (267)....37	<i>ostracina</i> , <i>Planospirites</i> (652)....68
<i>nanus</i> , <i>Strophostylus</i> (80)....22	<i>Nucula</i>52	<i>Ostrea</i>66
Nassariidae....39	<i>Nuculanidae</i>52	<i>Ostreidae</i>66
Nassariinae....39	<i>Nuculaninae</i>52	<i>Ostreina</i>66
<i>Nassarius</i>39	<i>Nuculanoidae</i>52	<i>Ostreinae</i>66
<i>natalense</i> , <i>Eulophoceras</i> (1191)....112	<i>Nuculidae</i>52	<i>Ostroidea</i>66
<i>natalensis</i> , <i>Turritella</i> (156)....28	<i>Nuculites</i>53	<i>Ostroidea</i>66
<i>Natica</i>34	<i>Nuculoida</i>52	<i>otaminensis</i> , <i>Palaeoneilo</i> (467)....54
<i>Naticarius</i>34	<i>Nuculoidea</i>52	Othoceratidae....101
Naticidae....34	<i>Nuculidae</i>52	Othoceratoidea....101
Naticinae....34	<i>Nuculites</i>53	Othocerida....101
Naticoidea....34	<i>Nuculoida</i>52	<i>Othonella</i>98
<i>nativitatis</i> , <i>Amaurellina</i> (245)....35	<i>Nuculoidea</i>52	<i>othoni</i> , <i>Thaumastus</i> m.(425)....50
Nautilida....101	<i>nuda</i> , <i>Myophoia</i> (888)....87	<i>Otostoma</i>22
Nautiloidea....101	<i>nyassa</i> m., <i>Nuculites</i> (456)....53	<i>ottonis</i> , <i>Fusinus</i> (294)....39
<i>nebraskaensis</i> , <i>Platyceras</i> (44)....19	Obeliscinae....51	<i>ovatus</i> i., <i>Megalobulimus</i> (415)....50
<i>neglecta</i> , <i>Pseudolimea</i> (611)....65	<i>Obeliscus</i>51	<i>ovatus</i> , <i>Pachydon</i> (961)....93
<i>neglectus</i> , <i>Aviculopecten</i> (702)....72	<i>obliqua</i> , <i>Edmondia</i> (970)....94	Ovulidae....33
Neilsoniinae....17	<i>obliqua</i> , <i>Leptodesma</i> (559)....61	Ovuliniae....33
<i>Neitheal</i>70	<i>obliqua</i> , <i>Myalina</i> (533)....59	<i>owenana</i> , <i>Ostrea</i> (631)....66
<i>Nemocardium</i>85	<i>obliquus</i> , <i>Pachydon</i> (960)....93	<i>Oxitropidoceras</i>105
Neogastropoda....37	<i>obliquus</i> , <i>Solen</i> (874)....86	<i>pacatus</i> , <i>Nuculites</i> (459)....53
Neokentroceras....106	<i>oblongatus</i> , <i>Nuculites</i> (457)....53	<i>pachecoi</i> , <i>Cerithium</i> (114)....25
<i>Neptychites</i>109	<i>obscurata</i> , <i>Pitar</i> (919)....90	<i>pachecoi</i> , <i>Conus</i> (359)....45
<i>neotropicica</i> , <i>Pinzonella</i> (835)....82	<i>obtusus</i> , <i>Nuculites</i> (458)....53	Pachycardiidae....77
<i>Neptunella</i>40	<i>occidentalis</i> , <i>Aviculopecten</i> (703)....72	<i>Pachychilus</i>27
<i>nereidideditus</i> , <i>Pseudophyllit</i> (1062)....101	<i>occidentalis</i> , <i>Leptodesma</i> (557)....61	<i>Pachycrommium</i>35
<i>Neridomus</i>22	<i>occidentalis</i> , <i>Pinzonellopsis</i> (835)....83	Pachydiscidae....103
<i>Nerinea</i>30	<i>occidentalis</i> , <i>Schizodus</i> (728)....74	<i>Pachydiscus</i>103
<i>Nerinoidea</i>30	<i>oceanus</i> , <i>Pachydiscus</i> (1090)....104	<i>Pachydon</i>93
	<i>Ochetoclava</i>26	Pachydontidae....93
	<i>odopoia</i> , <i>Terebra</i> (378)....46	
	<i>offarcinatum</i> , <i>Douvilleiceras</i> (1100)....104	
	<i>olisiponensis</i> , <i>Exogyra</i> (653)....68	

- Pachyvascoceras*.....109
pagoda, *Euspira*(249).....35
PALAEOHETERODONTA.....74
Palaeomutela.....77
Palaeomutelidae.....77
Palaeoneilo.....54
PALEOZOIC*.....10
PALEOCENE*.....13
palmetta, *Ostrea*(637).....67
panda, *Pycnodonte*(646).....67
Pandoroidea.....99
pannicularia, *Chama*(935).....91
Panopea.....57
paphia, *Chione*(911).....89
papyraceum, *Amusium*(712).....73
paraense, *Trachycardium*(859).....84
paraensis, *Turritella*(158).....28
paraensis, *Anadara*(489).....55
paraensis, *Calubraria*(301).....40
paraensis, *Chione*(907).....89
paraensis, *Ficus*(259).....36
paraensis, *Marginella*(339).....43
paraensis, *Natica s.*(233).....34
paraensis, *Oliva*(324).....42
paraensis, *Olivella*(329).....42
paraensis, *Phalium*(258).....36
paraensis, *Polystira a.*(365).....45
paraensis, *Scaphander*(401).....48
paraensis, *Semele*(882).....86
paraensis, *Solen*(873).....86
paraensis, *Terebra*(379).....46
parahybense, *Glyptoxoceras*(1068).....102
parahybensis, *Cypraea*(223).....33
parahybensis, *Natica*(231).....34
parahybensis, *Pachydiscus*(1092).....104
parahybensis, *Pholadomya*(1023).....98
parahybensis, *Plicatula*(665).....69
parahybensis, *Sphenodiscus*(1193).....112
parai, *Nuculites*(460).....53
paralella, *Phladella*(987).....95
Parallelodon.....56
Parallelodontidae.....56
Parallelodontinae.....56
paranaensis, *Kidodia*(770).....77
paranaensis, *Lucina*(1016).....98
paranaensis, *Platyceras*(43).....19
paranaensis, *Solenomya*(1047).....100
paranensis, *Cardita*(787).....79
paranensis, *Crepidula*(213).....32
paranensis, *Platyostoma*(56).....20
Parapachydiscus.....103
Paraprothyris.....95
parinasense, *Edmondia*(971).....94
Parmicorbula.....93
parva, *Pteria b.*(538).....60
parvula, *Nucula b.*(436).....52
parvum, *Platyceras*(44).....19
*Passa Dois Formation**.....11
patagonicus, *Spirotropis*(369).....45
pauciornata, *Corbula*(950).....92
pauciplicatus, *Sanguinolites*(999).....96
paulini, *Dentalium*(1053).....100
paulistanensis, *Taxodontites*(756).....76
*Pebas Formation**.....14
Pecten.....69
pectinata, *Lucina*(773).....77
Pectinidae.....69
Pectinina.....69
Pectininae.....69
Pectinoidea.....69
pectorina, *Protothaca*(912).....89
pedrinhensis, *Turritella*(159).....28
pedroanum, *Cerithium*(115).....25
pedroanum, *Pseudaspidofer*(1144).....108
peiropolensis, *Florenceia*(753).....76
*Pelotas Basin**.....14
pennae, *Cypraea*(225).....33
pennae, *Drillia c.*(366).....45
pennae, *Murex*(271).....37
*Pendência Formation**.....13
pendenciana, *Ostrea*(632).....66
pentagonum.....106
Eucalycoceras(1120).....106
pentangulatus, *Euomphalus*(31).....18
penthesileae, *Tellina*(877).....86
peracuta, *Pteronites*(606).....65
peramabilis, *Terebra*(380).....46
perarcana, *Pitar*(920).....90
perbrasiliana, *Anomia*(721).....73
percassa, *Isocyprina*(888).....87
percassa, *Neritoma*(75).....22
Periglypta.....88
perimeta, *Venericardia*(797).....79
perinfaustum, *Trachycardium*(860).....84
Peristerniinae.....40
perlatens, *Marginella*(340).....43
PERMIAN*.....10
Permophoridae.....80
Permophorinae.....80
pernambucense, *Cimonia*(1059).....101
pernambucensis, *Fusinus*(295).....39
pernambucensis, *Gryphaeostr*(658).....68
pernambucensis, *Sanguinolit*(1000).....96
pernambucensis, *Tellin*(878).....86
perobliquum, *Fragum*(854).....84
Peroniceratinae.....111
perplexus, *Inoceramus*(571).....62
perseus, *Pachydiscus*(1093).....104
pertenuicostata, *Anadara*(489).....56
perthesileae, *Chione*(910).....89
perumbonata, *Venericardia*(798).....79
Peruviella.....22
Peruvispira.....17
perversa, *Thracia*(896).....88
Pervinquieria.....105
pessoai, *Trachycardium*(861).....84
Petaloconchus.....30
petaloideus, *Isognomon*(548).....60
Petricola.....91
Peticolidae.....91
pretobasia, *Damesites*(1074).....103
petrolandensis, *Cypricardella*(818).....81
Phacoides.....77
Phaliinae.....36
Phalium.....36
Pharkidonotus.....16
Phestia.....53
Philinoidea.....47
philipi, *Edmondia*(972).....94
philipi, *Leptothyra*(67).....21
Pholadella.....59, 95
Pholadomya.....98
Pholadomyoida.....93
Pholadomyidae.....98
Pholadomyoidea.....94
Pholidotominae.....41
philotarium, *Cardium*(843).....83
philotima, *Venericardia*(799).....79
Phos.....38
Photinae.....38
Phthonia.....59
Physa.....49
Physidae.....49
Physoidea.....49
*Piaçabuçu Formation**.....13
*Piauí Formation**.....11
pictus, *Inoceramus*(572).....62
pierdenalis, *Cetatites*(1060).....101
Piestochilus.....42
pimentana, *Modiomorpha*(736).....74
*Pimenteiras Formation**.....10
pinguensens, *Anadara*(485).....55
pinguiscula, *Ringinella*(398).....48
pinguisculus, *Spondylus*(715).....73
Pinna.....64
Pinnidae.....64
Pinnina.....64
Pinoidea.....64
Pinzonella.....82
Pinzonellinae.....82
Pinzonellopsis.....82
*Pirabas Formation**.....14
pirabasensis, *Glycymeris*(506).....57
pirabensis, *Atrina*(604).....64
pirabensis, *Cancellaria*(353).....44
pirabensis, *Conus*(360).....45
pirabensis, *Glycymeris*(506).....57
pirabensis, *Leptopecten*(672).....69
pirabica, *Alectriion*(286).....39
pirabica, *Callista*(925).....90
pirabica, *Drillia*(368).....45
pirabica, *Marginella*(341).....43
pirabica, *Oliva*(325).....42
pirabica, *Olivella*(330).....42
pirabica, *Turritella*(160).....28
pirabicum, *Calliostoma*(60).....20
pirabicum, *Cerithium*(116).....25

<i>piracicabensis</i> , <i>Mendesia</i> (1041)....100	<i>Posidoniidae</i>72	<i>Pseudophyllites</i>101
<i>Pisania</i>38	<i>posidonis</i> , <i>Petricola</i> (931)....91	<i>Pseudotissotia</i>109
<i>Pisaniinae</i>38	<i>posidonomyiformis</i> , <i>Sergipia</i> (580)....63	<i>Pseudotissotiinae</i>109
<i>Pisiidae</i>88	<i>Potamides</i>26	<i>pseudowilmottii</i> , <i>Venericardia</i> (800)....80
<i>pissisi</i> , <i>Grammysia</i> (981)....95	<i>Potamidae</i>26	<i>Psilomya</i>99
<i>Pitar</i>89	<i>Potamidinae</i>26	<i>psyque</i> , <i>Pachydiscus</i> (1095)....104
<i>placidus</i> , <i>Campnectes</i> (679)....70	<i>Poti Formation*</i>11	<i>Pteria</i>60
<i>Plagiostoma</i>65	<i>praearcinella</i> , <i>Arcinella</i> (936)....91	<i>Pteriidae</i>59
<i>Planorbidae</i>49	<i>praecisum</i> , <i>Fragum</i> (855)....84	<i>Pterioidea</i>59
<i>Planorbinae</i>49	<i>praeindentata</i> , <i>Cancellaria</i> (354)....44	<i>Pteriomorphia</i>54
<i>Planorbioidea</i>49	<i>praelonga</i> , <i>Ampullina</i> (244)....35	<i>Pteriina</i>60
<i>Planospirites</i>68	<i>praeovoidea</i> , <i>Turbinella</i> (318)....41	<i>Pterineidae</i>61
<i>planulatus</i> , <i>Puzosia</i> (1073)....102	<i>praepaphia</i> , <i>Chione</i> (911)....89	<i>Pterioida</i>59
<i>planum</i> , <i>Pseudotissotia</i> (1164)....110	<i>praepectorina</i> , <i>Protothaca</i> (912)....89	<i>Pterocera</i>31
<i>planyconus</i> , <i>Platyceras</i> (45)....19	<i>praetexta</i> , <i>Lima</i> (616)....65	<i>Pterocerella</i>32
<i>platicostatus</i> , <i>Heteropecten</i> (706)....72	<i>praetrivittata</i> , <i>Alectriion</i> (287)....39	<i>Pteronites</i>64
<i>platinensis</i> , <i>Palaeomutela</i> (767)....77	<i>praevarium</i> , <i>Bittium</i> (128)....26	<i>Pteropsellinae</i>85
<i>Platyceras</i>19	<i>pricei</i> , <i>Anodontites</i> (762)....77	<i>Pterotrigonia</i>74
<i>Platystoma</i>20	<i>Prionocyloceras</i>111	<i>Ptomiatis</i>16
<i>Platyceratidae</i>19	<i>Prionocyclus</i>111	<i>Ptychopteria</i>61
<i>Platyceratoidea</i>19	<i>priscus</i> , <i>Itaimbea</i> (755)....76	<i>Ptychactrinae</i>42
PLEISTOCENE*14	<i>Prisodon</i>75	<i>Pygmatias</i>31
<i>Plesiocyprinella</i>96	<i>pristina</i> , <i>Arcinella</i> (937)....91	<i>pugnax</i> , <i>Orthaulax</i> (203)....31
<i>Pleurodapis</i>80	<i>pristina</i> , <i>Terraia</i> (896)....88	<i>pulchella</i> , <i>Ctenodonta</i> (434)....51
<i>Plesioptygmatis</i>30	<i>proavitum</i> , <i>Fragum</i> (856)....84	<i>Pulmonata</i>49
<i>Pleurocera</i>27	<i>procyonis</i> , <i>Ostrea</i> (633)....67	<i>puncta</i> , <i>Neritina</i> (73)....21
<i>Pleuroceridae</i>27	<i>profunda</i> , <i>Liopista</i> (1036)....99	<i>Punctoidea</i>50
<i>Pleurocerinae</i>27	<i>progne</i> , <i>Trophon</i> (277)....38	<i>pupa</i> , <i>Puperita</i> (74)....21
<i>Pleurofusia</i>46	<i>prolabiata</i> , <i>Neritina</i> (72)....21	<i>Puperita</i>21
<i>Pleuroliria</i>45	<i>prolata</i> , <i>Thraciomorpha</i> (1048)....100	<i>Pupilliodea</i>49
<i>Pleuromya</i>99	<i>promaucana c.</i> , <i>Lucina</i> (774)....78	<i>pusilla</i> , <i>Natica</i> (234)....34
<i>Pleuromyiidae</i>99	<i>Promytillus</i>59	<i>putatoria</i> , <i>Anatina</i> (872)....85
<i>Pleuroporus</i>97	<i>Propeamussidae</i>73	<i>putilla</i> , <i>Anodontopsis</i> (745)....75
<i>Pleurotomaria</i>45	<i>proserpinæ</i> , <i>Ventricolaria</i> (902)....88	<i>Puzosia</i>102
<i>Pleurotomaria</i>18	<i>Prosobranchia</i>16	<i>Pycnodonte</i>67
<i>Pleurotomariidae</i>18	<i>prosoclina</i> , <i>Astartellopsis</i> (832)....82	<i>Pycnodontinae</i>67
<i>Pleurotomariinae</i>18	<i>Prosopecten</i>100	<i>Pyramidella</i>47
<i>Pleurotomarioidea</i>17	<i>protea</i> , <i>Crepidula</i> (214)....32	<i>Pyramidellidae</i>47
<i>Plicatula</i>68	<i>protesta</i> , <i>Subula</i> (382)....47	<i>Pyramidellinae</i>47
<i>Plicatulidae</i>68	<i>Protexanites</i>111	<i>Pyramidelloidea</i>47
<i>plicatuliformis</i> , <i>Lopha</i> (640)....67	<i>Prothyris</i>95	<i>Pyramus</i>97
<i>plicatus</i> , <i>Camptonectes</i> (679)....70	<i>Protobranchia</i>51	<i>Pyrazus</i>26
<i>Plicatuloidea</i>68	<i>Protocardia</i>85	<i>pyrene</i> , <i>Epitonium</i> (265)....37
PLIOCENE*14	<i>Protothaca</i>89	<i>Pyrgisculus</i>47
<i>plumosa</i> , <i>Botula</i> (529)....59	<i>prototypa</i> , <i>Mercenaria</i> (913)....89	<i>quadrata</i> , <i>Gonodon</i> (1011)....97
<i>Polinices</i>35	<i>prudentinensis</i> , <i>Hydrobia</i> (91)....23	<i>quadratum</i> , <i>Acanthoceras</i> (1129)....107
<i>Polinicinae</i>35	<i>Prunum</i>43	<i>quadricostata</i> , <i>Neithe</i> (678)....70
<i>Pollia</i>38	<i>prunum</i> , <i>Prunum</i> (343)....43	<i>quemadensis</i> , <i>Pecten</i> (668)....69
<i>Polystira</i>45	<i>Psammacoma</i>86	<i>querida</i> , <i>Lucina</i> (775)....78
<i>pompei</i> , <i>Acteon</i> (392)....47	<i>Psammobiidae</i>86	<i>querita</i> , <i>Corbula</i> (951)....92
<i>pondiana</i> , <i>Palaeoneilo</i> (468)....54	<i>Pseudamaura</i>35	<i>quinquecostata</i> , <i>Neithe</i> (676)....70
<i>Ponta Grossa Formation*</i>10	<i>Pseudaspidoceras</i>108	<i>radiata</i> , <i>Photadella</i> (988)....95
<i>pontagrossensis</i> , <i>Nerinea</i> (184)....30	<i>Pseudocalycoceras</i>106	<i>radiatus</i> , <i>Prosopecten</i> (1049)....100
<i>poohli</i> , <i>Cypriocardella</i> (819)....81	<i>Pseudocorbula</i>87, 98	<i>radula</i> , <i>Volutispina</i> (303)....40
<i>pooli</i> , <i>Lithophaga</i> (528)....59	<i>Pseudocucullaea</i>56	<i>ramicola</i> , <i>Lopha</i> (641)....67
<i>Poromyidae</i>99	<i>Pseudolinea</i>65	<i>rathbuni</i> , <i>Glycymeris</i> (507)....57
<i>Poromyinae</i>99	<i>Pseudomonotidae</i>73	<i>rathbuni</i> , <i>Toechomya</i> (732)....74
<i>portentus</i> , <i>Turbo</i> (65)....21	<i>Pseudomonotis</i>73	<i>rathbuni</i> , <i>Mesalia</i> (170)....29
<i>poseidon</i> , <i>Pachydiscus</i> (1094)....104	<i>psuedonodosoides</i> , <i>Pseudas</i> (1145)....108	<i>recondita</i> , <i>Arca</i> (476)....54

- recondita*, *Pitar*(921).....90
recta, *Anoplophora*(1012).....97
recurvirostris, *Murex*(272).....37
reducta, *Terraia*(888).....87
reedi, *Nuculites*(461).....53
reedsi, *Pachydiscus*(1096).....104
reesidei, *Euoplates*(1103).....105
reesidei, *Scaphites*(1069).....102
refugium, *Pleuromya*(1030).....99
reginamaris, *Pinna*(602).....64
regoii, *Gervilia*(550).....60
regoii, *Neitheaa* q.(675).....70
reissi, *Bucanella*(13).....17
relegatus, *Heteropecten*(706).....72
Relogiicola.....98
remoratus, *Inoceramus*(573).....62
rhenvieri, *Acompsoceras*(1125).....106
restituta, *Fasciolaria*(290).....39
restitutus, *Conus*(361).....45
rectum, *Calliostoma*(61).....20
retifera, *Lima*(609).....65
retirensis, *Rhyssomytiloides*(598).....64
Retusidae.....48
rhomboidalis, *Prosopecten*(1050).....100
Rhyssomytiloides.....64
riachuelanum, *Cerithium*(117).....25
riachuelana, *Cypraea*(224).....33
riachuelana, *Nerinea*(185).....30
riachuelanum, *Epitonium*(265).....37
riachuelense, *Acanthocardia*(849).....84
*Riachuelo Formation**.....13
richthofeni, *Myophoriopsis*(888).....87
Rimella.....32
rinctus, *Nerita*(70).....21
Ringinella.....48
rioassuana, *Turritella*(161).....28
rioassuanum, *Pyrazus*(135).....26
Rioclaroata.....100
riogramanense, *Canadocera*(1077).....103
riogramamense, *Cardium*(844).....83
riograndensis, *Cyprmeria*(929).....91
riograndensis, *Nerinea*(193).....31
riograndensis, *Trachycardium*(862).....85
riopirabica, *Macoma*(880).....86
Rissoidae.....23
Rhinoclavis.....26
rhysa, *Palaeoneilo*(469).....54
rochacamposi, *Sanguinolites*(1001).....96
rochai, *Tylostoma*(241).....35
rochana, *Pleurotomaria*(27).....18
rodata, *Turritis*(364).....45
Romaniceras.....107
romualdoi, *Gymnentome*(173).....29
rosadoi, *Mytilus*(511).....57
rosadoi, *Nerinea*(194).....31
rosadoi, *Turritella*(162).....28
rosarica, *Puzosia*(1072).....102
rossicus, *Schizodus*(729).....74
rostellata, *Phestia*(451).....53
rosthorni, *Myophoriopsis*(893).....87
rotundatus, *Crenoceramus*(599).....64
Roxoa.....98
roxoi, *Archura*(211).....32
roxoi, *Barbosaia*(564).....62
rudis, *Edmondia*(973).....94
ruginosa, *Leucozonia*(299).....40
ruginosa, *Orvillia*(390).....47
rugosa o., *Pinzonellopsis*(835).....83
sagittaria, *Nerinea*(186).....30
salamundi, *Edmondia*(974).....94
salteri, *Bucanella*(14).....17
sancticrucis, *Palaeoneilo*(470).....54
sanharicus, *Modiolus*(523).....58
sanctaenotis, *Ventricularia*(902).....88
Sancticarolis.....76
Sancticarolitidae.....76
sanctijosephi, *Eoborus*(416).....50
sandbergeri, *Pseudocorbula*(888).....87
Sanguinolites.....95
*Santana Formation**.....13
sappho, *Vicarya*(137).....27
sawkinsi, *Leptodesma*(560).....61
scalarioides, *Melania*(96).....23
scalata, *Lunatia*(252).....36
scalpellum, *Cymbophora*(871).....85
Scambulinae.....81
Scaphander.....48
Scaphandridae.....48
Scapharca.....55
Scaphites.....102
Scaphitidae.....102
Scaphitinae.....102
Scaphitoidea.....102
Scaphopoda.....100
scaphula, *Grammysioidea*(985).....95
Schizodus.....74
Schloenbachia.....106
schnidi, *Unicardium*(1011).....97
scissulatus, *Nassarius*(285).....39
scolopaciceps, *Cuspidaria*(1038).....99
Sconsia.....36
sculptilis, *Palaeoneilo*(471).....54
sedgwinckiana, *Pteria b.*(538).....60
sellowi, *Modiomorpha*(737).....75
Semele.....86
Semelidae.....86
semenoides, *Corbula*(952).....92
senecta, *Mitra*(345).....44
senilis, *Edmondia*(973).....94
sentis, *Chlamys*(685).....70
Serratocerithium.....26
septemseriatum, *Kanabicera*(1130).....107
septencinctus, *Aylacostoma*(99).....24
Septimyalina.....59
Septra.....36
Sepulboris.....30
seripensis, *Amauropsis*(255).....36
seripensis, *Anomia*(722).....73
seripensis, *Astarte*(829).....82
seripensis, *Cerithium*(119).....25
seripensis, *Coilopoceras*(1179).....111
seripensis, *Craginia*(178).....29
seripensis, *Douvilleiceras*(1101).....104
seripensis, *Exogyra*(654).....68
seripensis, *Liopista*(1033).....99
seripensis, *Lunatia*(253).....36
seripensis, *Mammites*(1137).....107
seripensis, *Mytiloides* L.(585).....63
seripensis, *Neitheaa*(677).....70
seripensis, *Oxytropidoceras*(1105).....105
seripensis, *Polinices*(249).....35
seripensis, *Trochacteon*(81).....22
Sergipia.....63
segipica, *Pseudolimea*(612).....65
serini, *Pteria*(546).....60
serratum, *Laevicardium*(865).....85
Serrifusus.....40
sharpei, *Nuculites*(462).....53
Sharpeiceras.....106
shawi, *Neitheaa*(678).....70
Sheppardiconcha.....24
Sigmurethra.....50
silentia, *Architectonica*(386).....47
*SILURIAN**.....10
silvae, *Acteon*(393).....48
similis, *Leinzia*(824).....81
similis, *Permophorus*(805).....80
similis, *Pinzonella*(834).....82
Simmia.....33
simplex, *Anomia*(723).....73
simplex, *Palaeoneilo*(472).....54
simplex, *Pseudotissotia*(1161).....109
simplicicarinata, *Ferrazia*(1004).....96
Simpulum.....36
Sinum.....36
Sininae.....36
Sinuitidae.....16
Siphonalia.....38
siqueirai, *Diodora*(37).....19
smalli, *Epitonium*(266).....37
smithi, *Nuculites*(463).....54
soaresana, *Turritella*(163).....28
soaresanum, *Granocardium*(848).....83
Solarium.....47
Solecurlinae.....86
Solecurtus.....86
Solemyidae.....51
Solemyoida.....51
Solemyoidae.....51
Solen.....85
Solena.....86
Solenidae.....85
Solenoidea.....85
Solgeites.....112
solisianus, *Brachidontes*(515).....58
sommeri, *Bulimulus*(423).....50
sommeri, *Carychium*(405).....49

- soperi*, *Cardium*(845)....83
soperi, *Fusinus*(296)....39
sornayi, *Thomelites*(1152)....109
*Souza Formation**....11
souzai, *Viviparus*(82)....22
sowerbyanus, *Euterephoceras*(1059)....101
Spathella....75
spathi, *Acompsoceras*(1126)....107
Sparella....43
speciosa, *Pleurotomaria*(28)....18
Sphaerium....88
Sphenodiscidae....112
Sphenodiscus....112
Sphenotomorpha....75
Sphenodus....95
spiculatum, *Cerithium*(120)....25
spinosus, *Benueites*(1143)....108
spirifera, *Terebra*(381)....46
Spirotropis....45
splendida, *Katzeria*(561)....61
spoliatus, *Promytilus*(526)....59
Spondylidae....73
Spondylus....73
squamosa, *Otostoma*(78)....22
stanislasmeynieri, *Polinices*(248)....35
stantoni, *Lopatinia*(498)....56
steinmanni, *Platyceras*(46)....19
steltzneri, *Bellerophon*(3)....16
Stenogyra....51
Stigmulaax....34
stockleyi, *Kidodia*(771)....77
Stoliczkaia....106
Stramonita....38
Streblochondriinae....72
Streblopteria....72
Streptaxidae....51
Streptaxinae....51
Streptaxoidea....51
striatoconcentricus, *Mytiloides*(590)....63
Strioterebrum....46
Strobilosidae....49
Strobilopsis....49
Strombidae....31
Strombiformis....37
Stromboidea....31
Strombus....31
Strophocheiloidea....50
Strophostylus....20, 22
stubeli, *Tentaculites*(1202)....113
Stutchburia....80
Styliolina....113
Styliolinidae....113
Stylommataphora....49
subaequalis, *Hyolites*(1054)....100
subaequilatera, *Nucula*(440)....52
subcentralis, *Cucullaea*(499)....57
subconicum, *Platyceras*(47)....19
subcostatus, *Permophorus*(806)....80
subcrenulata, *Trigonia*(725)....74
subcuneata, *Edmondia*(975)....94
subdecussata, *Pleurotomaria*(29)....18
subgibbosus, *Aporrhais*(208)....32
subhercynicus, *Mytiloides*(591)....63
subhumerosa, *Lunatia*(254)....36
submytiloides, *Mytiloides*(592)....63
superdita, *Olivella*(331)....42
subreta, *Ctenodonta*(435)....51
subtilicancellata, *Cancellaria*(355)....44
subtriangularis, *Pseudocorbi*(1016)....98
Subula....46
Subulinidae....51
subquadrata, *Anomia*(724)....74
subquadratus, *Aviculopecten*(704)....72
subrostrata, *Chione*(906)....89
subvarians, *Petaloconchus*(180)....30
sulcata, *Natica*(233)....34
sulcata, *Palaeoneilo*(473)....54
sulcata, *Tivela*(927)....90
sulcatus, *Hemisinus*(101)....24
sulcifer, *Euomphalus*(33)....18
sulcigyrata, *Turritella*(164)....28
sumneri, *Pachydiscus*(1097)....104
supermensa, *Liopistha*(1037)....99
suprasulcatus, *Potamides*(133)....26
Surcula....46
sutilis, *Murex*(270)....37
swallowi, *Myalina*(534)....59
swiftiana, *Nuculana*(447)....52
sylvania, *Edmondia*(975)....94
sylviana, *Turritella*(165)....29
symmetricum, *Platyceras*(48)....19
syphax, *Lopha*(642)....67
tabulae, *Forresteria*(1190)....112
Taeniatubo....21
Tagelus....87
tamandarensis, *Acteon*(394)....48
Tancredidae....87
Tapetinae....41
Taphius....49
Taxodontites....76
tayoensis, *Myonia*(1025)....98
Tectonatica....34
tectoria, *Neokentroceras*(1116)....106
tehuelchus, *Chlamys*(686)....71
telingaeformis, *Neopychites*(1159)....109
Tellina....86
Tellinidae....86
Tellininae....86
Tellinoidea....86
tenella, *Lucina*(779)....78
tenelus, *Tentaculites*(1203)....113
Tentaculitida....112
Tentaculitidae....112
Tentaculitoidea....112
tenuilineatus, *Parallelodon*(493)....56
tenuirostrata, *Plicatula*(666)....69
tenuis, *Pachydon*(961)....93
tenuistriata, *Kamerudoceras*(1148)....108
tenuistriata, *Mourlonia*(20)....17
tenuistriatum, *Epitonium*(268)....37
tenuistriatus, *Inoceramus*(574)....62
Terebra....46
Terebridae....46
terebriformis, *Pachychilus*(139)....27
terminale, *Edmondia*(976)....94
terpna, *Rhinoclavis*(127)....26
Terraia....87
tethys, *Cerithium*(121)....25
tetristriata, *Chlamys*(694)....71
Texanitinae....111
textilicostata, *Anadara*(490)....56
textilis, *Ptychopteria*(555)....61
Thaididae....38
Thais....38
thlassium, *Cardium*(846)....83
thalassogonus, *Lucina*(778)....78
thalassopora, *Chione*(905)....89
thaleria, *Venericardia*(801)....80
thalerus, *Chlamys*(687)....71
thalestris, *Ventricularia*(902)....88
thaliae, *Turritella*(166)....29
Thaumastus....50
thaumastus, *Chlamys*(687)....71
Theliostyla....21
thevertensis, *Piestochilus*(321)....42
thevestensis, *Trigonarca*(510)....57
Thiara....24
Thiariidae....24
Thiariinae....24
thoas, *Cerithium*(122)....25
thomasi, *Hoplitooides*(1174)....110
Thomelites....109
Thracia....88
Thylacodes....30
Tibia....32
tinocoi, *Trochacteon*(397)....32
Tissotiidae....109
Tivela....90
Toechomya....74
togata, *Eocithara*(311)....41
tolentinoi, *Sancticarolis*(754)....76
tonna, *Pachydon*(961)....93
Tonnoidea....36
toreia, *Murex*(273)....37
torrubiae, *Tylostoma*(242)....35
totiumsanctorum, *Anodontites*(763)....77
totiumsanctorum, *Turritella*(167)....29
Toxosoma....23
trabeatus, *Levifusus*(288)....39
Trachycardiinae....84
Trachycardium....84
trachyoptera, *Gryphaeostrea*(658)....68
transiens, *Mytiloides*(593)....64
Trapeziidae....88
Trapezium....88
Trepostira....18
triangularis, *Pseudocorbula*(1016)....98

<i>triasina</i> , <i>Astartelloplis</i> (832)....82	Turritellinae....27	Volutidae....40
<i>tricarinata</i> , <i>Aylacostoma</i> (100)....24	<i>Tylostoma</i>34	<i>Vutilithes</i>40
<i>tricarinata</i> , <i>Hydrobia</i> (92)....23	<i>typicus</i> , <i>Modiolus</i> (524)....58	Volutinae....40
<i>trichotomus</i> , <i>Aviculopecten</i> (705)....72	<i>ulrichi</i> , <i>Grammysia</i> (982)....95	<i>Volutispina</i>40
<i>trigona</i> , <i>Pinzonella</i> (834)....82	<i>ulrichi</i> , <i>Sphenotomorpha</i> (743)....75	<i>Volutocorbis</i>41
<i>Trigonarca</i>57	<i>umbonata</i> , <i>Arca</i> (477)....55	<i>Volutomitra</i>44
<i>Trigonia</i>74	<i>Umbraculidae</i>48	Volutomitridae....44
<i>Trigoniidae</i>74	<i>Umbraculoidea</i>48	<i>Volutomorpha</i>41
<i>Trigonioida</i>74	<i>Umbraculum</i>48	<i>Volvella</i>48
<i>Trigonioidea</i>74	<i>Unicardium</i>97	<i>Vorticifex</i>49
<i>Trigonocardia</i>84	<i>unicus</i> , <i>Heteropecten</i> (706)....72	<i>vallsi</i> , <i>Pseudotissotia</i> (1165)....110
<i>Trigonodus</i>83	<i>Unionoidea</i>75	<i>walterdorffensis</i> , <i>Cremnoceram</i> (600)....64
<i>trilobata v.</i> , <i>Bucanella</i> (15)....17	<i>Unionoidea</i>75	<i>wanderleyi</i> , <i>Inoceramus</i> (576)....62
<i>trindadeae</i> , <i>Bulimulus</i> (424)....50	<i>upanemensis</i> , <i>Nerinea</i> (187)....30	<i>Warthia</i>16
<i>trinitaria</i> , <i>Apolymetis</i> (881)....86	<i>upanemensis</i> , <i>Plagiostoma</i> (620)....66	<i>Watinsoneras</i>107
<i>trinitaria</i> , <i>Noetia</i> (492)....56	<i>upanemensis</i> , <i>Tibia</i> (206)....32	<i>wegmaniana</i> , <i>Ostrea</i> (621)....66
<i>tripatum</i> , <i>Vexillum</i> (347)....44	<i>Urocoptidae</i>51	<i>wheatleyi</i> , <i>Prisodon</i> (747)....75
<i>triqueter</i> , <i>Nuculites</i> (464)....54	<i>Uromitra</i>44	<i>wheeleri</i> , <i>Schizodus</i> (730)....74
<i>Tritia</i>39	<i>urubuensis</i> , <i>Fascioilaria</i> (291)....39	<i>whitei</i> , <i>Ampullina</i> (244)....35
<i>Tritonidea</i>38	<i>urubuensis</i> , <i>Inoceramus</i> (575)....62	<i>whitei</i> , <i>Conus</i> (362)....45
<i>Trochacteon</i>22, 48	<i>uruguayensis</i> , <i>Eucrassatella</i> (804)....80	<i>whitei</i> , <i>Platyceras</i> (50)....19
<i>Trochidae</i>20	<i>vanwinkleae</i> , <i>Anadara</i> (489)....56	<i>whitei</i> , <i>Tagelus</i> (884)....87
<i>Trochoidea</i>20	<i>variabilis</i> , <i>Didymotis</i> (711)....72	<i>whitei</i> , <i>Turritella h.</i> (148)....27
<i>Trochonematoidea</i>20	<i>varians</i> , <i>Strophostylus</i> (57)....20	<i>whitei</i> , <i>Tylostoma</i> (242)....35
<i>troelseni</i> , <i>Prionocycloceras</i> (1185)....111	<i>varicis</i> , <i>Cerithium</i> (123)....25	<i>whitensis</i> , <i>Volutocorbis</i> (307)....41
<i>Trombetas Formation*</i>10	<i>Vascoceras</i>109	<i>williamsi</i> , <i>Anahoplites</i> (1104)....105
<i>trombetensis</i> , <i>Tentaculites</i> (1204)....113	<i>Vascoceratidae</i>109	<i>williamsi</i> , <i>Anodontites</i> (764)....77
<i>Trophon</i>38	<i>vasconcellosi</i> , <i>Xenophora</i> (220)....33	<i>williamsii</i> , <i>Lioplacoides</i> (84)....22
<i>Trophoninae</i>38	<i>Vasidae</i>41	<i>williamsi</i> , <i>Murex</i> (274)....38
<i>tropica</i> , <i>Boreotrophon</i> (278)....38	<i>Vasinae</i>42	<i>williamsi</i> , <i>Rhinoclavis</i> (125)....26
<i>Tropidocyclus</i>17	<i>Vasum</i>42	<i>williamsoni</i> , <i>Pachydiscus</i> (1098)....104
<i>Tropidodiscus</i>17	<i>Venericardia</i>79	<i>wilmottii</i> , <i>Venericardia</i> (802)....80
<i>tropidophorus</i> , <i>Permophorus</i> (807)....80	<i>Venericardiinae</i>79	<i>woodringi</i> , <i>Dirocerithium</i> (124)....26
<i>truncata</i> , <i>Exogyra</i> (655)....68	<i>Veneridae</i>88	<i>woodringi</i> , <i>Potamides</i> (134)....26
<i>truncata</i> , <i>Marginella</i> (342)....43	<i>Venerinae</i>88	<i>woodwardi</i> , <i>Goniophora</i> (742)....75
<i>Tryonia</i>23	<i>Veneroida</i>73	<i>woodwardii</i> , <i>Lacuna</i> (86)....23
<i>tschermyschewi</i> , <i>Platyceras</i> (49)....19	<i>Veneroidea</i>88	<i>woodwardii</i> , <i>Aylacostoma</i> (103)....24
<i>Tubarão Group*</i>10	<i>Veniella</i>88	<i>woorworthi</i> , <i>Nuculana</i> (449)....52
<i>tuberculata</i> , <i>Turbinella</i> (319)....42	<i>Ventricolaria</i>88	<i>wormanni</i> , <i>Myophoria</i> (888)....87
<i>tumidus</i> , <i>Pachydon</i> (962)....93	<i>Verena</i>24	<i>Wrightoceras</i>110
<i>Turbinella</i>41	<i>Vermetidae</i>30	<i>wyominguensis</i> , <i>Myalina</i> (535)....59
<i>Turbinellinae</i>41	<i>Vertiginidae</i>49	<i>Xancus</i>41
<i>Turbinidae</i>21	<i>Vertigininidae</i>49	<i>Xenophora</i>33
<i>Turbininiae</i>21	<i>Vertigininidae</i>49	<i>Xenophoridae</i>33
<i>Turbo</i>21	<i>Vertigo</i>49	<i>Xenophoroidea</i>33
<i>Turbanilla</i>47	<i>vertumni</i> , <i>Corbula</i> (953)....93	<i>yaquensis</i> , <i>Arcinella</i> (937)....91
<i>Turbanillinae</i>47	<i>vertumni</i> , <i>Pitar</i> (922)....90	<i>yaquensis</i> , <i>Murex</i> (275)....38
<i>turgida</i> , <i>Limatula</i> (613)....65	<i>Vexillum</i>44	<i>yporanganus</i> , <i>Megalobulinus</i> (415)....50
<i>Turiaçu Formation*</i>14	<i>viator</i> , <i>Nuculana</i> (448)....52	<i>Yunnania</i>18
<i>turoniente</i> , <i>Kamerudoceras</i> (1149)....108	<i>Vicarya</i>27	<i>zebra</i> , <i>Arca</i> (478)....55
<i>Turridula</i>46	<i>vidali</i> , <i>Mytilus</i> (512)....58	<i>ziczag</i> , <i>Neritina</i> (71)....21
<i>Turridulinae</i>46	<i>vieta</i> , <i>Corbula</i> (944)....92	<i>zoilus</i> , <i>Kionoceras</i> (1056)....101
<i>Turridae</i>45	<i>viramunda</i> , <i>Bucanella t.</i> (15)....17	<i>zomyensis</i> , <i>Ostrea</i> (634)....67
<i>Turritiloidea</i>102	<i>viridarii</i> , <i>Cardium</i> (847)....83	
<i>Turrinae</i>45	<i>Viviparidae</i>22	
<i>turriformis</i> , <i>Craginia</i> (179)....29	<i>Viviparinae</i>22	
<i>Turris</i>45	<i>Viviparioidea</i>22	
<i>Turritella</i>27	<i>Viviparus</i>22	
<i>Turritellidae</i>27	<i>Volsella</i>58	
	<i>vohipalense</i> , <i>Sharpeiceras</i> (1123)....106	